

ALGAE AND INVERTEBRATES IN THE WATER COLUMN OF SELECTED PRAIRIE WETLANDS IN THE COTTONWOOD LAKE AREA, STUTSMAN COUNTY, NORTH DAKOTA, 1984

By
J. W. LaBaugh and G. A. Swanson

**U. S. GEOLOGICAL SURVEY
Open-File Report 88-451**

Prepared in cooperation with the
**U. S. FISH AND WILDLIFE SERVICE
NORTHERN PRAIRIE WILDLIFE RESEARCH CENTER**



Lakewood, Colorado
1988

DEPARTMENT OF THE INTERIOR
DONALD PAUL HODEL, Secretary
U.S. GEOLOGICAL SURVEY
Dallas L. Peck, Director

For additional information write to:

James W. LaBaugh
U.S. Geological Survey
Box 25046, MS 413
Denver Federal Center
Lakewood, CO 80225-0046

Copies of this report can be purchased from:

U. S. Geological Survey
Books and Open-File Reports
Federal Center, Building 810
Box 25425
Denver, CO 80225

CONTENTS

| | Page |
|--|------|
| Abstract----- | 1 |
| Introduction----- | 1 |
| Methods of sample collection and analysis----- | 1 |
| References----- | 2 |

ILLUSTRATIONS

| | |
|--|---|
| Figure 1. Map showing location of study area and location of wetlands in which algae and invertebrates were collected.----- | 3 |
| 2. Diagram showing design for sampling algae and invertebrates in wetlands.----- | 4 |

TABLES

| | Page |
|--|------|
| Table 1. Algal species and species density in the water column of wetland P1----- | 5 |
| 2. Algal species and species density in the water column of wetland P8----- | 23 |
| 3. Algal species and species density in the water column of wetland P11----- | 48 |
| 4. Algal species and species density in the water column of wetland T3----- | 65 |
| 5. Algal species and species density in the water column of wetland T8----- | 74 |
| 6. Invertebrate species and species density in the water column of wetland P1----- | 81 |
| 7. Invertebrate species and species density in the water column of wetland P8----- | 84 |
| 8. Invertebrate species and species density in the water column of wetland P11----- | 90 |
| 9. Invertebrate species and species density in the water column of wetland T3----- | 93 |
| 10. Invertebrate species and species density in the water column of wetland T8----- | 95 |

METRIC CONVERSION FACTORS

| <i>Multiply</i> | <i>by</i> | <i>To obtain</i> |
|-----------------|-------------------------|------------------|
| micrometer | 3.9370079×10^5 | inch |
| milliliter | 0.06102 | cubic inch |
| liter | 0.0353 | cubic foot |

**ALGAE AND INVERTEBRATES IN THE WATER COLUMN OF SELECTED PRAIRIE
WETLANDS IN THE COTTONWOOD LAKE AREA, STUTSMAN COUNTY, NORTH DAKOTA, 1984**

by J. W. LaBaugh and G. A. Swanson¹

ABSTRACT

Studies of hydrological-biogeochemical interactions on selected prairie wetlands in the Cottonwood Lake area, Stutsman County, North Dakota, includes investigations of fluxes of chemical elements closely related to the structure and function of biological communities of these wetlands. Data presented in this report include species identification of algae and invertebrates and the density of each of those species collected in the water column of the wetlands. Samples were collected along three transects in each wetland during the period in 1984 that the wetlands contained water when ice was not present.

INTRODUCTION

Algae and invertebrate data were collected from selected prairie wetlands in the Cottonwood Lake area, Stutsman County, North Dakota (fig. 1), as part of a continuing study of the interaction between hydrologic fluxes, chemical fluxes, and the biological communities of these wetlands by the U.S. Geological Survey and the U.S. Fish and Wildlife Service. The rationale for selection of the Cottonwood Lake area for the intensive study of hydrologic, chemical, and biological processes is given by Winter and Carr (1980). An interpretive report of the relation between chemical characteristics of wetlands and the local ground-water-flow system is given by LaBaugh and others (1987).

METHODS OF SAMPLE COLLECTION AND ANALYSIS

Two types of wetlands were selected for study, semipermanent and seasonal. Semipermanent wetlands contained water the entire year and were not covered by ice between late April and late October. Seasonal wetlands contained water from the time snow and ice melted in the wetlands in April until late July when the wetlands were completely dry. Samples were collected from semipermanent wetlands (wetland P1, wetland P8, and wetland P11) as well as from seasonal wetlands (wetland T3 and wetland T8) approximately once a month during the period when the wetlands contained water and were not covered by ice. All samples were collected at a single point along each of three transects in each wetland (fig. 2) by use of a tube water-column sampler that was described by Swanson (1978). Details concerning the location of the transects chosen for sample collection and point of collection within each transect in these wetlands were presented by LaBaugh and others (1987).

1. U. S. Fish and Wildlife Service, Jamestown, North Dakota

After water from a transect within a wetland was collected in the tube water-column sampler, water for subsequent algal analysis from that transect was put into a 1-liter high-density polyethylene bottle. To this bottle, 10 milliliters of Lugol's solution was added as a preservative. Preserved samples were sent to Chadwick and Associates¹, Littleton, Colorado, for species identification of algae and enumeration of algae for species density (cells per milliliter) using an inverted microscope. Results of this analysis are presented in tables 1-5.

Prior to analysis of invertebrate species identification and enumeration, the volume of water collected from an individual transect within a wetland was measured by use of a 1-liter graduated cylinder and then recorded. Water was then poured through a Wisconsin plankton net bucket (mesh size opening 80 micrometers). The sample contained within the bucket was emptied into a 250 milliliter high-density polyethylene bottle. Soda water was added to narcotize the organisms in the bottle prior to the addition of 10 milliliters of 40 percent formalin as a preservative. Preserved samples were sent to Dr. William Taylor, Michigan State University for species identification of invertebrates and enumeration of each species. The number of organisms in the sample were divided by the corresponding recorded volume of water for that sample to determine the density of organisms per liter. These results are presented in Tables 6-10.

REFERENCES

- LaBaugh, J.W., Winter, T.C., Adomaitis, V.A., and Swanson, G.A., 1987, Hydrology and chemistry of selected prairie wetlands in the Cottonwood Lake area, Stutsman County, North Dakota, 1979-82: U.S. Geological Survey Professional Paper 1431, 26 p.
- Swanson, G.A., 1978, A water column sampler for invertebrates in shallow wetlands: Journal of Wildlife Management, v. 42, p. 670-671.
- Winter, T.C., and Carr, M.R., 1980, Hydrologic setting of wetlands in the Cottonwood Lake area, Cottonwood Lake area, Stutsman County, North Dakota: U.S. Geological Survey Water-Resources Investigations 80-99, 42 p.

1. use of firm names in this report is for identification purposes only and does not constitute endorsement by the U.S. Geological Survey.




Figure 1.--Location of study area and location of wetlands in which algae and invertebrates were collected.





Figure 2.--Design for sampling algae and invertebrates in wetlands.

Table 1. Algal species and species density in the water column of Wetland P1.

| Month | Day | Transect | Cyanophyta [Density in cells per milliliter] | | | | | |
|-------|-----|----------|---|--|-----------------------------------|--|------------------------------------|------------------------------------|
| | | | <i>Anabaena</i> <i>sp.</i> | <i>Aphanocapsa</i> <i>delicatissima</i> | <i>Aphanotilice</i> <i>sp.</i> | <i>Chamaesiphon</i> <i>curvatus</i> | <i>Chroococcus</i> <i>sp. 1</i> | <i>Chroococcus</i> <i>sp. 2</i> |
| 5 | 15 | A | * | * | * | * | * | * |
| 5 | 15 | C | * | * | * | * | * | * |
| 5 | 15 | E | * | * | * | * | * | * |
| 6 | 18 | A | * | 454 | * | * | * | * |
| 6 | 18 | C | * | 398 | 341 | * | * | * |
| 6 | 18 | E | * | 568 | * | * | 795 | 284 |
| 6 | 18 | E | * | * | * | * | * | * |
| 7 | 6 | A | * | * | * | * | 966 | |
| 7 | 6 | C | * | * | * | * | * | 398 |
| 7 | 6 | E | * | * | * | 28 | * | * |

| Month | Day | Transect | Cyanophyta [Density in cells per milliliter] | | | | | |
|-------|-----|----------|---|--|---|--|--|---|
| | | | <i>Chroococcus</i> <i>sp. 3</i> | <i>Chroococcus</i> <i>dispersus</i> | <i>Coelosphaerium</i> <i>collinsii</i> | <i>Dactylococcopsis</i> <i>acicularis</i> | <i>Dactylococcopsis</i> <i>rhipidioides</i> | <i>Dactylococcopsis</i> <i>smithii</i> |
| 5 | 15 | A | * | * | * | 5226 | * | * |
| 5 | 15 | C | * | * | * | * | * | * |
| 5 | 15 | E | * | * | * | * | * | 28 |
| 6 | 18 | A | * | * | * | * | * | * |
| 6 | 18 | C | * | * | * | * | * | * |
| 6 | 18 | E | * | * | * | * | * | * |
| 7 | 6 | A | * | * | * | * | * | * |
| 7 | 6 | C | * | * | * | * | * | * |
| 7 | 6 | E | * | * | * | 28 | * | * |

Table 1. Algal species and species density in the water column of Wetland Pl--Continued.

| Month | Day | Transect | Cyanophyta [Density in cells per milliliter] | | | | | |
|---|-----|----------|---|--|---|--|---|--|
| | | | <i>Lyngbya</i> sp. | <i>Lyngbya</i> <i>limnetica</i> | <i>Lyngbya</i> <i>nana</i> | <i>Oscillatoria</i> sp. | <i>Oscillatoria</i> sp. 1 | <i>Oscillatoria</i> sp. 2 |
| 5 | 15 | A | * | * | * | 909 | * | * |
| 5 | 15 | C | * | * | * | * | * | * |
| 5 | 15 | E | * | * | 1193 | * | * | * |
| 6 | 18 | A | * | * | * | * | * | * |
| 6 | 18 | C | * | * | * | * | * | * |
| 6 | 18 | E | * | * | * | * | * | * |
| 6 | 18 | | | | | 909 | * | * |
| 7 | 6 | A | * | * | 170 | * | 1250 | 852 |
| 7 | 6 | C | 341 | 1051 | * | * | * | * |
| 7 | 6 | E | * | * | * | 114 | * | * |
| Cyanophyta [Density in cells per milliliter] | | | | | | | | |
| Month | Day | Transect | <i>Oscillatoria</i> <i>angusta</i> | <i>Oscillatoria</i> <i>angustissima</i> | <i>Oscillatoria</i> <i>limnetica</i> | <i>Oscillatoria</i> <i>princeps</i> | <i>Oscillatoria</i> <i>splendida</i> | <i>Phormidium</i> <i>foveolarum</i> |
| | | | * | * | 227 | 341 | * | 224 |
| 5 | 15 | A | * | 1818 | * | * | * | * |
| 5 | 15 | C | * | 227 | 653 | * | 454 | 454 |
| 5 | 15 | E | * | | | | | * |
| 6 | 18 | A | * | * | * | * | * | 1250 |
| 6 | 18 | C | 852 | 909 | * | * | * | * |
| 6 | 18 | E | * | * | * | * | * | * |
| 7 | 6 | A | * | * | * | * | * | 398 |
| 7 | 6 | C | * | * | * | * | * | * |
| 7 | 6 | E | * | * | * | * | * | * |

Table 1. Algal species and species density in the water column of Wetland P1--Continued.

| Cyanophyta [Density in cells per milliliter] | | | | | | | | |
|---|-----|----------|--------------------|-----------------------|--------------------------|--------------------------|--------------------|--------------------|
| Month | Day | Transect | Rhabdoderma sp. | Rhabdoderma minima | Rhabdoderma sigmoidea | Rhabdoderma var minor | Spirulina sp. 1 | Spirulina sp. 2 |
| 5 | 15 | A | * | * | * | 284 | * | * |
| 5 | 15 | C | * | * | * | * | * | * |
| 5 | 15 | E | * | * | * | * | * | * |
| 6 | 18 | A | * | * | * | * | * | * |
| 6 | 18 | C | * | * | 57 | * | * | * |
| 6 | 18 | E | * | * | * | * | * | * |
| 7 | 6 | A | * | * | * | 170 | * | * |
| 7 | 6 | C | * | * | 28 | 28 | * | * |
| 7 | 6 | E | * | * | * | * | * | * |

| Cyanophyta [Density in cells per milliliter] | | | | | | | | |
|---|-----|----------|-----------------------|------------------------|-----------------------------|----------------------------|---------------------------|----------------------------|
| Month | Day | Transect | Spirulina princeps | Spirulina laxissima | Synechococcus aeruginosa | Synechococcus elongatus | Synechococcus linearis | Synechocystis aquatilis |
| 5 | 15 | A | * | * | * | 57 | 568 | * |
| 5 | 15 | C | * | * | * | * | 170 | * |
| 5 | 15 | E | * | * | * | * | 114 | * |
| 6 | 18 | A | * | * | * | 28 | * | * |
| 6 | 18 | C | * | * | 852 | 57 | 284 | * |
| 6 | 18 | E | * | * | 57 | * | * | 227 |
| 7 | 6 | A | * | * | * | 170 | * | * |
| 7 | 6 | C | * | * | 284 | 170 | * | * |
| 7 | 6 | E | * | * | * | * | * | * |

Table 1. Algal species and species density in the water column of Wetland Pl.-Continued.

| Cryptophyta [Density in cells per milliliter] | | | | | | |
|--|-----|----------|-------------------------------|---------------------------|-----------------------------|-----------------------------|
| Month | Day | Transect | <i>Chroomonas nordstedtii</i> | <i>Cryptomonas</i> sp. | <i>Cryptomonas</i> sp. 1 | <i>Cryptomonas</i> sp. 2 |
| 5 | 15 | A | * | * | * | * |
| 5 | 15 | C | 5510 | * | 57 | 625 |
| 5 | 15 | E | * | 341 | * | * |
| 6 | 18 | A | 2584 | * | * | * |
| 6 | 18 | C | 2840 | * | 57 | 1477 |
| 6 | 18 | E | 1818 | * | * | 909 |
| 7 | 6 | A | 3124 | * | * | 398 |
| 7 | 6 | C | 2700 | * | * | * |
| 7 | 6 | E | * | * | * | 28 |

| Cryptophyta [Density in cells per milliliter] | | | | | | |
|--|-----|----------|--------------------------------------|---|--|------------------------------------|
| Month | Day | Transect | <i>Cryptomonas</i> <i>marsoni</i> | <i>Cryptomonas</i> <i>rostratiformis</i> | <i>Protochrysis</i> <i>phaeophycearum</i> | <i>Rhodomonas</i> <i>minuta</i> |
| 5 | 15 | A | 57 | 57 | * | 3862 |
| 5 | 15 | C | * | * | * | * |
| 5 | 15 | E | * | * | * | 3380 |
| 6 | 18 | A | * | 28 | * | * |
| 6 | 18 | C | 114 | * | 57 | 227 |
| 6 | 18 | E | * | * | * | 511 |
| 7 | 6 | A | * | * | * | * |
| 7 | 6 | C | * | * | * | 310 |
| 7 | 6 | E | * | * | * | 1477 |

Table 1. Algal species and species density in the water column of Wetland Pl--Continued.

| Chlorophyta [Density in cells per milliliter] | | | | | | | | |
|--|-----|----------|------------------------------|---|--|--|--------------------------|-------------------------------|
| Month | Day | Transect | <i>Ankistrodesmus</i> sp. | <i>Ankistrodesmus</i> <i>braunii</i> | <i>Ankistrodesmus</i> <i>convolutus</i> | <i>Ankistrodesmus</i> <i>falcatus</i> | <i>Carteria</i> sp. 1 | <i>Chlamydomonas</i> sp. 2 |
| 5 | 15 | A | 57 | * | * | * | * | * |
| 5 | 15 | C | * | * | * | * | * | * |
| 5 | 15 | E | 28 | * | * | * | 312 | 85 |
| 6 | 18 | A | * | * | * | * | * | * |
| 6 | 18 | C | * | * | * | * | * | 57 |
| 6 | 18 | E | * | * | * | * | 738 | 1988 |
| 7 | 6 | A | * | * | * | * | * | 114 |
| 7 | 6 | C | * | * | * | * | * | * |
| 7 | 6 | E | * | * | * | * | 85 | 738 |

| Chlorophyta [Density in cells per milliliter] | | | | | | | | |
|--|-----|----------|-------------------------------|-------------------------------|-------------------------------------|--|--|----------------------------|
| Month | Day | Transect | <i>Chlamydomonas</i> sp. 3 | <i>Chlamydomonas</i> sp. 4 | <i>Chlorella</i> <i>vulgaris</i> | <i>Chlorococcum</i> <i>humicola</i> | <i>Chlorococcum</i> <i>infusionum</i> | <i>Chlorogonium</i> sp. |
| 5 | 15 | A | 57 | * | * | * | 284 | * |
| 5 | 15 | C | 568 | * | * | * | * | * |
| 5 | 15 | E | 57 | * | 28 | * | * | * |
| 6 | 18 | A | 2641 | * | * | * | * | 57 |
| 6 | 18 | C | 4430 | * | * | * | * | * |
| 6 | 18 | E | * | * | * | * | * | * |
| 7 | 6 | A | 57 | * | * | * | * | * |
| 7 | 6 | C | 341 | * | * | * | 341 | 57 |
| 7 | 6 | E | * | 28 | * | * | * | * |

Table 1. Algal species and species density in the water column of Wetland P1--Continued.

| Chlorophyta | | | | | | | | | |
|-----------------------------------|-----|----------|-------------------|-------------------|-------------------|--------------------|--------------------|--------------------|-----------------|
| [Density in cells per milliliter] | | | | | | | | | |
| Month | Day | Transect | <i>Glosterium</i> | <i>Glosterium</i> | <i>Platymonas</i> | <i>Scenedesmus</i> | <i>Scenedesmus</i> | <i>Schroederia</i> | <i>serratus</i> |
| | | | sp. 1 | sp. 2 | sp. | sp. | quadricauda | | |
| 5 | 15 | A | * | * | * | * | * | * | * |
| 5 | 15 | C | * | * | * | * | * | * | * |
| 5 | 15 | E | * | * | * | * | 114 | 85 | * |
| 6 | 18 | A | * | * | 57 | * | * | * | * |
| 6 | 18 | C | * | * | * | * | * | * | 57 |
| 6 | 18 | E | 57 | * | * | * | * | * | * |
| 7 | 6 | A | * | * | * | * | * | * | * |
| 7 | 6 | C | * | * | * | * | * | * | * |
| 7 | 6 | E | * | * | * | * | * | * | 28 |

| Chlorophyta | | | | | | | | | |
|-----------------------------------|-----|----------|--------------------|--------------------|------------------|------------------|------------------|--------------------|-----------------------|
| [Density in cells per milliliter] | | | | | | | | | |
| Month | Day | Transect | <i>Schroederia</i> | <i>Schroederia</i> | <i>Spirogyra</i> | <i>Treubaria</i> | <i>Treubaria</i> | <i>Chlorophyta</i> | <i>resting spores</i> |
| | | | setigera | setigera | sp. | sp. | sp. | | |
| 5 | 15 | A | * | * | * | * | * | * | * |
| 5 | 15 | C | * | * | * | * | * | * | * |
| 5 | 15 | E | * | * | * | * | * | * | * |
| 6 | 18 | A | 28 | * | * | * | * | * | * |
| 6 | 18 | C | * | * | * | * | * | * | * |
| 6 | 18 | E | * | * | * | * | * | * | * |
| 7 | 6 | A | 57 | * | * | * | * | * | * |
| 7 | 6 | C | * | * | * | * | * | * | * |
| 7 | 6 | E | * | * | * | * | * | * | * |

Table 1. Algal species and species density in the water column of Wetland Pl.-Continued.

| Chrysophyta [Density in cells per milliliter] | | | | | | | |
|--|-----|----------|------------------------------|--------------------------|--------------------------|----------------------------|----------------------------|
| Month | Day | Transect | <i>Characidiopsis</i> sp. | <i>Chromulina</i> sp. | <i>Chrysomeba</i> sp. | <i>Ochromonas</i> sp. 1 | <i>Ochromonas</i> sp. 2 |
| 5 | 15 | A | * | * | * | * | * |
| 5 | 15 | C | * | 57 | * | * | * |
| 5 | 15 | E | * | * | * | * | * |
| 6 | 18 | A | * | 57 | * | 170 | * |
| 6 | 18 | C | * | * | * | * | * |
| 6 | 18 | E | * | * | * | 795 | * |
| 7 | 6 | A | * | * | * | 1221 | 28 |
| 7 | 6 | C | * | * | * | 3294 | 966 |
| 7 | 6 | E | * | * | * | * | * |

| Bacillariophyta [Density in cells per milliliter] | | | | | | | |
|--|-----|----------|--|---------------------------------------|---------------------------------|---------------------------------------|-----------------------------------|
| Month | Day | Transect | <i>Cyclotella</i> <i>meneghiniana</i> | <i>Amphipleura</i> <i>pelucida</i> | <i>Amphora</i> <i>ovalis</i> | <i>Gocconeis</i> <i>placentula</i> | <i>Cymbella</i> <i>cistula</i> |
| 5 | 15 | A | * | * | * | * | * |
| 5 | 15 | C | * | * | * | * | * |
| 5 | 15 | E | * | 57 | * | * | * |
| 6 | 18 | A | * | * | 57 | * | * |
| 6 | 18 | C | * | * | * | 142 | * |
| 6 | 18 | E | * | * | * | * | * |
| 7 | 6 | A | * | * | 57 | * | * |
| 7 | 6 | C | * | * | 653 | * | * |
| 7 | 6 | E | 14 | * | 341 | * | * |

Table 1. Algal species and species density in the water column of Wetland P1--Continued.

| Month | Day | Transect | Bacillariophyta [Density in cells per milliliter] | | | | | |
|-------|-----|----------|--|--|-----------------------|------------------------------|---------------------------|----------------------------|
| | | | <i>Fragilaria capucina</i> | <i>Fragilaria capucina</i> var <i>mesolepta</i> | <i>Gomphonema sp.</i> | <i>Gomphonema angustatum</i> | <i>Gomphonema gracile</i> | <i>Gomphonema parvulum</i> |
| 5 | 15 | A | * | * | * | * | * | * |
| 5 | 15 | C | * | * | * | * | * | * |
| 5 | 15 | E | * | * | * | * | * | 6 |
| 6 | 18 | A | * | * | * | 57 | * | * |
| 6 | 18 | C | 28 | * | * | * | * | 57 |
| 6 | 18 | E | * | 114 | * | 171 | * | * |
| 7 | 6 | A | * | * | * | * | * | * |
| 7 | 6 | C | * | * | * | * | * | * |
| 7 | 6 | E | * | 57 | * | * | * | * |

| Month | Day | Transect | Bacillariophyta [Density in cells per milliliter] | | | | | |
|-------|-----|----------|--|---------------------------|--------------------------|---|----------------------------|----------------------------|
| | | | <i>Navicula cincta</i> | <i>Navicula cuspidata</i> | <i>Navicula heufleri</i> | <i>Navicula heufleri</i> var <i>leptocephala</i> | <i>Navicula laevissima</i> | <i>Navicula lanceolata</i> |
| 5 | 15 | A | * | * | * | * | * | * |
| 5 | 15 | C | * | * | 57 | * | * | 57 |
| 5 | 15 | E | 6 | * | 6 | 6 | * | * |
| 6 | 18 | A | * | * | * | 114 | 28 | * |
| 6 | 18 | C | * | * | * | * | * | * |
| 6 | 18 | E | * | * | 57 | * | * | * |
| 7 | 6 | A | * | * | * | * | * | 57 |
| 7 | 6 | C | * | * | * | * | * | * |
| 7 | 6 | E | * | * | * | * | * | * |

Table 1. Algal species and species density in the water column of Wetland Pl--Continued.

| Bacillariophyta [Density in cells per milliliter] | | | | | | | | | |
|--|-----|----------|-------------------------------------|---------------------------------|--|---------------------------------------|-------------------------------|--------------------------------|---------------------------------------|
| Month | Day | Transect | <i>Navicula</i> <i>minuscula</i> | <i>Navicula</i> <i>notha</i> | <i>Navicula</i> <i>pupula</i> var <i>rectangularis</i> | <i>Navicula</i> <i>tripunctata</i> | <i>Navicula</i> <i>sp.</i> | <i>Nitzschia</i> <i>sp.</i> | <i>Nitzschia</i> <i>acicularis</i> |
| 5 | 15 | A | * | * | 14 | * | * | * | * |
| 5 | 15 | C | * | * | * | * | * | * | * |
| 5 | 15 | E | * | * | * | * | 28 | 6 | * |
| 6 | 18 | A | * | * | * | * | * | * | 6 |
| 6 | 18 | C | * | * | * | * | * | * | * |
| 6 | 18 | E | * | * | * | * | * | * | * |
| 7 | 6 | A | * | * | * | * | * | * | * |
| 7 | 6 | C | * | * | * | * | * | * | * |
| 7 | 6 | E | * | * | * | * | * | * | * |

| Bacillariophyta [Density in cells per milliliter] | | | | | | | | | |
|--|-----|----------|----------------------------------|-------------------------------------|-----------------------------------|------------------------------|------------------------------------|----------------------------------|---|
| Month | Day | Transect | <i>Nitzschia</i> <i>palea</i> | <i>Nitzschia</i> <i>paleacea</i> | <i>Nitzschia</i> <i>romana</i> | <i>Synedra</i> <i>sp.</i> | <i>Synedra</i> <i>miniscula</i> | <i>Synedra</i> <i>rumpens</i> | <i>Synedra</i> <i>ulna</i> var <i>subaequalis</i> |
| 5 | 15 | A | * | 28 | * | * | * | * | * |
| 5 | 15 | C | 57 | 398 | * | 57 | * | * | * |
| 5 | 15 | E | * | 199 | * | * | * | 28 | 57 |
| 6 | 18 | A | 114 | 227 | * | * | 6 | * | * |
| 6 | 18 | C | 57 | 114 | * | 28 | * | * | * |
| 6 | 18 | E | * | 284 | * | * | * | * | * |
| 7 | 6 | A | * | 114 | * | * | * | * | * |
| 7 | 6 | C | * | 28 | * | * | * | 28 | * |
| 7 | 6 | E | * | * | * | * | * | * | * |

Table 1. Algal species and species density in the water column of Wetland P1.-Continued.

| Cyanophyta [Density in cells per milliliter] | | | | | | |
|---|-----|----------|-------------------------------|--|-----------------------------------|--|
| Month | Day | Transect | <i>Anabaena</i> <i>sp.</i> | <i>Aphanocapsa</i> <i>delicatissima</i> | <i>Aphanothecae</i> <i>sp.</i> | <i>Chamaesiphon</i> <i>curvatus</i> |
| 8 | 15 | A | * | * | 114 | * |
| 8 | 15 | C | * | 568 | 4203 | * |
| 8 | 15 | E | * | * | * | * |
| 9 | 17 | A | 284 | * | 341 | * |
| 9 | 18 | C | * | * | * | * |
| 9 | 17 | E | * | * | * | * |
| 10 | 12 | A | * | 227 | 909 | * |
| 10 | 12 | C | * | * | 6134 | * |
| 10 | 12 | E | * | 284 | 2215 | * |

| Cyanophyta [Density in cells per milliliter] | | | | | | |
|---|-----|----------|------------------------------------|--|---|--|
| Month | Day | Transect | <i>Chroococcus</i> <i>sp. 3</i> | <i>Chroococcus</i> <i>dispersus</i> | <i>Gloeotrichia</i> <i>collinsii</i> | <i>Dactylococcopsis</i> <i>acicularis</i> |
| 8 | 15 | A | 57 | * | * | * |
| 8 | 15 | C | * | * | * | * |
| 8 | 15 | E | * | * | * | * |
| 9 | 17 | A | * | * | * | * |
| 9 | 18 | C | * | * | * | * |
| 9 | 17 | E | * | * | * | * |
| 10 | 12 | A | * | * | * | * |
| 10 | 12 | C | * | * | * | * |
| 10 | 12 | E | * | 398 | * | * |

| Cyanophyta [Density in cells per milliliter] | | | | | | |
|---|-----|----------|------------------------------------|------------------------------------|---|--|
| Month | Day | Transect | <i>Chroococcus</i> <i>sp. 1</i> | <i>Chroococcus</i> <i>sp. 2</i> | <i>Dactylococcopsis</i> <i>radioides</i> | <i>Gloeotrichia</i> <i>linearis</i> |
| 8 | 15 | A | * | * | * | * |
| 8 | 15 | C | * | * | * | * |
| 8 | 15 | E | * | * | * | * |
| 9 | 17 | A | * | * | * | * |
| 9 | 18 | C | * | * | * | * |
| 9 | 17 | E | * | * | * | * |
| 10 | 12 | A | * | * | * | * |
| 10 | 12 | C | * | * | * | * |
| 10 | 12 | E | * | 398 | * | * |

Table 1. Algal species and species density in the water column of Wetland P1--Continued.

| Cyanophyta | | | | | | |
|-----------------------------------|-----|----------|---|--|---|--|
| [Density in cells per milliliter] | | | | | | |
| Month | Day | Transect | <i>Lyngbya</i> sp. | <i>Lyngbya</i> <i>limnetica</i> | <i>Lyngbya</i> <i>nana</i> | <i>Oscillatoria</i> sp. 1 |
| 8 | 15 | A | * | * | 511 | * |
| 8 | 15 | C | * | * | * | * |
| 8 | 15 | E | * | * | * | * |
| 9 | 17 | A | * | * | 994 | * |
| 9 | 18 | C | * | * | 1250 | * |
| 9 | 17 | E | * | * | * | * |
| 10 | 12 | A | * | * | * | * |
| 10 | 12 | C | * | * | * | * |
| 10 | 12 | E | * | * | 1647 | * |
| Cyanophyta | | | | | | |
| [Density in cells per milliliter] | | | | | | |
| Month | Day | Transect | <i>Oscillatoria</i> <i>angustata</i> | <i>Oscillatoria</i> <i>angustissima</i> | <i>Oscillatoria</i> <i>limnetica</i> | <i>Oscillatoria</i> princeps |
| 8 | 15 | A | 284 | 625 | * | * |
| 8 | 15 | C | * | * | 454 | 1590 |
| 8 | 15 | E | * | * | * | * |
| 9 | 17 | A | * | * | 454 | * |
| 9 | 18 | C | * | * | 1619 | * |
| 9 | 17 | E | * | * | * | 966 |
| 10 | 12 | A | * | * | * | 3067 |
| 10 | 12 | C | 1022 | * | * | * |
| 10 | 12 | E | 1306 | 454 | * | * |
| Cyanophyta | | | | | | |
| [Density in cells per milliliter] | | | | | | |
| Month | Day | Transect | <i>Oscillatoria</i> <i>splendida</i> | <i>Oscillatoria</i> sp. | <i>Oscillatoria</i> <i>splendida</i> | <i>Phormidium</i> <i>foveolarum</i> |
| 8 | 15 | A | * | * | * | * |
| 8 | 15 | C | * | * | * | * |
| 8 | 15 | E | * | * | * | * |
| 9 | 17 | A | * | * | * | * |
| 9 | 18 | C | * | * | * | * |
| 9 | 17 | E | * | * | * | * |
| 10 | 12 | A | * | * | * | * |
| 10 | 12 | C | 1022 | * | * | 454 |
| 10 | 12 | E | 1306 | 454 | * | 682 |

Table 1. Algal species and species density in the water column of Wetland P1--Continued.

| Cyanophyta [Density in cells per milliliter] | | | | | | | | | |
|---|-----|----------|-----------------------|------------------------|--------------------------|-----------------------------|----------------------------|---------------------------|----------------------------|
| Month | Day | Transect | Rhabdoderma sp. | Rhabdoderma minima | Rhabdoderma sigmoidea | Rhabdoderma var minor | Spirulina sp. | Spirulina sp. 1 | Spirulina sp. 2 |
| 8 | 15 | A | * | * | * | 2329 | * | 28 | * |
| 8 | 15 | C | * | * | 5510 | 114 | * | * | * |
| 8 | 15 | E | * | * | 1534 | 170 | * | * | * |
| 9 | 17 | A | * | 341 | 114 | 142 | * | 170 | * |
| 9 | 18 | C | 57 | * | * | * | * | * | * |
| 9 | 17 | E | * | * | 28 | * | * | * | * |
| 10 | 12 | A | * | * | 114 | 57 | * | 57 | * |
| 10 | 12 | C | * | 114 | 1250 | 568 | 170 | * | * |
| 10 | 12 | E | * | * | * | 454 | * | * | * |
| Cyanophyta [Density in cells per milliliter] | | | | | | | | | |
| Month | Day | Transect | Spirulina princeps | Spirulina laxissima | Synechococcus sp. | Synechococcus aeruginosa | Synechococcus elongatus | Synechococcus linearis | Synechocystis aquatilis |
| 8 | 15 | A | * | * | * | 85 | 341 | 57 | * |
| 8 | 15 | C | * | * | 511 | * | * | * | * |
| 8 | 15 | E | * | * | 738 | * | * | 795 | * |
| 9 | 17 | A | * | * | 568 | * | 142 | * | * |
| 9 | 18 | C | * | 85 | 57 | 28 | * | 85 | * |
| 9 | 17 | E | 28 | * | 57 | * | * | 142 | * |
| 10 | 12 | A | * | * | 1534 | 114 | 57 | * | * |
| 10 | 12 | C | * | * | 909 | 114 | 2613 | * | * |
| 10 | 12 | E | * | * | 1022 | 966 | 795 | * | * |

Table 1. Algal species and species density in the water column of wetland P1--Continued.

| Cryptophyta [Density in cells per milliliter] | | | | | | |
|--|-----|----------|------------------------------|---------------------------|-----------------------------|-----------------------------|
| Month | Day | Transect | <i>Chromonas nordstedtii</i> | <i>Cryptomonas</i> sp. | <i>Cryptomonas</i> sp. 1 | <i>Cryptomonas</i> sp. 2 |
| 8 | 15 | A | * | 57 | * | 1392 |
| 8 | 15 | C | * | * | * | 909 |
| 8 | 15 | E | 454 | * | * | 341 |
| 9 | 17 | A | 170 | 28 | * | 28 |
| 9 | 18 | C | * | * | * | 114 |
| 9 | 17 | E | * | * | * | 199 |
| 10 | 12 | A | 408 | 511 | * | 284 |
| 10 | 12 | C | 57 | * | * | * |
| 10 | 12 | E | 57 | 170 | * | 454 |

| Cryptophyta [Density in cells per milliliter] | | | | | | |
|--|-----|----------|--------------------------------------|---|--|------------------------------------|
| Month | Day | Transect | <i>Cryptomonas</i> <i>marsoni</i> | <i>Cryptomonas</i> <i>rostratoformis</i> | <i>Protothrysis</i> <i>phaeophycearum</i> | <i>Rhodomonas</i> <i>minuta</i> |
| 8 | 15 | A | * | * | 28 | * |
| 8 | 15 | C | * | * | * | * |
| 8 | 15 | E | * | * | * | 170 |
| 9 | 17 | A | 57 | * | * | 28 |
| 9 | 18 | C | * | * | * | 369 |
| 9 | 17 | E | * | * | * | 1448 |
| 10 | 12 | A | * | 57 | * | 3000 |
| 10 | 12 | C | * | * | * | 682 |
| 10 | 12 | E | 170 | * | * | 2272 |

Table 1. Algal species and species density in the water column of Wetland P1--Continued.

| Chlorophyta [Density in cells per milliliter] | | | | | | | | | |
|--|-----|----------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------|----------------------|----------------------|
| Month | Day | Transect | <i>Ankistrodesmus</i> | <i>Ankistrodesmus</i> | <i>Ankistrodesmus</i> | <i>Ankistrodesmus</i> | <i>Carteria</i> | <i>Chlamydomonas</i> | <i>Chlamydomonas</i> |
| | | | sp. | <i>braunii</i> | <i>convolutus</i> | <i>falcatus</i> | sp. | sp. 1 | sp. 2 |
| 8 | 15 | A | * | * | * | * | 28 | * | * |
| 8 | 15 | C | * | * | 57 | * | * | * | 57 |
| 8 | 15 | E | * | * | * | * | * | 57 | 227 |
| 9 | 17 | A | * | 57 | * | * | 57 | * | 312 |
| 9 | 18 | C | * | * | * | * | * | * | 341 |
| 9 | 17 | E | 57 | * | * | * | * | * | 199 |
| 10 | 12 | A | * | * | 57 | * | * | * | * |
| 10 | 12 | C | * | * | * | * | * | 57 | * |
| 10 | 12 | E | * | * | * | * | * | 114 | 57 |

| Chlorophyta [Density in cells per milliliter] | | | | | | | | | |
|--|-----|----------|----------------------|----------------------|------------------|---------------------|---------------------|---------------------|---------------------|
| Month | Day | Transect | <i>Chlamydomonas</i> | <i>Chlamydomonas</i> | <i>Chlorella</i> | <i>Chlorococcum</i> | <i>Chlorococcum</i> | <i>Chlorogonium</i> | <i>Chlorogonium</i> |
| | | | sp. 3 | sp. 4 | vulgaris | humicola | infusionum | sp. | sp. |
| 8 | 15 | A | 142 | * | * | * | * | * | * |
| 8 | 15 | C | 227 | * | * | * | * | 170 | * |
| 8 | 15 | E | * | * | * | * | * | * | * |
| 9 | 17 | A | 284 | * | * | 171 | * | 85 | * |
| 9 | 18 | C | 312 | * | * | * | 426 | * | * |
| 9 | 17 | E | * | 256 | * | 170 | * | * | * |
| 10 | 12 | A | * | * | * | 568 | * | 114 | * |
| 10 | 12 | C | * | * | * | * | * | 227 | * |
| 10 | 12 | E | 57 | * | * | 398 | * | * | * |

Table 1. Algal species and species density in the water column of Wetland P1--Continued.

| Chlorophyta [Density in cells per milliliter] | | | | | | | | | |
|--|-----|----------|-------------------|-------------------|-------------------|--------------------|--------------------|--------------------|---|
| Month | Day | Transect | <i>Closterium</i> | <i>Closterium</i> | <i>Platymonas</i> | <i>Scenedesmus</i> | <i>Scenedesmus</i> | <i>Schroederia</i> | |
| | | | <i>sp. 1</i> | <i>sp. 2</i> | <i>sp.</i> | <i>quadricauda</i> | <i>serratus</i> | <i>judyai</i> | * |
| 8 | 15 | A | * | * | * | * | * | * | * |
| 8 | 15 | C | * | * | * | * | * | * | * |
| 8 | 15 | E | * | * | * | * | * | * | * |
| 9 | 17 | A | * | * | * | * | * | * | * |
| 9 | 18 | C | * | * | * | * | * | * | * |
| 9 | 17 | E | * | * | * | * | 57 | * | * |
| 10 | 12 | A | * | * | * | * | * | * | * |
| 10 | 12 | C | * | * | * | * | 227 | * | * |
| 10 | 12 | E | 57 | 114 | * | * | * | * | * |

| Chlorophyta [Density in cells per milliliter] | | | | | | | | | |
|--|-----|----------|--------------------|------------------|-------------------|-----------------------|---|----|---|
| Month | Day | Transect | <i>Schroederia</i> | <i>Spirogyra</i> | <i>Trebularia</i> | <i>Chlorophyta</i> | | | |
| | | | <i>setigera</i> | <i>sp.</i> | <i>sp.</i> | <i>resting spores</i> | | | |
| 8 | 15 | A | * | * | * | * | * | * | * |
| 8 | 15 | C | * | * | * | * | * | * | * |
| 8 | 15 | E | * | * | * | * | * | 57 | |
| 9 | 17 | A | * | * | * | * | * | * | * |
| 9 | 18 | C | * | * | * | * | * | * | * |
| 9 | 17 | E | * | * | * | * | * | * | * |
| 10 | 12 | A | * | * | 114 | * | * | * | * |
| 10 | 12 | C | * | * | 57 | * | * | * | * |
| 10 | 12 | E | * | * | * | * | * | * | * |

Table 1. Algal species and species density in the water column of Wetland P1--Continued.

| Chrysophyta [Density in cells per milliliter] | | | | | | | |
|--|-----|----------|-----------------------------|--------------------------|---------------------------|----------------------------|----------------------------|
| Month | Day | Transect | <i>Characdiopsis</i> sp. | <i>Chromulina</i> sp. | <i>Chrysamoeba</i> sp. | <i>Ochromonas</i> sp. 1 | <i>Ochromonas</i> sp. 2 |
| 8 | 15 | A | * | * | 28 | * | 28 |
| 8 | 15 | C | * | 57 | * | * | * |
| 8 | 15 | E | * | * | * | * | * |
| 9 | 17 | A | * | 142 | * | * | * |
| 9 | 18 | C | * | 170 | * | * | * |
| 9 | 17 | E | 28 | 57 | * | 28 | * |
| 10 | 12 | A | * | * | * | * | * |
| 10 | 12 | C | * | * | * | * | * |
| 10 | 12 | E | * | * | * | * | * |

| Bacillariophyta [Density in cells per milliliter] | | | | | | | |
|--|-----|----------|---|--|---------------------------------|---------------------------------------|-----------------------------------|
| Month | Day | Transect | <i>Cyclotella</i> <i>menechtiniana</i> | <i>Amphipyleura</i> <i>pelucida</i> | <i>Amphora</i> <i>ovalis</i> | <i>Gocconeis</i> <i>placentula</i> | <i>Cymbella</i> <i>cistula</i> |
| 8 | 15 | A | * | 57 | * | 227 | * |
| 8 | 15 | C | * | * | 57 | * | * |
| 8 | 15 | E | * | 6 | * | * | * |
| 9 | 17 | A | * | * | * | 682 | * |
| 9 | 18 | C | * | 28 | * | 369 | * |
| 9 | 17 | E | * | * | * | 511 | * |
| 10 | 12 | A | * | * | * | 114 | * |
| 10 | 12 | C | * | 6 | * | * | * |
| 10 | 12 | E | * | 57 | * | 398 | * |

Table 1. Algal species and species density in the water column of Wetland P1--Continued.

| Bacillariophyta [Density in cells per milliliter] | | | | | | | | | |
|--|-----|----------|----------------------------|---|-----------------------|------------------------------|---------------------------|----------------------------|---------------------|
| Month | Day | Transect | <i>Fragilaria capucina</i> | <i>Fragilaria capucina</i> var <i>mesolepta</i> | <i>Gomphonema sp.</i> | <i>Gomphonema angustatum</i> | <i>Gomphonema gracile</i> | <i>Gomphonema parvulum</i> | <i>Navicula</i> sp. |
| 8 | 15 | A | * | * | * | * | * | * | * |
| 8 | 15 | C | * | * | * | * | * | * | * |
| 8 | 15 | E | * | * | * | * | * | * | * |
| 9 | 17 | A | * | * | * | * | * | * | * |
| 9 | 18 | C | * | * | * | * | * | * | * |
| 9 | 17 | E | * | * | * | * | * | * | * |
| 10 | 12 | A | * | * | * | * | * | * | * |
| 10 | 12 | C | * | * | * | * | * | * | * |
| 10 | 12 | E | * | * | 57 | * | * | * | 57 |

| Bacillariophyta [Density in cells per milliliter] | | | | | | | | | |
|--|-----|----------|------------------------|---------------------------|---------------------------|---|----------------------------|----------------------------|------------------------|
| Month | Day | Transect | <i>Navicula cincta</i> | <i>Navicula cuspidata</i> | <i>Navicula heuffleri</i> | <i>Navicula heuffleri</i> var <i>leptocephala</i> | <i>Navicula laevissima</i> | <i>Navicula lanceolata</i> | <i>Navicula minima</i> |
| 8 | 15 | A | * | * | * | * | * | * | * |
| 8 | 15 | C | * | * | 57 | * | * | * | * |
| 8 | 15 | E | * | 57 | * | 14 | * | 14 | * |
| 9 | 17 | A | * | * | * | 57 | * | * | * |
| 9 | 18 | C | 28 | * | * | 28 | * | * | * |
| 9 | 17 | E | * | 28 | * | * | * | * | * |
| 10 | 12 | A | * | * | * | * | * | * | * |
| 10 | 12 | C | * | * | * | * | * | * | * |
| 10 | 12 | E | * | * | * | * | * | * | * |

Table 1. Algal species and species density in the water column of Wetland P1--Continued.

| Bacillariophyta [Density in cells per milliliter] | | | | | | | | | |
|--|-----|----------|-------------------------------------|---------------------------------|--|---------------------------------------|------------------------|---------------------------------------|-------------------------------------|
| Month | Day | Transect | <i>Navicula</i> <i>minuscula</i> | <i>Navicula</i> <i>nolta</i> | <i>Navicula</i> <i>pupula</i> , var <i>rectangularis</i> | <i>Navicula</i> <i>tripunctata</i> | <i>Navicula</i> sp. | <i>Nitzschia</i> <i>acicularis</i> | <i>Nitzschia</i> <i>amphibia</i> |
| 8 | 15 | A | * | * | * | * | * | * | * |
| 8 | 15 | C | * | * | * | * | * | * | * |
| 8 | 15 | E | 57 | * | * | 6 | * | 57 | 114 |
| 9 | 17 | A | * | * | * | * | * | * | * |
| 9 | 18 | C | * | * | * | * | * | * | 28 |
| 9 | 17 | E | * | * | * | * | * | * | * |
| 10 | 12 | A | * | * | * | * | * | * | 57 |
| 10 | 12 | C | * | * | * | 14 | * | * | * |
| 10 | 12 | E | * | * | * | * | * | * | 57 |

| Bacillariophyta [Density in cells per milliliter] | | | | | | | | | |
|--|-----|----------|----------------------------------|-------------------------------------|-----------------------------------|-----------------------|------------------------------------|----------------------------------|---|
| Month | Day | Transect | <i>Nitzschia</i> <i>palea</i> | <i>Nitzschia</i> <i>paleacea</i> | <i>Nitzschia</i> <i>romana</i> | <i>Synedra</i> sp. | <i>Synedra</i> <i>miniscula</i> | <i>Synedra</i> <i>rumpens</i> | <i>Synedra</i> <i>ulna</i> var <i>subaequalis</i> |
| 8 | 15 | A | * | 28 | * | * | * | * | * |
| 8 | 15 | C | * | 57 | * | * | * | * | * |
| 8 | 15 | E | * | * | * | * | * | * | * |
| 9 | 17 | A | * | 28 | * | * | 28 | * | * |
| 9 | 18 | C | * | 256 | 57 | * | * | * | * |
| 9 | 17 | E | * | 142 | * | * | * | * | * |
| 10 | 12 | A | 57 | 6 | * | * | * | * | * |
| 10 | 12 | C | * | 57 | * | * | * | * | * |
| 10 | 12 | E | 57 | * | 57 | * | * | 57 | * |

¹ Organisms not present in sample

Table 2. Algal species and species density in the water column of Wetland P8.

| Cyanophyta | | | | | | | |
|-----------------------------------|-----|----------|-----------------------------|------------------------------------|--|--|---|
| [Density in cells per milliliter] | | | | | | | |
| Month | Day | Transect | <i>Anabaena</i> sp. | <i>Anabaena</i> <i>catenula</i> | <i>Aphanocapsa</i> <i>delicatissima</i> | <i>Aphanocapsa</i> <i>elachista</i> | <i>Aphanothecae</i> <i>saxicola</i> |
| 5 | 15 | A | 1 * | * | * | * | * |
| 5 | 15 | C | * | * | * | * | * |
| 5 | 15 | E | * | * | * | * | * |
| 6 | 19 | A | * | * | * | * | * |
| 6 | 19 | C | 483 | * | * | * | 5339 |
| 6 | 19 | E | * | * | * | * | 568 |
| 7 | 5 | A | * | * | * | * | 341 |
| 7 | 5 | C | * | * | * | * | * |
| 7 | 5 | E | * | * | * | * | 1534 |
| 7 | 5 | | | | 2158 | * | 284 |
| 7 | 5 | | | | 568 | * | * |
| Cyanophyta | | | | | | | |
| [Density in cells per milliliter] | | | | | | | |
| Month | Day | Transect | <i>Chroococcus</i> sp. 1 | <i>Chroococcus</i> sp. 2 | <i>Chroococcus</i> <i>dispersus</i> | <i>Chroococcus</i> <i>refractus</i> | <i>Dactylococcus</i> <i>acicularis</i> |
| 5 | 15 | A | * | * | * | * | * |
| 5 | 15 | C | * | * | * | * | * |
| 5 | 15 | E | * | * | * | * | * |
| 6 | 19 | A | * | * | 682 | 227 | 28 |
| 6 | 19 | C | 880 | 57 | * | * | 114 |
| 6 | 19 | E | * | * | * | * | * |
| 7 | 5 | A | * | * | * | * | * |
| 7 | 5 | C | * | 1420 | * | * | 170 |
| 7 | 5 | E | * | * | * | * | 28 |

Table 2. Algal species and species density in the water column of Wetland P8--Continued.

| Month | Day | Transect | <i>Dactylococcus</i> <i>smithii</i> | Cyanophyta [Density in cells per milliliter] | | | | | |
|---|-----|----------|---|---|--|------------------------------------|----------------------------------|------------------------------|--------------------------------------|
| | | | | <i>Gloeo caps a</i> sp. | <i>Gloeo caps a</i> <i>conglomerata</i> | <i>Lyngbya</i> <i>vericolor</i> | <i>Lyngbya</i> <i>elegans</i> | <i>Marssonella</i> | <i>Merismopedia</i> <i>minima</i> |
| 5 | 15 | A | 57 | * | * | * | * | * | * |
| 5 | 15 | C | 142 | * | * | 114 | * | * | * |
| 5 | 15 | E | * | * | * | * | * | * | * |
| 6 | 19 | A | * | * | * | 852 | * | * | * |
| 6 | 19 | C | * | 114 | * | * | 227 | * | * |
| 6 | 19 | E | * | * | 568 | * | * | * | * |
| 7 | 5 | A | * | * | * | 1676 | * | * | * |
| 7 | 5 | C | 57 | * | * | * | * | * | * |
| 7 | 5 | E | * | * | * | 1079 | * | * | * |
| Cyanophyta [Density in cells per milliliter] | | | | | | | | | |
| Month | Day | Transect | <i>Merismopedia</i> <i>irregularis</i> | <i>Microcystis</i> sp. | <i>Microcystis</i> <i>labens</i> | <i>Nostoc</i> sp. | <i>Oscillatoria</i> sp. | <i>Oscillatoria</i> sp. 1 | <i>Oscillatoria</i> sp. 1 |
| | | | | | | | | | |
| 5 | 15 | A | * | * | * | * | * | * | * |
| 5 | 15 | C | * | 1250 | * | * | * | * | * |
| 5 | 15 | E | * | * | * | * | * | * | * |
| 6 | 19 | A | * | * | * | * | 426 | * | * |
| 6 | 19 | C | * | * | * | * | * | * | * |
| 6 | 19 | E | * | * | * | * | * | 1250 | * |
| 7 | 5 | A | * | * | * | * | * | * | * |
| 7 | 5 | C | * | * | * | * | * | 10735 | * |
| 7 | 5 | E | * | * | * | * | * | 1022 | * |

Table 2. Algal species and species density in the water column of Wetland P8--Continued.

| Cyanophyta | | | | | | | | | |
|------------|-----|----------|------------------------------|---------------------------------------|--|--|--|---|--|
| Month | Day | Transect | <i>Oscillatoria</i> sp. 2 | <i>Oscillatoria</i> <i>angusta</i> | <i>Oscillatoria</i> <i>angustissima</i> | <i>Oscillatoria</i> <i>chalybea</i> | <i>Oscillatoria</i> <i>chlorina</i> | <i>Oscillatoria</i> <i>limnetica</i> | <i>Oscillatoria</i> <i>princeps</i> |
| 5 | 15 | A | * | * | * | * | * | * | * |
| 5 | 15 | C | * | * | * | * | * | * | * |
| 5 | 15 | E | * | 738 | * | * | * | 398 | * |
| 6 | 19 | A | * | * | * | 738 | * | * | * |
| 6 | 19 | C | * | 1022 | 1874 | * | * | 1903 | * |
| 6 | 19 | E | * | 1250 | * | * | * | * | * |
| 7 | 5 | A | * | * | 2272 | * | 341 | * | 682 |
| 7 | 5 | C | 454 | * | 682 | * | 2158 | * | * |
| 7 | 5 | E | * | * | 1022 | 3181 | * | * | * |

| Cyanophyta | | | | | | | | | |
|------------|-----|----------|--------------------------|--|---------------------------------------|-------------------------------------|-----|---|------------------------------|
| Month | Day | Transect | <i>Phormidium</i> sp. | <i>Phormidium</i> <i>foveolarum</i> | <i>Phormidium</i> <i>laminosum</i> | <i>Phormidium</i> <i>luridum</i> | sp. | <i>Pleurocapsa</i> <i>fuliginosa</i> | <i>Pseudoanabaena</i> sp. |
| 5 | 15 | A | * | * | * | * | * | * | * |
| 5 | 15 | C | * | * | * | * | * | * | * |
| 5 | 15 | E | 341 | * | * | * | * | * | * |
| 6 | 19 | A | * | * | * | * | 341 | * | 1363 |
| 6 | 19 | C | * | * | * | 1022 | * | * | 1051 |
| 6 | 19 | E | * | * | * | * | * | * | 909 |
| 7 | 5 | A | * | * | 966 | * | 909 | * | * |
| 7 | 5 | C | * | * | * | * | * | * | * |
| 7 | 5 | E | * | * | * | * | * | * | 284 |

Table 2. Algal species and species density in the water column of Wetland P8--Continued.

| Cyanophyta | | | | | | |
|-----------------------------------|-----|----------|----------------------------------|----------------------------|---------------------------------|----------------------------|
| [Density in cells per milliliter] | | | | | | |
| Month | Day | Transect | <i>Raphidiopsis mediterranea</i> | <i>Raphidiopsis minima</i> | <i>Rhabdoderma irregularare</i> | <i>Rhabdoderma minima</i> |
| 5 | 15 | A | * | * | * | * |
| 5 | 15 | C | * | * | * | * |
| 5 | 15 | E | * | * | * | * |
| 6 | 19 | A | * | * | * | * |
| 6 | 19 | C | * | * | * | * |
| 6 | 19 | E | * | * | * | * |
| 7 | 5 | A | * | * | * | * |
| 7 | 5 | C | * | * | * | * |
| 7 | 5 | E | * | * | * | * |
| Cyanophyta | | | | | | |
| [Density in cells per milliliter] | | | | | | |
| Month | Day | Transect | <i>Schizothrix c.f. arenaria</i> | <i>Spirulina sp.</i> | <i>Spirulina laxa</i> | <i>Spirulina laxissima</i> |
| 5 | 15 | A | * | * | * | * |
| 5 | 15 | C | * | 398 | * | * |
| 5 | 15 | E | * | * | * | * |
| 6 | 19 | A | * | * | * | * |
| 6 | 19 | C | * | 767 | * | * |
| 6 | 19 | E | * | * | * | * |
| 7 | 5 | A | * | * | * | * |
| 7 | 5 | C | * | 170 | * | * |
| 7 | 5 | E | * | * | * | * |
| Cyanophyta | | | | | | |
| [Density in cells per milliliter] | | | | | | |
| Month | Day | Transect | <i>Schizothrix c.f. arenaria</i> | <i>Spirulina sp.</i> | <i>Spirulina major</i> | <i>Spirulina tenerima</i> |
| 5 | 15 | A | * | * | * | * |
| 5 | 15 | C | * | * | * | * |
| 5 | 15 | E | * | * | * | * |
| 6 | 19 | A | * | * | * | * |
| 6 | 19 | C | * | 767 | * | * |
| 6 | 19 | E | * | * | * | * |
| 7 | 5 | A | * | * | * | * |
| 7 | 5 | C | * | 170 | * | * |
| 7 | 5 | E | * | * | * | * |
| Cyanophyta | | | | | | |
| [Density in cells per milliliter] | | | | | | |
| Month | Day | Transect | <i>Schizothrix c.f. arenaria</i> | <i>Spirulina sp.</i> | <i>Spirulina major</i> | <i>Spirulina tenerima</i> |
| 5 | 15 | A | * | * | * | * |
| 5 | 15 | C | * | * | * | * |
| 5 | 15 | E | * | * | * | * |
| 6 | 19 | A | * | * | * | * |
| 6 | 19 | C | * | 767 | * | * |
| 6 | 19 | E | * | * | * | * |
| 7 | 5 | A | * | * | * | * |
| 7 | 5 | C | * | 170 | * | * |
| 7 | 5 | E | * | * | * | * |

Table 2. Algal species and species density in the water column of Wetland P8--Continued.

| Cyanophyta | | | | | | |
|-----------------------------------|-----|----------|----------------------|----------------------|----------------------|----------------------|
| [Density in cells per milliliter] | | | | | | |
| Month | Day | Transect | <i>Synechococcus</i> | <i>Synechococcus</i> | <i>Synechococcus</i> | <i>Synechocystis</i> |
| | | sp. | <i>aeruginosa</i> | <i>elongatus</i> | <i>linearis</i> | <i>aquatilis</i> |
| | | | | var. <i>spirale</i> | | |
| 5 | 15 | A | 35443 | * | * | * |
| 5 | 15 | C | 106841 | 57 | 568 | * |
| 5 | 15 | E | 115190 | 114 | 170 | * |
| 6 | 19 | A | 1193 | 511 | 1193 | 114 |
| 6 | 19 | C | 1534 | 227 | * | * |
| 6 | 19 | E | 341 | 114 | 227 | * |
| 7 | 5 | A | 227 | * | * | * |
| 7 | 5 | C | 568 | 57 | 114 | 114 |
| 7 | 5 | E | 6191 | * | * | * |
| Cryptophyta | | | | | | |
| [Density in cells per milliliter] | | | | | | |
| Month | Day | Transect | <i>Chroomonas</i> | <i>Chroomonas</i> | <i>Cryptomonas</i> | <i>Cryptomonas</i> |
| | | sp. | <i>nordstedtii</i> | <i>nordstedtii</i> | sp. 1 | sp. 2 |
| | | | | | sp. 3 | sp. 4 |
| 5 | 15 | A | * | * | * | 284 |
| 5 | 15 | C | * | * | 28 | * |
| 5 | 15 | E | * | * | 57 | * |
| 6 | 19 | A | * | 57 | * | * |
| 6 | 19 | C | * | 28 | * | * |
| 6 | 19 | E | 1022 | * | * | * |
| 7 | 5 | A | * | * | * | * |
| 7 | 5 | C | * | * | * | * |
| 7 | 5 | E | 114 | * | * | * |
| <i>Cryptomonas</i> | | | | | | |
| <i>Cryptomonas</i> | | | | | | |
| Month | Day | Transect | <i>Cryptomonas</i> | <i>Cryptomonas</i> | <i>Cryptomonas</i> | <i>Cryptomonas</i> |
| | | sp. | <i>nordstedtii</i> | sp. 1 | sp. 2 | sp. 4 |
| | | | | | sp. 3 | sp. 4 |
| 5 | 15 | A | * | * | * | 284 |
| 5 | 15 | C | * | * | * | * |
| 5 | 15 | E | * | * | 85 | * |
| 6 | 19 | A | * | * | * | * |
| 6 | 19 | C | * | * | * | * |
| 6 | 19 | E | 1022 | * | * | * |
| 7 | 5 | A | * | * | * | * |
| 7 | 5 | C | * | * | * | * |
| 7 | 5 | E | 114 | * | * | * |

Table 2. Algal species and species density in the water column of Wetland P8--Continued.

| Cryptophyta [Density in cells per milliliter] | | | | | | |
|--|-----|----------|-----------------------------|--------------------------|-----------------------------------|-----------------------------|
| Month | Day | Transect | <i>Cryptomonas mansonii</i> | <i>Cryptomonas ovata</i> | <i>Cryptomonas rostratoformis</i> | <i>Gyathomonas truncata</i> |
| 5 | 15 | A | 57 | * | 170 | * |
| 5 | 15 | C | 540 | * | 227 | * |
| 5 | 15 | E | 426 | * | * | 1250 |
| 6 | 19 | A | * | * | * | * |
| 6 | 19 | C | * | * | * | * |
| 6 | 19 | E | * | * | * | 114 |
| 7 | 5 | A | 568 | * | * | 28 |
| 7 | 5 | C | * | * | * | * |
| 7 | 5 | E | 511 | * | * | * |

| Chlorophyta [Density in cells per milliliter] | | | | | | |
|--|-------|-----|----------|---------------------------|-------------------------------|--------------------------------|
| OBS | Month | Day | Transect | <i>Ankistrodesmus sp.</i> | <i>Ankistrodesmus braunii</i> | <i>Ankistrodesmus falcatus</i> |
| 5 | 15 | A | * | * | * | * |
| 5 | 15 | C | 28 | * | * | * |
| 5 | 15 | E | 57 | * | 28 | * |
| 6 | 19 | A | * | * | * | * |
| 6 | 19 | C | * | * | * | * |
| 6 | 19 | E | * | 57 | * | * |
| 7 | 5 | A | * | * | * | * |
| 7 | 5 | C | * | * | * | * |
| 7 | 5 | E | * | 57 | * | * |

| Chlamydomonas [Density in cells per milliliter] | | | | | | |
|--|-------|-----|----------|----------------------------------|---------------------------------|-----------------------------------|
| OBS | Month | Day | Transect | <i>Ankistrodesmus nanoselene</i> | <i>Carteria cordiformis</i> sp. | <i>Carteria cordiformis</i> sp. 1 |
| 5 | 15 | A | * | * | * | * |
| 5 | 15 | C | 426 | * | * | 426 |
| 5 | 15 | E | 28 | * | * | 28 |
| 6 | 19 | A | * | * | * | * |
| 6 | 19 | C | * | * | * | 85 |
| 6 | 19 | E | * | 57 | * | 114 |
| 7 | 5 | A | * | * | * | 199 |
| 7 | 5 | C | * | * | * | 57 |
| 7 | 5 | E | * | 57 | * | * |

Table 2. Algal species and species density in the water column of Wetland P8--Continued.

| Chlorophyta [Density in cells per milliliter] | | | | | | | | | |
|--|-----|----------|----------------------|----------------------|----------------------|-------------------|---------------------|---------------------|---------------------|
| Month | Day | Transect | <i>Chlamydomonas</i> | <i>Chlamydomonas</i> | <i>Chlamydomonas</i> | <i>Chlorella</i> | <i>Chlorogonium</i> | <i>Chlorogonium</i> | <i>Chlorococcum</i> |
| | | | sp. 2 | sp. 2 | sp. 3 | sp. 4 | sp. 1 | sp. 2 | humicola |
| 5 | 15 | A | 57 | * | * | * | * | * | * |
| 5 | 15 | C | * | 28 | * | * | * | * | * |
| 5 | 15 | E | 85 | * | * | * | 28 | * | * |
| 6 | 19 | A | 142 | * | * | * | * | * | * |
| 6 | 19 | C | 199 | 28 | * | * | * | * | 57 |
| 6 | 19 | E | 57 | * | * | * | 57 | 57 | 142 |
| 7 | 5 | A | 284 | * | * | * | * | * | * |
| 7 | 5 | C | * | 57 | * | * | * | * | 57 |
| 7 | 5 | E | * | 5339 | * | * | 57 | * | 170 |
| | | | | | | | | | 1590 |
| Chlorophyta [Density in cells per milliliter] | | | | | | | | | |
| Month | Day | Transect | <i>Chlorogonium</i> | <i>Chlorogonium</i> | <i>Closterium</i> | <i>Closterium</i> | <i>Closterium</i> | <i>Mesostigma</i> | <i>Microspora</i> |
| | | | sp. | sp. | sp. | sp. 1 | sp. 2 | sp. | sp. |
| 5 | 15 | A | 57 | * | * | * | * | * | * |
| 5 | 15 | C | * | * | 28 | * | * | * | * |
| 5 | 15 | E | * | * | * | * | * | * | * |
| 6 | 19 | A | * | 28 | * | * | * | * | * |
| 6 | 19 | C | * | * | 28 | * | * | * | 142 |
| 6 | 19 | E | * | * | * | * | * | * | * |
| 7 | 5 | A | * | 28 | * | * | 28 | * | * |
| 7 | 5 | C | * | * | * | * | * | * | * |
| 7 | 5 | E | * | * | * | * | * | * | * |

Table 2. Algal species and species density in the water column of Wetland P8 -Continued.

| Month | Day | Transect | Chlorophyta [Density in cells per milliliter] | | | | | |
|--|-----|----------|--|-------------------|--|--------------------------------------|-------------------------|-------------------------|
| | | | Pediastrum tetras | Platymonas sp. | Scenedesmus abundans | Scenedesmus longus var minutus | Scenedesmus serratus | Schroederia setigera |
| 5 | 15 | A | * | * | * | * | * | * |
| | 15 | C | * | * | * | 114 | * | * |
| | 15 | E | * | * | * | * | * | * |
| 6 | 19 | A | * | * | * | * | * | * |
| | 19 | C | * | * | * | * | * | 28 |
| | 19 | E | * | * | * | * | * | * |
| 7 | 5 | A | * | 28 | * | * | * | * |
| | 5 | C | * | * | * | * | * | * |
| | 5 | E | * | * | * | * | * | 28 |
| Chlorophyta [Density in cells per milliliter] | | | | | | | | |
| Month | Day | Transect | Selenastrum minutum | Spirogyra sp. | Tetraedron trigonum var.tetragonum | Treubaria sp. | | |
| 5 | 15 | A | * | * | * | * | * | * |
| | 15 | C | * | * | * | * | * | * |
| | 15 | E | 28 | * | * | * | * | * |
| 6 | 19 | A | * | * | * | * | * | * |
| | 19 | C | * | * | * | * | * | 28 |
| | 19 | E | * | * | * | * | * | * |
| 7 | 5 | A | * | * | * | * | * | * |
| | 5 | C | * | * | * | * | * | * |
| | 5 | E | * | 170 | * | * | * | 28 |

Table 2. Algal species and species density in the water column of Wetland P8--Continued.

| Euglenophyta and Dinophyta [Density in cells per milliliter] | | | | | | | | | |
|---|-----|----------|-------------------|---------------------|---------------------|----------------------|-----------------------------|---------------------------|------------------------|
| Month | Day | Transect | Euglena sp. | Euglena sp. 1 | Euglena sp. 2 | Euglena sp. 3 | Trachelomonas | Peridinium inconspicua | |
| 5 | 15 | A | * | * | * | * | * | * | * |
| 5 | 15 | C | * | * | * | * | * | * | * |
| 5 | 15 | E | * | * | * | * | * | * | * |
| 6 | 19 | A | 28 | * | * | * | * | * | * |
| 6 | 19 | C | 85 | * | * | * | * | * | * |
| 6 | 19 | E | * | * | * | * | 114 | * | * |
| 7 | 5 | A | * | * | * | * | * | * | * |
| 7 | 5 | C | 57 | * | * | * | * | * | * |
| 7 | 5 | E | * | 57 | 57 | 284 | 57 | * | * |
| Chrysophyta [Density in cells per milliliter] | | | | | | | | | |
| Month | Day | Transect | Chromulina sp. | Chromulina sp. 1 | Chromulina sp. 2 | Chrysamoeba parva | Chrysotrichomulina parva | Dinobryon sp. | Dinobryon setularia |
| 5 | 15 | A | * | * | * | * | * | 57 | * |
| 5 | 15 | C | 114 | * | * | * | * | * | 170 |
| 5 | 15 | E | * | 114 | * | * | * | * | 170 |
| 6 | 19 | A | * | * | * | * | * | * | * |
| 6 | 19 | C | 28 | * | * | * | * | * | * |
| 6 | 19 | E | * | * | * | * | * | * | * |
| 7 | 5 | A | * | * | * | * | * | * | * |
| 7 | 5 | C | * | * | * | * | * | * | * |
| 7 | 5 | E | * | 284 | * | * | 57 | * | * |

Table 2. Algal species and species density in the water column of Wetland P8--Continued.

| Chrysophyta | | | | | | | | | |
|-----------------------------------|-----|----------|---|---------------------------------------|---------------------------------|---------------------------------|---------------------------------------|---|--|
| [Density in cells per milliliter] | | | | | | | | | |
| Month | Day | Transect | <i>Mallomonas</i> <i>akrokomas</i> | <i>Ochromonas</i> sp. | <i>Ochromonas</i> sp. 1 | <i>Ochromonas</i> sp. 2 | <i>Ophiocytium</i> sp. | <i>Rhyzochrysis</i> sp. | <i>Synura</i> sp. |
| 5 | 15 | A | * | * | * | * | * | * | * |
| 5 | 15 | C | * | * | * | * | * | * | * |
| 5 | 15 | E | 28 | 85 | * | * | * | * | * |
| 6 | 19 | A | * | * | * | 114 | 28 | * | * |
| 6 | 19 | C | * | * | * | 28 | * | * | * |
| 6 | 19 | E | * | * | 284 | * | * | * | * |
| 7 | 5 | A | * | * | * | 28 | * | * | * |
| 7 | 5 | C | * | * | * | * | * | * | * |
| 7 | 5 | E | * | * | * | * | * | * | * |
| Bacillariophyta | | | | | | | | | |
| [Density in cells per milliliter] | | | | | | | | | |
| Month | Day | Transect | <i>Cyclotella</i> <i>menghiniana</i> | <i>Amphipleura</i> <i>pelucida</i> | <i>Amphora</i> <i>ovalis</i> | <i>Amphora</i> <i>veneta</i> | <i>Cocconeis</i> <i>placentula</i> | <i>Fragilaria</i> <i>var mesolepta</i> | <i>Fragilaria</i> <i>crotoneensis</i> |
| 5 | 15 | A | 57 | * | * | * | * | * | * |
| 5 | 15 | C | 28 | * | * | * | * | * | * |
| 5 | 15 | E | * | * | * | * | * | * | * |
| 6 | 19 | A | * | * | * | * | * | 28 | 57 |
| 6 | 19 | C | * | * | * | * | * | 85 | * |
| 6 | 19 | E | * | * | * | * | * | * | * |
| 7 | 5 | A | * | * | * | * | * | 14 | * |
| 7 | 5 | C | * | * | * | * | * | * | * |
| 7 | 5 | E | * | * | * | 28 | * | * | * |

Table 2. Algal species and species density in the water column of Wetland P8--Continued.

| Month | Day | Transect | Bacillariophyta [Density in cells per milliliter] | | | | | |
|--|-----|----------|--|--|--------------------------------------|---------------------------------------|---------------------------------------|---|
| | | | <i>Gomphonema</i> <i>sp.</i> | <i>Gomphonema</i> <i>angustatum</i> | <i>Navicula</i> <i>sp.</i> | <i>Navicula</i> <i>arvensis</i> | <i>Navicula</i> <i>confervacea</i> | <i>Navicula</i> <i>cryptocephala</i> |
| 5 | 15 | A | * | * | * | * | * | * |
| 5 | 15 | C | * | * | * | * | * | * |
| 5 | 15 | E | * | * | * | * | * | * |
| 6 | 19 | A | * | 28 | * | * | 398 | * |
| 6 | 19 | C | 28 | * | * | * | * | * |
| 6 | 19 | E | * | * | 57 | * | * | * |
| 7 | 5 | A | * | * | * | * | * | * |
| 7 | 5 | C | * | * | * | * | * | * |
| 7 | 5 | E | * | * | * | * | * | * |
| Bacillariophyta [Density in cells per milliliter] | | | | | | | | |
| Month | Day | Transect | <i>Navicula</i> <i>heufleri</i> | <i>Navicula</i> <i>heufleri</i> <i>var leptocephalia</i> | <i>Navicula</i> <i>lanceolata</i> | <i>Navicula</i> <i>tripunctata</i> | <i>Navicula</i> <i>viridula</i> | <i>Navicula</i> <i>sp.</i> |
| | | | * | * | * | * | * | * |
| 5 | 15 | A | * | * | * | * | * | * |
| 5 | 15 | C | * | * | * | * | * | 114 |
| 5 | 15 | E | * | * | * | * | * | 57 |
| 6 | 19 | A | 28 | * | * | * | * | * |
| 6 | 19 | C | * | * | * | * | * | * |
| 6 | 19 | E | * | * | * | * | * | * |
| 7 | 5 | A | * | * | * | * | * | 94 |
| 7 | 5 | C | 57 | * | * | * | * | * |
| 7 | 5 | E | * | 7 | * | * | * | * |

Table 2. Algal species and species density in the water column of Wetland P8--Continued.

| Month | Day | Transect | Bacillariophyta [Density in cells per milliliter] | | | | | |
|--|-----|----------|--|----------------------------|-------------------------------|-------------------------|---------------------------|-----------------------------|
| | | | <i>Nitzschia amphibia</i> | <i>Nitzschia denticula</i> | <i>Nitzschia hantzschiana</i> | <i>Nitzschia latens</i> | <i>Nitzschia linearis</i> | <i>Nitzschia longissima</i> |
| 5 | 15 | A | * | * | * | * | * | * |
| 5 | 15 | C | * | * | * | * | * | * |
| 5 | 15 | E | * | * | * | * | * | * |
| 6 | 19 | A | * | * | * | * | * | * |
| 6 | 19 | C | * | * | * | * | * | * |
| 6 | 19 | E | * | * | * | * | * | * |
| 7 | 5 | A | * | * | * | * | * | * |
| 7 | 5 | C | * | * | * | * | * | * |
| 7 | 5 | E | * | * | * | * | * | * |
| Bacillariophyta [Density in cells per milliliter] | | | | | | | | |
| Month | Day | Transect | <i>Nitzschia paleacea</i> | <i>Nitzschia romana</i> | <i>Nitzschia thermalis</i> | <i>Pinnularia sp.</i> | <i>Rhopalodia gibba</i> | <i>Sauroneis vislouchii</i> |
| | | | 284 | * | 57 | * | * | * |
| 5 | 15 | A | 426 | * | 28 | * | 57 | * |
| 5 | 15 | C | 205 | 82 | * | * | 14 | * |
| 5 | 15 | E | | | | | | |
| 6 | 19 | A | 28 | * | * | * | * | * |
| 6 | 19 | C | * | * | * | * | * | * |
| 6 | 19 | E | 94 | * | * | * | * | * |
| 7 | 5 | A | 85 | * | * | * | * | * |
| 7 | 5 | C | 57 | * | * | * | * | * |
| 7 | 5 | E | 14 | * | 57 | * | * | 28 |

Table 2. Algal species and species density in the water column of Wetland P8--Continued.

| Bacillariophyta [Density in cells per milliliter] | | | | | | | |
|--|-----|----------|---|------------------------------------|---|--|--|
| Month | Day | Transect | <i>Synedra</i> <i>rumpens</i> sp. | <i>Synedra</i> <i>ulna</i> | <i>Synedra</i> <i>ulna</i> var <i>subaequalis</i> | | |
| 5 | 15 | A | * | 28 | * | * | * |
| 5 | 15 | C | * | * | * | * | * |
| 5 | 15 | E | 57 | * | 57 | * | * |
| 6 | 19 | A | * | * | * | * | * |
| 6 | 19 | C | * | 28 | * | * | * |
| 6 | 19 | E | * | * | * | * | * |
| 7 | 5 | A | * | * | 57 | * | * |
| 7 | 5 | C | * | * | * | * | * |
| 7 | 5 | E | 170 | * | * | 227 | |
| Cyanophyta [Density in cells per milliliter] | | | | | | | |
| Month | Day | Transect | <i>Anabaena</i> sp. | <i>Anabaena</i> <i>catenula</i> | <i>Aphanocapsa</i> <i>delicatissima</i> | <i>Aphanocapsa</i> <i>elachista</i> | <i>Aphanothecae</i> <i>saxicola</i> |
| 8 | 16 | A | 909 | * | * | * | * |
| 8 | 16 | C | * | * | 256 | * | * |
| 8 | 16 | E | * | * | 227 | * | * |
| 9 | 19 | A | 284 | * | * | * | * |
| 9 | 19 | C | 142 | * | * | * | * |
| 9 | 19 | E | * | * | 57 | * | * |
| 10 | 12 | A | * | * | 2312 | * | * |
| 10 | 15 | C | 1063 | * | 4623 | 2187 | 6435 |
| 10 | 15 | E | * | 568 | 2584 | 1903 | 8498 |
| | | | | | | | 63 |

Table 2. Algal species and species density in the water column of Wetland P8--Continued.

| Month | Day | Transect | Cyanophyta | | | | | | | | |
|------------|-----|----------|--------------------|--------------|--------------------|---------------------|--------------------|------------------|----------------------|---------------------|----------------------|
| | | | <i>Chroococcus</i> | <i>sp. 1</i> | <i>Chroococcus</i> | <i>dispersus</i> | <i>Chroococcus</i> | <i>refractus</i> | <i>Dactylococcus</i> | <i>fascicularis</i> | <i>Dactylococcus</i> |
| 8 | 16 | A | * | * | 243 | 42 | 3635 | * | * | * | * |
| 8 | 16 | C | * | * | * | * | 3408 | * | * | * | * |
| 8 | 16 | E | * | * | * | * | * | * | * | * | * |
| 9 | 19 | A | * | * | * | * | 284 | * | * | * | * |
| 9 | 19 | C | * | * | * | * | * | * | * | 28 | * |
| 9 | 19 | E | * | * | * | * | 682 | * | 28 | * | * |
| 10 | 12 | A | * | * | * | * | 750 | * | * | * | * |
| 10 | 15 | C | * | * | * | * | * | * | * | * | 63 |
| 10 | 15 | E | * | * | * | * | 1988 | * | * | * | * |
| Cyanophyta | | | | | | | | | | | |
| Month | Day | Transect | Cyanophyta | | | | | | | | |
| | | | <i>Gloeocapsa</i> | <i>sp.</i> | <i>Gloeocapsa</i> | <i>conglomerata</i> | <i>Lynghya</i> | <i>vericolor</i> | <i>Marssonella</i> | <i>Merismopedia</i> | |
| 8 | 16 | A | * | * | * | * | * | 1250 | * | * | |
| 8 | 16 | C | * | * | * | * | * | 284 | * | * | |
| 8 | 16 | E | * | * | * | * | * | * | * | * | |
| 9 | 19 | A | 28 | * | * | * | 341 | * | * | * | |
| 9 | 19 | C | * | * | * | * | * | * | * | * | |
| 9 | 19 | E | * | * | * | * | * | * | * | * | |
| 10 | 12 | A | * | 250 | * | 750 | * | 57 | * | * | |
| 10 | 15 | C | 125 | * | * | 2499 | 4749 | * | 63 | * | |
| 10 | 15 | E | * | * | 2471 | * | * | * | * | * | |

Table 2. Algal species and species density in the water column of Wetland P8--Continued.

| Cyanophyta [Density in cells per milliliter] | | | | | | | | | |
|---|-----|----------|---------------------------------|---------------------------------------|--|---|--|---|--|
| Month | Day | Transect | <i>Merismopedia irregularis</i> | <i>Microcystis</i> sp. | <i>Microcystis</i> <i>labens</i> | <i>Nodularia</i> sp. | <i>Oscillatoria</i> sp. | <i>Oscillatoria</i> sp. | <i>Oscillatoria</i> sp. 1 |
| 8 | 16 | A | * | * | * | * | * | * | * |
| 8 | 16 | C | * | 142 | * | * | * | * | 170 |
| 8 | 16 | E | * | * | * | * | * | * | * |
| 9 | 19 | A | * | * | * | * | * | * | * |
| 9 | 19 | C | * | * | * | * | * | * | * |
| 9 | 19 | E | * | * | * | * | * | * | * |
| 10 | 12 | A | * | * | * | * | * | * | 4248 |
| 10 | 15 | C | 499 | * | * | * | * | * | * |
| 10 | 15 | E | * | * | 625 | * | * | * | 937 |
| Cyanophyta [Density in cells per milliliter] | | | | | | | | | |
| Month | Day | Transect | <i>Oscillatoria</i> sp. 2 | <i>Oscillatoria</i> <i>angusta</i> | <i>Oscillatoria</i> <i>angustissima</i> | <i>Oscillatoria</i> <i>chalymbea</i> | <i>Oscillatoria</i> <i>chlorina</i> | <i>Oscillatoria</i> <i>limnetica</i> | <i>Oscillatoria</i> <i>princeps</i> |
| 8 | 16 | A | * | 1363 | 682 | * | * | * | * |
| 8 | 16 | C | * | * | 1136 | * | 1292 | 398 | * |
| 8 | 16 | E | * | 1022 | 1931 | 454 | * | 2158 | * |
| 9 | 19 | A | * | * | * | * | * | * | * |
| 9 | 19 | C | * | * | * | * | * | * | * |
| 9 | 19 | E | * | * | * | * | * | * | * |
| 10 | 12 | A | * | 750 | 499 | * | 1250 | * | * |
| 10 | 15 | C | * | * | 499 | 4749 | 4749 | 4124 | * |
| 10 | 15 | E | * | * | 4374 | * | * | * | * |

Table 2. Algal species and species density in the water column of Wetland P8--Continued.

| Month | Day | Transect | Cyanophyta | | | | | |
|------------|-----|----------|--|--|--|-------------------------------------|---|--|
| | | | <i>Phormidium</i> <i>sp.</i> | <i>Phormidium</i> <i>foveolarum</i> | <i>Phormidium</i> <i>laminosum</i> | <i>Phormidium</i> <i>luridum</i> | <i>Pleurocapsa</i> <i>fuliginosa</i> | <i>Pleurocapsa</i> <i>sp.</i> |
| 8 | 16 | A | * | * | * | * | * | * |
| 8 | 16 | C | * | * | * | * | * | * |
| 8 | 16 | E | * | * | * | * | * | * |
| 9 | 19 | A | * | 454 | * | * | 625 | * |
| 9 | 19 | C | * | * | * | * | * | * |
| 9 | 19 | E | * | * | * | * | * | * |
| 10 | 12 | A | * | * | 250 | * | 12621 | * |
| 10 | 15 | C | * | * | * | 375 | 3874 | 1625 |
| 10 | 15 | E | * | * | * | * | * | * |
| Cyanophyta | | | | | | | | |
| Month | Day | Transect | Cyanophyta | | | | | |
| | | | <i>Raphidiopsis</i> <i>mediterranea</i> | <i>Raphidiopsis</i> <i>minima</i> | <i>Raphidiopsis</i> <i>irregularare</i> | <i>Rhabdoderma</i> <i>minima</i> | <i>Rhabdoderma</i> <i>sigmoidea</i> | <i>Rhabdoderma</i> <i>sigmoidea</i> var <i>minor</i> |
| 8 | 16 | A | * | * | * | * | 57368 | 341 |
| 8 | 16 | C | 6816 | * | * | * | * | * |
| 8 | 16 | E | * | * | * | * | 57936 | 284 |
| 9 | 19 | A | * | * | * | * | * | * |
| 9 | 19 | C | * | * | * | * | * | * |
| 9 | 19 | E | * | * | * | * | * | * |
| 10 | 12 | A | * | * | 63 | 1312 | 438 | 1562 |
| 10 | 15 | C | * | 499 | * | * | * | * |
| 10 | 15 | E | * | * | 682 | 312 | 312 | * |

Table 2. Algal species and species density in the water column of Wetland P8--Continued.

| Cyanophyta | | | | | | | | | |
|-----------------------------------|-----|----------|--|-------------------------|---------------------------------|--------------------------------------|----------------------------------|-------------------------------------|-----------------------------|
| [Density in cells per milliliter] | | | | | | | | | |
| Month | Day | Transect | <i>Schizothrix</i> <i>c.f. arenaria</i> | <i>Spirulina</i> sp. | <i>Spirulina</i> <i>laxa</i> | <i>Spirulina</i> <i>laxissima</i> | <i>Spirulina</i> <i>major</i> | <i>Spirulina</i> <i>tenerima</i> | <i>Symplocastrum</i> sp. |
| 8 | 16 | A | * | * | * | * | * | * | * |
| 8 | 16 | C | * | 540 | * | * | * | * | * |
| 8 | 16 | E | * | * | * | * | * | * | * |
| 9 | 19 | A | * | * | * | * | * | * | * |
| 9 | 19 | C | * | * | * | * | * | * | * |
| 9 | 19 | E | * | * | * | * | * | * | * |
| 10 | 12 | A | * | * | * | 625 | * | 499 | 1000 |
| 10 | 15 | C | * | * | * | * | 875 | * | * |
| 10 | 15 | E | * | * | 227 | * | * | * | * |

| Cyanophyta | | | | | | | | | |
|-----------------------------------|-----|----------|------------------------------------|---|--|---|--|--|--|
| [Density in cells per milliliter] | | | | | | | | | |
| Month | Day | Transect | <i>Synechococcus</i> <i>sp.</i> | <i>Synechococcus</i> <i>aeruginosa</i> | <i>Synechococcus</i> <i>elongatus</i> | <i>Synechococcus</i> <i>linearis</i> | <i>Synechococcus</i> <i>racemosus</i> | <i>Synechocystis</i> <i>aquatilis</i> | <i>Synechocystis</i> <i>var spirale</i> |
| 8 | 16 | A | 1477 | * | * | 1363 | * | * | 114 |
| 8 | 16 | C | 2102 | * | 28 | 28 | * | * | 43 |
| 8 | 16 | E | 7611 | * | * | 795 | 454 | * | 795 |
| 9 | 19 | A | * | * | * | * | * | * | 57 |
| 9 | 19 | C | 1250 | * | * | * | * | * | * |
| 9 | 19 | E | 880 | * | * | * | * | * | * |
| 10 | 12 | A | 1562 | * | * | 187 | * | * | * |
| 10 | 15 | C | 12370 | * | 438 | * | * | * | * |
| 10 | 15 | E | 1022 | 142 | 710 | * | * | * | * |

Table 2. Algal species and species density in the water column of Wetland P8--Continued.

| Cryptophyta | | | | | | | | | |
|-----------------------------------|-----|----------|--------------------------|---|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------------|
| [Density in cells per milliliter] | | | | | | | | | |
| Month | Day | Transect | <i>Chroomonas</i> sp. | <i>Chroomonas</i> <i>nordstedtii</i> | <i>Cryptomonas</i> sp. 1 | <i>Cryptomonas</i> sp. 2 | <i>Cryptomonas</i> sp. 3 | <i>Cryptomonas</i> sp. 4 | <i>Cryptomonas</i> <i>erosa</i> |
| 8 | 16 | A | * | * | * | * | * | * | 454 |
| 8 | 16 | C | * | * | 213 | * | * | * | 28 |
| 8 | 16 | E | 227 | * | 114 | 57 | * | * | 285 |
| 9 | 19 | A | * | * | 57 | 28 | * | * | 170 |
| 9 | 19 | C | * | * | * | 28 | * | * | 142 |
| 9 | 19 | E | * | * | * | 284 | * | * | 114 |
| 10 | 12 | A | * | * | * | * | 312 | 13933 | 1562 |
| 10 | 15 | C | * | * | 1000 | 2625 | * | * | * |
| 10 | 15 | E | * | * | 17154 | 170 | 85 | 28 | 85 |

| Cryptophyta | | | | | | | | | |
|-----------------------------------|-----|----------|--------------------------------------|------------------------------------|---|---------------------------------------|--------------------------|------------------------------------|----|
| [Density in cells per milliliter] | | | | | | | | | |
| Month | Day | Transect | <i>Cryptomonas</i> <i>marsoni</i> | <i>Cryptomonas</i> <i>ovata</i> | <i>Cryptomonas</i> <i>rostriformis</i> | <i>Cyathomonas</i> <i>truncata</i> | <i>Rhodomonas</i> sp. | <i>Rhodomonas</i> <i>minuta</i> | |
| 8 | 16 | A | 57 | * | 284 | * | * | * | * |
| 8 | 16 | C | * | 14 | * | * | * | * | 71 |
| 8 | 16 | E | * | * | * | * | * | * | * |
| 9 | 19 | A | 114 | * | * | * | * | * | * |
| 9 | 19 | C | 114 | * | * | * | * | * | 28 |
| 9 | 19 | E | 284 | * | * | * | * | * | * |
| 10 | 12 | A | * | * | * | * | 125 | * | * |
| 10 | 15 | C | * | * | * | * | * | * | * |
| 10 | 15 | E | * | * | * | * | * | * | * |

Table 2. Algal species and species density in the water column of Wetland P8--Continued.

| Chlorophyta | | | | | | | | | |
|-----------------------------------|-----|-----------|-----------------------|-----------------------|-----------------------|-----------------------|--------------------|-----------------|----------------------|
| [Density in cells per milliliter] | | | | | | | | | |
| Month | Day | Transsect | <i>Ankistrodesmus</i> | <i>Ankistrodesmus</i> | <i>Ankistrodesmus</i> | <i>Ankistrodesmus</i> | <i>Carteria</i> | <i>Carteria</i> | <i>Chlamydomonas</i> |
| | | | <i>sp.</i> | <i>braunii</i> | <i>falcatus</i> | <i>nanoseptene</i> | <i>cordiformis</i> | <i>sp.</i> | <i>sp.</i> 1 |
| 8 | 16 | A | * | * | * | * | * | * | 1421 |
| 8 | 16 | C | 14 | 28 | * | 14 | 28 | 43 | 71 |
| 8 | 16 | E | * | 28 | * | * | 57 | * | * |
| 9 | 19 | A | * | * | * | * | * | * | * |
| 9 | 19 | C | * | * | * | * | * | * | 85 |
| 9 | 19 | E | * | 28 | * | * | * | * | * |
| 10 | 12 | A | * | * | * | * | * | * | 187 |
| 10 | 15 | C | * | 63 | * | 187 | * | * | 125 |
| 10 | 15 | E | * | 28 | * | * | * | * | 28 |

| Chlorophyta | | | | | | | | | |
|-----------------------------------|-----|-----------|----------------------|----------------------|----------------------|------------------|---------------------|---------------------|---------------------|
| [Density in cells per milliliter] | | | | | | | | | |
| Month | Day | Transsect | <i>Chlamydomonas</i> | <i>Chlamydomonas</i> | <i>Chlamydomonas</i> | <i>Chlorella</i> | <i>Chlorogonium</i> | <i>Chlorogonium</i> | <i>Chlorococcum</i> |
| | | | <i>sp.</i> 2 | <i>sp.</i> 3 | <i>sp.</i> 4 | <i>vulgaris</i> | <i>sp.</i> 1 | <i>sp.</i> 2 | <i>humicola</i> |
| 8 | 16 | A | * | * | * | * | * | * | 57 |
| 8 | 16 | C | 71 | 43 | 28 | * | * | * | 1094 |
| 8 | 16 | E | 227 | * | * | * | * | * | * |
| 9 | 19 | A | 57 | * | * | * | * | * | 114 |
| 9 | 19 | C | * | 256 | * | * | * | * | 227 |
| 9 | 19 | E | * | 28 | * | * | * | * | 142 |
| 10 | 12 | A | 63 | * | * | * | * | * | 187 |
| 10 | 15 | C | 250 | 187 | * | * | * | * | 1312 |
| 10 | 15 | E | 85 | 85 | * | * | * | 57 | * |

Table 2. Algal species and species density in the water column of Wetland P8--Continued.

| Chlorophyta | | | | | | | | | |
|-----------------------------------|-------------|----------|------------------------------------|--------------------------|----------------------------|--------------------------------|-------------------------------------|---------------------------------------|---------------------------------------|
| [Density in cells per milliliter] | | | | | | | | | |
| Month | Day | Transect | <i>Chlorogonium</i> sp. | <i>Closterium</i> sp. | <i>Closterium</i> sp. 1 | <i>Closterium</i> sp. 2 | <i>Closterium</i> gracile | <i>Mesostigma</i> sp. | <i>Microspora</i> sp. |
| 42 | 8 | 16 | A | 170 | 57 | * | * | * | 57 |
| | 8 | 16 | C | * | * | * | * | * | * |
| | 8 | 16 | E | * | 57 | * | * | * | * |
| | 9 | 19 | A | * | * | * | * | * | * |
| | 9 | 19 | C | * | * | * | * | * | * |
| | 9 | 19 | E | * | * | * | * | * | * |
| | 10 | 12 | A | * | 125 | * | * | * | 63 |
| | 10 | 15 | C | * | * | * | * | * | * |
| | 10 | 15 | E | * | * | * | * | * | * |
| | Chlorophyta | | | | | | | | |
| [Density in cells per milliliter] | | | | | | | | | |
| Month | Day | Transect | <i>Pediastrum</i> <i>tetras</i> | <i>Platymonas</i> sp. | <i>Scenedesmus</i> sp. | <i>Scenedesmus</i> abundans | <i>Scenedesmus</i> <i>longus</i> | <i>Scenedesmus</i> <i>serratus</i> | <i>Schroederia</i> <i>setigera</i> |
| | 8 | 16 | A | * | 57 | * | * | * | * |
| | 8 | 16 | C | * | * | * | * | * | * |
| | 8 | 16 | E | * | * | * | * | 227 | * |
| | 9 | 19 | A | * | * | * | * | * | * |
| | 9 | 19 | C | * | * | * | * | * | * |
| | 9 | 19 | E | * | * | * | * | * | * |
| | 10 | 12 | A | * | 125 | * | * | * | * |
| | 10 | 15 | C | * | * | * | 250 | * | * |
| | 10 | 15 | E | 114 | * | * | * | * | * |

Table 2. Algal species and species density in the water column of Wetland P8.-Continued.

| Chlorophyta [Density in cells per milliliter] | | | | | | | | | |
|---|-----|-----------|----------------------------|----------------------|--|----------------------|--------------------------|-------------------------------|---|
| Month | Day | Transsect | <i>Selenastrum minutum</i> | <i>Spirogyra</i> sp. | <i>Tetraedron trigonum</i> var <i>tetragonum</i> | <i>Treubaria</i> sp. | | | |
| 8 | 16 | A | * | * | * | 57 | * | * | * |
| 8 | 16 | C | * | * | * | * | * | * | * |
| 8 | 16 | E | * | * | * | * | * | * | * |
| 9 | 19 | A | * | * | * | * | * | * | * |
| 9 | 19 | C | 28 | * | * | * | * | * | * |
| 9 | 19 | E | * | * | * | * | * | * | * |
| 10 | 12 | A | * | * | * | * | * | * | * |
| 10 | 15 | C | * | * | * | * | * | * | * |
| 10 | 15 | E | * | * | * | * | * | * | * |
| Euglenophyta and Dinophyta [Density in cells per milliliter] | | | | | | | | | |
| Month | Day | Transsect | <i>Euglena</i> sp. | <i>Euglena</i> sp. 1 | <i>Euglena</i> sp. 2 | <i>Euglena</i> sp. 3 | <i>Trachelomonas</i> sp. | <i>Peridinium inconspicua</i> | |
| 8 | 16 | A | * | * | * | * | * | * | * |
| 8 | 16 | C | 14 | * | * | * | * | * | 8 |
| 8 | 16 | E | * | * | 57 | * | * | * | * |
| 9 | 19 | A | * | * | * | * | * | * | * |
| 9 | 19 | C | * | * | * | * | * | * | * |
| 9 | 19 | E | * | * | * | * | * | * | * |
| 10 | 12 | A | * | * | * | * | * | * | * |
| 10 | 15 | C | * | * | * | * | * | * | * |
| 10 | 15 | E | * | * | * | * | 114 | * | * |

Table 2. Algal species and species density in the water column of Wetland P8-Continued.

| Chrysophyta | | | | | | | | | |
|-----------------------------------|-----|----------|-------------------|---------------------|---------------------|----------------------|---------------------------|------------------|------------------------|
| [Density in cells per milliliter] | | | | | | | | | |
| Month | Day | Transect | Chromalina sp. | Chromalina sp. 1 | Chromalina sp. 2 | Chrysamoeba parva | Chrysotrichomina parva | Dinobryon sp. | Dinobryon setularia |
| 8 | 16 | A | * | * | * | * | * | * | * |
| 8 | 16 | C | 28 | * | * | * | * | * | * |
| 8 | 16 | E | * | 398 | * | * | * | * | * |
| 9 | 19 | A | * | * | * | * | * | * | * |
| 9 | 19 | C | 57 | * | * | * | * | * | * |
| 9 | 19 | E | * | 114 | 170 | * | * | * | * |
| 10 | 12 | A | * | 63 | 312 | * | * | * | * |
| 10 | 15 | C | * | * | * | * | * | * | * |
| 10 | 15 | E | * | * | * | 28 | * | * | * |

| Chrysophyta | | | | | | | | | |
|-----------------------------------|-----|----------|-------------------------|-------------------|---------------------|---------------------|---------------------|---------------------|---------------|
| [Density in cells per milliliter] | | | | | | | | | |
| Month | Day | Transect | Mallomonas akrokomas | Ochromonas sp. | Ochromonas sp. 1 | Ochromonas sp. 2 | Ophiocystium sp. | Rhizochrysis sp. | Synura sp. |
| 8 | 16 | A | * | * | 227 | 57 | * | * | * |
| 8 | 16 | C | * | * | 142 | 14 | * | * | 14 |
| 8 | 16 | E | * | * | * | * | * | * | * |
| 9 | 19 | A | * | * | * | 28 | * | * | * |
| 9 | 19 | C | * | * | * | * | * | * | * |
| 9 | 19 | E | * | * | * | * | * | * | * |
| 10 | 12 | A | * | * | * | * | * | * | * |
| 10 | 15 | C | * | * | 375 | 375 | 63 | * | * |
| 10 | 15 | E | * | * | * | * | * | * | * |

Table 2. Algal species and species density in the water column of Wetland P8 -Continued.

| Bacillariophyta | | | | | | | | | |
|-----------------------------------|-----|-----------|--------------------------------|------------------------------|-----------------------|---------------------------|-----------------------------|-------------------------------|--|
| [Density in cells per milliliter] | | | | | | | | | |
| Month | Day | Transsect | <i>Cyclotella meneghiniana</i> | <i>Amphipleura pelucida</i> | <i>Amphora ovalis</i> | <i>Cocconeis placenta</i> | <i>Fragilaria capucina</i> | <i>Fragilaria crotensis</i> | |
| 8 | 16 | A | * | 14 | * | * | * | * | * |
| 8 | 16 | C | * | 14 | * | * | 14 | * | * |
| 8 | 16 | E | * | * | * | * | * | * | * |
| 9 | 19 | A | * | * | * | * | 28 | * | * |
| 9 | 19 | C | * | 85 | * | * | * | * | * |
| 9 | 19 | E | * | * | * | * | * | * | * |
| 10 | 12 | A | 63 | * | 63 | * | 125 | 688 | * |
| 10 | 15 | C | * | * | 250 | * | * | * | * |
| 10 | 15 | E | * | * | * | * | 28 | * | 85 |
| Bacillariophyta | | | | | | | | | |
| [Density in cells per milliliter] | | | | | | | | | |
| Month | Day | Transsect | <i>Gomphonema angustatum</i> | <i>Gomphonema angustatum</i> | <i>Navicula sp.</i> | <i>Navicula arvensis</i> | <i>Navicula confervacea</i> | <i>Navicula cryptocephala</i> | <i>Navicula cryptocephala</i> var. <i>veneta</i> |
| 8 | 16 | A | * | * | * | * | * | * | 200 |
| 8 | 16 | C | * | * | * | * | * | 14 | * |
| 8 | 16 | E | * | * | * | * | * | * | * |
| 9 | 19 | A | * | 28 | * | * | * | * | * |
| 9 | 19 | C | * | * | * | * | * | * | * |
| 9 | 19 | E | * | * | * | * | * | * | * |
| 10 | 12 | A | * | 125 | * | * | * | * | * |
| 10 | 15 | C | * | * | 125 | * | * | * | * |
| 10 | 15 | E | * | * | 28 | * | * | * | * |

Table 2. Algal species and species density in the water column of Wetland P8--Continued.

| Bacillariophyta [Density in cells per milliliter] | | | | | | |
|--|-----|----------|--------------------------|----------------------------|-----------------------------|--------------------------|
| Month | Day | Transect | <i>Navicula heufleri</i> | <i>Navicula lanceolata</i> | <i>Navicula tripunctata</i> | <i>Navicula viridula</i> |
| 8 | 16 | A | * | 313 | * | * |
| 8 | 16 | C | 14 | * | 28 | * |
| 8 | 16 | E | * | * | * | * |
| 9 | 19 | A | * | * | * | * |
| 9 | 19 | C | 28 | * | * | * |
| 9 | 19 | E | * | * | 57 | * |
| 10 | 12 | A | * | 63 | * | * |
| 10 | 15 | C | 63 | * | 63 | * |
| 10 | 15 | E | * | * | 28 | * |

| Bacillariophyta [Density in cells per milliliter] | | | | | | |
|--|-----|----------|---------------------------|----------------------------|-------------------------------|-------------------------|
| Month | Day | Transect | <i>Nitzschia amphibia</i> | <i>Nitzschia denticula</i> | <i>Nitzschia hantzschiana</i> | <i>Nitzschia latens</i> |
| 8 | 16 | A | 57 | * | * | * |
| 8 | 16 | C | 213 | 14 | * | * |
| 8 | 16 | E | 114 | * | * | * |
| 9 | 19 | A | * | * | * | * |
| 9 | 19 | C | 114 | * | * | * |
| 9 | 19 | E | 57 | * | * | * |
| 10 | 12 | A | 63 | * | * | 187 |
| 10 | 15 | C | 312 | * | 63 | * |
| 10 | 15 | E | * | * | * | 28 |

Table 2. Algal species and species density in the water column of Wetland P8.-Continued.

| Bacillariophyta | | | | | | | | | |
|-----------------------------------|-----|----------|----------------------------|-------------------------|----------------------------|---|-------------------------|---|--------------------|
| [Density in cells per milliliter] | | | | | | | | | |
| Month | Day | Transect | <i>Nitzschia paleacea</i> | <i>Nitzschia romana</i> | <i>Nitzschia thermalis</i> | <i>Pinnularia gibba</i> | <i>Rhopalodia gibba</i> | <i>Staurocoleis wislouchii</i> | <i>Synedra</i> sp. |
| 8 | 16 | A | * | * | 57 | * | * | * | * |
| 8 | 16 | C | * | 14 | 28 | * | * | * | * |
| 8 | 16 | E | 114 | * | * | * | * | * | * |
| 9 | 19 | A | * | 28 | * | * | * | * | * |
| 9 | 19 | C | 142 | * | * | * | * | * | * |
| 9 | 19 | E | 57 | * | * | * | * | * | * |
| 10 | 12 | A | 187 | * | 125 | 14 | * | * | * |
| 10 | 15 | C | * | * | 63 | * | 63 | * | 63 |
| 10 | 15 | E | 85 | * | 57 | * | * | * | * |
| Bacillariophyta | | | | | | | | | |
| [Density in cells per milliliter] | | | | | | | | | |
| Month | Day | Transect | <i>Synedra rumpens</i> sp. | <i>Synedra rumpens</i> | <i>Synedra ulna</i> | <i>Synedra ulna</i> var. <i>subaequalis</i> | <i>Synedra ulna</i> | <i>Synedra ulna</i> var. <i>subaequalis</i> | <i>Synedra</i> sp. |
| 8 | 16 | A | * | 28 | * | 14 | * | * | * |
| 8 | 16 | C | * | * | 28 | * | * | * | * |
| 8 | 16 | E | * | * | * | * | * | * | * |
| 9 | 19 | A | * | * | * | * | * | * | * |
| 9 | 19 | C | * | * | * | * | * | * | * |
| 9 | 19 | E | * | * | * | * | * | * | * |
| 10 | 12 | A | * | * | * | * | * | * | * |
| 10 | 15 | C | * | * | * | * | * | * | * |
| 10 | 15 | E | 85 | * | * | * | * | * | * |

ⁱ Organisms not present in sample.

Table 3. Algal species and species density in the water column of Wetland P11.

| Cyanophyta [Density in cells per milliliter] | | | | | | |
|--|-----|----------|-----------------|----------------------|------------------------------|--------------------------|
| Month | Day | Transect | Anabaena sp. | Aphanizomenon sp. | Aphanocapsa delicatissima | Aphanocapsa elachista |
| 5 | 15 | A | * | * | * | * |
| 5 | 15 | C | * | * | * | 11928 |
| 5 | 15 | E | * | * | * | * |
| 6 | 19 | A | * | * | * | * |
| 6 | 19 | C | * | * | 199 | * |
| 6 | 19 | E | * | * | 5850 | * |
| 7 | 5 | A | * | * | * | 3181 |
| 7 | 5 | C | * | * | * | * |
| 7 | 5 | E | * | * | * | * |

| Cyanophyta [Density in cells per milliliter] | | | | | | |
|--|-----|----------|----------------------|----------------------|-------------------------------|--------------------------|
| Month | Day | Transect | Chroococcus sp. 1 | Chroococcus sp. 2 | Dactylococcus fascicularis | Dactylococcus smithii |
| 5 | 15 | A | * | * | 6816 | 19170 |
| 5 | 15 | C | * | * | 10224 | 38340 |
| 5 | 15 | E | 1704 | * | 11928 | 47712 |
| 6 | 19 | A | 284 | * | * | * |
| 6 | 19 | C | * | * | * | * |
| 6 | 19 | E | 3692 | 57 | * | * |
| 7 | 5 | A | * | * | * | * |
| 7 | 5 | C | * | * | 28 | * |
| 7 | 5 | E | 398 | * | * | * |

Table 3. Algal species and species density in the water column of Wetland P11--Continued.

| Cyanophyta [Density in cells per milliliter] | | | | | | | | | |
|---|-----|-----------|--------------------------------|----------------------------|-----------------------------------|---------------------------|-------------------------------|----------------------------------|-------------------------------|
| Month | Day | Transsect | <i>Merismopedia tenuissima</i> | <i>Oscillatoria</i> sp. | <i>Oscillatoria</i> sp. 1 | <i>Oscillatoria</i> sp. 2 | <i>Oscillatoria angustata</i> | <i>Oscillatoria angustissima</i> | <i>Oscillatoria chlorina</i> |
| 5 | 15 | A | * | * | * | * | * | * | * |
| 5 | 15 | C | 6816 | 20874 | * | * | * | 13632 | 38766 |
| 5 | 15 | E | * | * | * | * | * | * | * |
| 6 | 19 | A | * | * | * | * | * | * | * |
| 6 | 19 | C | * | * | * | * | * | * | * |
| 6 | 19 | E | * | * | * | * | * | * | * |
| 7 | 5 | A | * | * | * | * | * | * | * |
| 7 | 5 | C | * | 909 | * | * | * | * | * |
| 7 | 5 | E | * | 2783 | * | * | * | 1136 | * |
| Cyanophyta [Density in cells per milliliter] | | | | | | | | | |
| Month | Day | Transsect | <i>Oscillatoria limnetica</i> | <i>Oscillatoria limosa</i> | <i>Oscillatoria minnesotensis</i> | <i>Phormidium fragile</i> | <i>Phormidium foveolarum</i> | <i>Rhabdoderma irregularare</i> | <i>Rhabdoderma sigmoidaea</i> |
| 5 | 15 | A | 3408 | * | * | * | * | * | 426 |
| 5 | 15 | C | * | 11076 | 14910 | * | * | * | 12780 |
| 5 | 15 | E | * | * | * | * | * | * | 25560 |
| 6 | 19 | A | * | * | * | * | * | * | * |
| 6 | 19 | C | * | * | * | * | * | * | * |
| 6 | 19 | E | * | * | * | * | * | * | * |
| 7 | 5 | A | * | * | * | * | * | * | 85 |
| 7 | 5 | C | * | * | * | * | * | * | * |
| 7 | 5 | E | 1136 | * | * | * | * | * | * |

Table 3. Algal species and species density in the water column of Wetland P11--Continued.

| Cyanophyta [Density in cells per milliliter] | | | | | | | | | |
|---|-----|----------|---------------------------------------|-----------------------------|----------------------------|---------------------------|------------------------------|----------------------------|------------------------|
| Month | Day | Transect | Rhabdoderma sigmoidea var minor | Rhabdoderma sp. | Spirulina laxissima | Spirulina major | Spirulina princeps | Synechococcus sp. | Synechococcus sp. 1 |
| 5 | 15 | A | 1704 | * | * | * | * | 125804 | * |
| 5 | 15 | C | * | * | 3408 | * | * | 2726400 | * |
| 5 | 15 | E | * | * | * | * | * | | 2787744* |
| 6 | 19 | A | * | * | * | * | * | * | * |
| 6 | 19 | C | * | * | * | * | * | 625 | * |
| 6 | 19 | E | 57 | * | * | * | * | | * |
| 7 | 5 | A | 28 | * | * | * | * | 2021 | * |
| 7 | 5 | C | * | * | 227 | * | * | 28 | * |
| 7 | 5 | E | 85 | * | * | * | * | * | * |
| Cyanophyta [Density in cells per milliliter] | | | | | | | | | |
| Month | Day | Transect | Synechococcus sp. 2 | Synechococcus aeruginosa | Synechococcus elongatus | Synechococcus linearis | Synechococcus var spirale | Synechococcus racemosus | Synechocystis sp. |
| 5 | 15 | A | * | * | 852 | 17466 | * | * | * |
| 5 | 15 | C | * | 6816 | 852 | 15336 | * | * | * |
| 5 | 15 | E | * | * | * | 22152 | * | * | * |
| 6 | 19 | A | * | * | * | * | * | * | * |
| 6 | 19 | C | * | * | * | 28 | * | * | * |
| 6 | 19 | E | * | * | * | * | * | * | * |
| 7 | 5 | A | * | * | * | * | * | * | * |
| 7 | 5 | C | * | 28 | * | * | * | * | * |
| 7 | 5 | E | 511 | 1335 | * | 114 | * | 3294 | 312* |

Table 3. Algal species and species density in the water column of Wetland P11--Continued.

| Cryptophyta [Density in cells per milliliter] | | | | | | | | | |
|--|-----|----------|--------------------------|---------------------------|------------------------------------|---------------------------------------|--------------------------|---------------------------------------|--|
| Month | Day | Transect | <i>Chroomonas</i> sp. | <i>Cryptomonas</i> sp. | <i>Cryptomonas</i> <i>erosa</i> | <i>Cyathomonas</i> <i>truncata</i> | <i>Rhodomonas</i> sp. | <i>Rhodomonas</i> <i>lacustris</i> | |
| 5 | 15 | A | * | * | 426 | * | * | * | |
| 5 | 15 | C | * | 568 | * | 1704 | * | * | |
| 5 | 15 | E | * | | | 568 | * | * | |
| 6 | 19 | A | * | * | * | * | * | * | |
| 6 | 19 | C | * | * | * | * | * | * | |
| 6 | 19 | E | * | * | * | * | * | * | |
| 7 | 5 | A | 2812 | 28 | 14 | 57 | * | * | |
| 7 | 5 | C | 7214 | * | * | * | * | 227 | |
| 7 | 5 | E | * | * | * | * | * | 199 | |

| Chlorophyta [Density in cells per milliliter] | | | | | | | | | |
|--|-----|----------|---|--|-------------------------------|-------------------------------|-------------------------------|-------------------------------|---|
| Month | Day | Transect | <i>Ankistrodesmus</i> <i>braunii</i> | <i>Ankistrodesmus</i> <i>convolutus</i> | <i>Chlamydomonas</i> sp. 1 | <i>Chlamydomonas</i> sp. 2 | <i>Chlamydomonas</i> sp. 3 | <i>Chlamydomonas</i> sp. 4 | <i>Chlamydomonas</i> <i>angustissima</i> |
| 5 | 15 | A | * | * | * | * | * | * | * |
| 5 | 15 | C | * | * | * | 2840 | 284 | * | * |
| 5 | 15 | E | * | * | | | | * | * |
| 6 | 19 | A | * | * | * | | | * | |
| 6 | 19 | C | * | * | 170 | * | * | 57 | 1349 |
| 6 | 19 | E | * | * | * | | | * | 256 |
| 7 | 5 | A | * | * | | | | 28 | 1193 |
| 7 | 5 | C | * | 28 | * | * | * | * | 114 |
| 7 | 5 | E | * | * | 114 | * | * | * | 426 |

Table 3. Algal species and species density in the water column of Wetland P11.-Continued.

| Chlorophyta [Density in cells per milliliter] | | | | | | | | |
|--|-----|----------|--------------------------------|-------------------------------------|--|-----------------------------------|---------------------------------|---------------------------------|
| Month | Day | Transect | <i>Chlorella</i> <i>sp.</i> | <i>Chlorella</i> <i>vulgaris</i> | <i>Chlorococcum</i> <i>humicola</i> | <i>Chlorogonium</i> <i>sp.</i> | <i>Dunaliella</i> <i>sp.</i> | <i>Gloecystis</i> <i>sp.</i> |
| 5 | 15 | A | * | * | * | * | * | * |
| 5 | 15 | C | * | * | * | * | * | * |
| 5 | 15 | E | * | * | 284 | * | * | * |
| 6 | 19 | A | * | * | * | * | * | * |
| 6 | 19 | C | * | * | * | * | * | * |
| 6 | 19 | E | * | * | * | * | * | * |
| 7 | 5 | A | * | * | 256 | * | * | * |
| 7 | 5 | C | * | * | * | * | * | * |
| 7 | 5 | E | * | * | 85 | * | * | * |

| Chlorophyta [Density in cells per milliliter] | | | | | | | | |
|--|-----|----------|-------------------------------|------------------------------------|----------------------------------|----------------------------------|---------------------------------------|--------------------------------------|
| Month | Day | Transect | <i>Oocystis</i> <i>sp.</i> | <i>Pedimonas</i> <i>rotunda</i> | <i>Pyramimonas</i> <i>sp.</i> | <i>Pyrobothrys</i> <i>sp.</i> | <i>Schroederia</i> <i>setigera</i> | <i>Selenastrum</i> <i>minutum</i> |
| 5 | 15 | A | * | * | * | * | * | * |
| 5 | 15 | C | * | * | * | * | * | * |
| 5 | 15 | E | 852 | * | * | * | * | * |
| 6 | 19 | A | * | * | * | * | * | 14 |
| 6 | 19 | C | * | * | * | * | * | * |
| 6 | 19 | E | * | * | * | * | * | * |
| 7 | 5 | A | * | * | * | * | * | * |
| 7 | 5 | C | * | * | * | * | * | * |
| 7 | 5 | E | * | * | * | 28 | * | * |

Table 3. Algal species and species density in the water column of Wetland P11--Continued.

| Euglenophyta and Chrysophyta [Density in cells per milliliter] | | | | | | | | | |
|---|-----|----------|------------------------------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|------|---|
| Month | Day | Transect | <i>Euglena</i> <i>sp.</i> | <i>Euglena</i> <i>sp. 1</i> | <i>Euglena</i> <i>sp. 2</i> | <i>Chromulina</i> <i>sp.</i> | <i>Ochromonas</i> <i>sp.</i> | | |
| 5 | 15 | A | * | 426 | * | * | * | 2130 | * |
| 5 | 15 | C | * | * | * | 213 | * | | |
| 5 | 15 | E | 568 | * | * | * | 5112 | | |
| 6 | 19 | A | * | * | 14 | * | * | | |
| 6 | 19 | C | 28 | * | * | 57 | 57 | | |
| 6 | 19 | E | * | * | * | * | * | | |
| 7 | 5 | A | * | * | * | * | * | | |
| 7 | 5 | C | 28 | * | * | * | * | 511 | |
| 7 | 5 | E | 28 | * | * | * | * | * | |

| Bacillariophyta [Density in cells per milliliter] | | | | | | | | | |
|--|-----|----------|--|---|---|-------------------------------------|---------------------------------|--------------------------------------|--------------------------------------|
| Month | Day | Transect | <i>Cyclotella</i> <i>meneghiniana</i> | <i>Cylindrotheca</i> <i>gracilis</i> | <i>Cymbella</i> <i>minuta</i> <i>var silesica</i> | <i>Etomoneis</i> <i>paludosa</i> | <i>Gomphonema</i> <i>sp.</i> | <i>Gomphonema</i> <i>parvulum</i> | <i>Gyrosigma</i> <i>spencerii</i> |
| 5 | 15 | A | * | * | * | 852 | 28 | * | * |
| 5 | 15 | C | 1704 | * | * | 28 | * | * | * |
| 5 | 15 | E | 1420 | * | * | * | * | * | * |
| 6 | 19 | A | * | * | * | * | 14 | * | * |
| 6 | 19 | C | * | * | * | * | * | * | * |
| 6 | 19 | E | * | * | * | * | * | * | * |
| 7 | 5 | A | * | * | * | * | * | * | * |
| 7 | 5 | C | * | * | * | * | * | * | * |
| 7 | 5 | E | * | * | * | * | * | * | * |

Table 3. Algal species and species density in the water column of Wetland P11.-Continued.

| Bacillariophyta [Density in cells per milliliter] | | | | | | | | | |
|--|-----|----------|------------------------------------|----------------------|------------------------|--------------------|---------------------------|---|-----------------------|
| Month | Day | Transect | Navicula sp. | Navicula accomoda | Navicula capitata | Navicula cincta | Navicula cryptocephala | Navicula Cryptocephala var veneta | Navicula cuspidata |
| 5 | 15 | A | * | * | * | * | * | * | 243 |
| 5 | 15 | C | * | 2300 | * | 2300 | * | * | * |
| 5 | 15 | E | * | * | * | 114 | * | 398 | * |
| 6 | 19 | A | * | * | * | * | * | * | * |
| 6 | 19 | C | * | * | * | * | * | * | * |
| 6 | 19 | E | * | * | * | * | * | * | * |
| 7 | 5 | A | * | * | * | * | * | * | * |
| 7 | 5 | C | * | * | * | * | * | * | * |
| 7 | 5 | E | * | * | * | * | * | * | * |
| Bacillariophyta [Density in cells per milliliter] | | | | | | | | | |
| Month | Day | Transect | Navicula exigua var capitata | Navicula heufieri | Navicula lanceolata | Navicula notha | Navicula pygmaea | Navicula tripunctata | Nitzschia sp. |
| 5 | 15 | A | 14 | 122 | * | * | * | 61 | * |
| 5 | 15 | C | * | 3834 | * | * | 767 | * | 426 |
| 5 | 15 | E | * | * | * | 28 | * | * | 114 |
| 6 | 19 | A | * | * | * | * | * | * | * |
| 6 | 19 | C | * | 28 | * | * | * | * | * |
| 6 | 19 | E | * | * | * | * | * | * | * |
| 7 | 5 | A | * | * | * | * | * | * | * |
| 7 | 5 | C | * | * | * | * | * | * | * |
| 7 | 5 | E | * | * | * | * | * | * | * |

Table 3. Algal species and species density in the water column of Wetland P11--Continued.

| Bacillariophyta [Density in cells per milliliter] | | | | | | | | | |
|--|-----|----------|---------------------------|---|----------------------------|----------------------------|-------------------------------|----------------------------|-------------------------------|
| Month | Day | Transect | <i>Nitzschia amphibia</i> | <i>Nitzschia communis</i> | <i>Nitzschia fonticola</i> | <i>Nitzschia frustulum</i> | <i>Nitzschia hantzschiana</i> | <i>Nitzschia hungarica</i> | <i>Nitzschia inconspicua</i> |
| 5 | 15 | A | * | 116 | 6 | 77 | * | 39 | * |
| 5 | 15 | C | * | 57 | * | * | 76 | * | 913 |
| 5 | 15 | E | * | * | * | * | 309 | 284 | 57 |
| 6 | 19 | A | * | * | * | 43 | * | * | * |
| 6 | 19 | C | * | * | * | * | 28 | * | * |
| 6 | 19 | E | * | * | * | * | * | * | * |
| 7 | 5 | A | * | * | * | * | * | * | * |
| 7 | 5 | C | * | * | * | * | * | * | * |
| 7 | 5 | E | * | * | * | * | 7 | * | * |
| Bacillariophyta [Density in cells per milliliter] | | | | | | | | | |
| Month | Day | Transect | <i>Nitzschia linearis</i> | <i>Nitzschia longissima</i> var <i>reversa</i> | <i>Nitzschia palea</i> | <i>Nitzschia paleacea</i> | <i>Nitzschia pusilla</i> | <i>Nitzschia romana</i> | <i>Nitzschia tryblionella</i> |
| 5 | 15 | A | * | * | 39 | 116 | * | * | 39 |
| 5 | 15 | C | 152 | * | 304 | 1140 | 14 | 456 | * |
| 5 | 15 | E | 103 | * | 206 | 103 | * | 206 | * |
| 6 | 19 | A | * | * | * | * | * | * | * |
| 6 | 19 | C | * | * | * | 114 | * | * | * |
| 6 | 19 | E | * | * | * | 28 | * | * | * |
| 7 | 5 | A | * | * | * | 6 | * | * | * |
| 7 | 5 | C | * | * | * | * | 21 | 199 | * |
| 7 | 5 | E | * | * | * | * | * | * | * |

Table 3. Algal species and species density in the water column of Wetland P11--Continued.

| Bacillariophyta | | | | | | | | | |
|-----------------------------------|-----|----------|-----------------|----------------------|--------------------------------|----------------------|-------------------|----------------|----------------------|
| [Density in cells per milliliter] | | | | | | | | | |
| Month | Day | Transect | <i>Nitschia</i> | <i>Pinnularia</i> | <i>Plagiotropis</i> | <i>Rhoicosphenia</i> | <i>Rhopalodia</i> | <i>Synedra</i> | <i>Synechococcus</i> |
| | | | valdestriata | sp. | lepidoptera var proboscidea | curvata | gibba | fasciculata | pulchella |
| 5 | 15 | A | * | * | * | * | 57 | * | * |
| 5 | 15 | C | 76 | 852 | 852 | * | * | * | 57 |
| 5 | 15 | E | 28 | * | 14 | 284 | 142 | 142 | * |
| 6 | 19 | A | * | * | * | * | * | 14 | 14 |
| 6 | 19 | C | * | * | * | 28 | * | * | * |
| 6 | 19 | E | * | * | * | * | * | * | * |
| 7 | 5 | A | * | * | * | * | * | * | * |
| 7 | 5 | C | * | * | * | 114 | * | * | * |
| 7 | 5 | E | * | * | * | 85 | * | * | * |
| Cyanophyta | | | | | | | | | |
| [Density in cells per milliliter] | | | | | | | | | |
| Month | Day | Transect | <i>Anabaena</i> | <i>Aphanizomenon</i> | <i>Aphanocapsa</i> | <i>Aphanocapsa</i> | <i>Borzia</i> | <i>Borzia</i> | <i>Chroococcus</i> |
| | | | sp. | sp. | delicatissima | elachista | sp. | tricocularis | sp. |
| 8 | 16 | A | * | * | 1221 | * | * | * | * |
| 8 | 16 | C | 1250 | * | * | * | * | 6759 | * |
| 8 | 16 | E | * | 1761 | * | * | * | * | * |
| 9 | 20 | A | * | * | * | * | * | * | * |
| 9 | 20 | C | * | * | * | * | * | * | * |
| 9 | 20 | E | 142 | * | * | * | * | * | * |
| 10 | 15 | A | * | * | * | * | * | * | * |
| 10 | 15 | C | * | * | * | * | * | * | * |
| 10 | 15 | E | * | * | * | * | * | * | * |

Table 3. Algal species and species density in the water column of Wetland P11 - Continued.

| Month | Day | Transect | Cyanophyta [Density in cells per milliliter] | | | | | |
|---|-----|----------|---|-----------------------------|---|--|---------------------------------------|--|
| | | | <i>Chroococcus</i> sp. 1 | <i>Chroococcus</i> sp. 2 | <i>Dactylococcus</i> <i>fascicularis</i> | <i>Dactylococcus</i> <i>smithii</i> | <i>Gloeocapsa</i> sp. | <i>Lyngbya</i> sp. |
| 8 | 16 | A | * | * | * | * | * | * |
| 8 | 16 | C | * | * | * | * | * | * |
| 8 | 16 | E | 284 | * | * | * | 4658 | * |
| 9 | 20 | A | * | * | * | * | 568 | * |
| 9 | 20 | C | * | * | * | * | * | * |
| 9 | 20 | E | * | * | * | * | * | 227 |
| 10 | 15 | A | * | * | * | * | * | * |
| 10 | 15 | C | * | * | * | * | * | 3601 |
| 10 | 15 | E | * | * | 57 | * | * | 284 |
| | | | | | | 284 | * | 5112 |
| Cyanophyta [Density in cells per milliliter] | | | | | | | | |
| Month | Day | Transect | <i>Merismopedia</i> <i>tenuissima</i> | <i>Oscillatoria</i> sp. | <i>Oscillatoria</i> sp. 1 | <i>Oscillatoria</i> sp. 2 | <i>Oscillatoria</i> <i>angusta</i> | <i>Oscillatoria</i> <i>angustissima</i> |
| | | | * | * | * | * | * | * |
| 8 | 16 | A | * | * | * | * | * | * |
| 8 | 16 | C | * | * | * | * | * | * |
| 8 | 16 | E | * | * | 1164 | 308 | * | * |
| 9 | 20 | A | * | * | * | * | * | * |
| 9 | 20 | C | * | * | * | * | * | * |
| 9 | 20 | E | * | * | * | * | * | * |
| 10 | 15 | A | * | * | * | * | 6822 | * |
| 10 | 15 | C | * | * | * | * | * | * |
| 10 | 15 | E | * | * | * | * | 13632 | * |

Table 3. Algal species and species density in the water column of Wetland P11--Continued.

| Cyanophyta | | | | | | | | | |
|------------|-----|----------|-------------------------------|----------------------------|-----------------------------------|---------------------------|------------------------------|--------------------------------|-------------------------------|
| Month | Day | Transect | <i>Oscillatoria limnetica</i> | <i>Oscillatoria limosa</i> | <i>Oscillatoria minnesotensis</i> | <i>Phormidium fragile</i> | <i>Phormidium foveolarum</i> | <i>Phormidium irregularare</i> | <i>Rhabdoderma sigmoidaea</i> |
| 8 | 16 | A | * | * | * | * | * | * | * |
| 8 | 16 | C | * | * | * | * | * | * | * |
| 8 | 16 | E | * | * | * | * | * | * | * |
| 9 | 20 | A | * | * | * | * | * | * | * |
| 9 | 20 | C | * | * | * | * | * | * | * |
| 9 | 20 | E | * | * | * | * | 994 | * | * |
| 10 | 15 | A | 6064 | * | * | 10802 | 1516 | * | * |
| 10 | 15 | C | * | * | * | 1022 | * | * | * |
| 10 | 15 | E | * | * | * | 14768 | * | * | * |

| Cyanophyta | | | | | | | | | |
|------------|-----|----------|-------------------------------|------------------------|----------------------------|------------------------|---------------------------|--------------------------|----------------------------|
| Month | Day | Transect | <i>Rhabdoderma sigmoidaea</i> | <i>Rhabdoderma sp.</i> | <i>Spirulina taxissima</i> | <i>Spirulina major</i> | <i>Spirulina princeps</i> | <i>Synechococcus sp.</i> | <i>Synechococcus sp. 1</i> |
| 8 | 16 | A | * | * | * | * | * | * | * |
| 8 | 16 | C | * | 227 | 57 | * | * | 337733 | * |
| 8 | 16 | E | * | * | * | * | * | * | 733629 |
| 9 | 20 | A | 114 | * | * | * | * | 77475 | * |
| 9 | 20 | C | 28 | * | * | 369 | * | 20448 | * |
| 9 | 20 | E | * | * | * | * | * | 140239 | * |
| 10 | 15 | A | * | * | * | 190 | * | 87472 | * |
| 10 | 15 | C | * | * | * | * | * | 255146 | * |
| 10 | 15 | E | * | * | * | * | * | * | 143784 |

Table 3. Algal species and species density in the water column of Wetland P11--Continued.

| Month | Day | Transect | Cyanophyta | | | | | Cryptophyta | | | | |
|-----------------------------------|-----|----------|-------------------------------|---|--|---|--|---------------------------------------|-----------------------------------|------------------------------------|---------------------------------------|--------------------------|
| | | | <i>Synechococcus</i> sp. 2 | <i>Synechococcus</i> <i>aeruginosa</i> | <i>Synechococcus</i> <i>elongatus</i> | <i>Synechococcus</i> <i>linearis</i> | <i>Synechococcus</i> <i>racemosus</i> | <i>Synechocystis</i> sp. | <i>Cryptomonas</i> sp. | <i>Cryptomonas</i> <i>erosa</i> | <i>Cryptomonas</i> <i>truncata</i> | <i>Rhodomonas</i> sp. |
| 8 | 16 | A | * | * | * | * | * | * | * | * | * | * |
| 8 | 16 | C | * | * | * | * | * | * | * | * | * | * |
| 8 | 16 | E | * | * | * | * | * | * | * | * | * | * |
| 9 | 20 | A | * | * | * | 57 | 114 | * | * | * | * | * |
| 9 | 20 | C | * | * | * | * | * | * | * | * | * | * |
| 9 | 20 | E | * | * | * | * | * | * | * | * | * | * |
| 10 | 15 | A | * | * | 569 | * | * | * | * | * | * | * |
| 10 | 15 | C | * | 57 | * | 398 | * | * | * | * | * | * |
| 10 | 15 | E | * | * | * | * | 568 | * | * | * | * | * |
| [Density in cells per milliliter] | | | | | | | | | | | | |
| Month | Day | Transect | <i>Chroomonas</i> sp. | <i>Cryptomonas</i> sp. | <i>Cryptomonas</i> <i>erosa</i> | <i>Cryptomonas</i> <i>truncata</i> | <i>Rhodomonas</i> sp. | <i>Rhodomonas</i> <i>lacustris</i> | [Density in cells per milliliter] | | | |
| 8 | 16 | A | 71 | * | * | * | * | 57 | * | * | * | * |
| 8 | 16 | C | * | * | * | * | * | * | * | * | * | 682 |
| 8 | 16 | E | 85 | * | * | * | * | * | * | * | * | 312 |
| 9 | 20 | A | 57 | * | * | * | * | * | * | * | * | * |
| 9 | 20 | C | * | * | * | * | * | * | * | * | * | * |
| 9 | 20 | E | * | * | * | * | * | * | * | * | * | * |
| 10 | 15 | A | * | 190 | * | * | * | * | * | * | * | * |
| 10 | 15 | C | * | 57 | * | * | * | * | * | * | * | * |
| 10 | 15 | E | * | * | * | * | * | * | * | * | * | * |

Table 3. Algal species and species density in the water column of Wetland Pl1--Continued.

| Chlorophyta | | | | | | | | | |
|-----------------------------------|-----|----------|-------------------------------|----------------------------------|----------------------------|----------------------------|----------------------------|----------------------------|-----------------------------------|
| [Density in cells per milliliter] | | | | | | | | | |
| Month | Day | Transect | <i>Ankistrodesmus braunii</i> | <i>Ankistrodesmus convolutus</i> | <i>Chlamydomonas</i> sp. 1 | <i>Chlamydomonas</i> sp. 2 | <i>Chlamydomonas</i> sp. 3 | <i>Chlamydomonas</i> sp. 4 | <i>Chlamydomonas angustissima</i> |
| 8 | 16 | A | * | * | 28 | 128 | * | 57 | 2996 |
| 8 | 16 | C | 114 | 170 | 454 | 227 | 398 | 227 | * |
| 8 | 16 | E | * | 28 | * | 57 | * | * | * |
| 9 | 20 | A | * | * | * | * | * | * | 341 |
| 9 | 20 | C | * | * | 57 | * | * | 142 | 1079 |
| 9 | 20 | E | * | * | 28 | 28 | * | * | 909 |
| 10 | 15 | A | * | * | * | * | * | * | 948 |
| 10 | 15 | C | * | * | * | * | * | * | 1363 |
| 10 | 15 | E | * | * | * | * | * | * | 284 |

| Chlorophyta | | | | | | | | | |
|-----------------------------------|-----|----------|----------------------|---------------------------|------------------------------|-------------------------|-----------------------|------------------------|-----------------------|
| [Density in cells per milliliter] | | | | | | | | | |
| Month | Day | Transect | <i>Chlorella</i> sp. | <i>Chlorella vulgaris</i> | <i>Chlorococcum humicola</i> | <i>Chlorogonium</i> sp. | <i>Dunaliella</i> sp. | <i>Gloeocystis</i> sp. | <i>Mesostigma</i> sp. |
| 8 | 16 | A | * | 43 | * | * | * | * | 142 |
| 8 | 16 | C | 227 | * | * | 1590 | 170 | * | * |
| 8 | 16 | E | * | * | * | * | * | * | 738 |
| 9 | 20 | A | * | * | * | * | * | * | * |
| 9 | 20 | C | * | * | * | * | * | * | * |
| 9 | 20 | E | * | * | * | * | * | * | * |
| 10 | 15 | A | * | * | * | * | * | * | * |
| 10 | 15 | C | * | * | * | * | * | * | * |
| 10 | 15 | E | * | * | * | * | * | * | * |

Table 3. Algal species and species density in the water column of Wetland P11--Continued.

| Chlorophyta [Density in cells per milliliter] | | | | | | | | | |
|---|-----|----------|-----------------|------------------|--------------------|--------------------|--------------------|--------------------|----------------------|
| Month | Day | Transect | <i>Oocystis</i> | <i>Pedimonas</i> | <i>Pyramimonas</i> | <i>Schroederia</i> | <i>Selenastrum</i> | <i>Selenastrum</i> | <i>Stephanoptera</i> |
| | | sp. | sp. | sp. | sp. | sp. | minutum | gracilis | |
| 8 | 16 | A | * | * | * | * | * | * | * |
| 8 | 16 | C | * | 4942 | * | 114 | * | * | * |
| 8 | 16 | E | * | * | 28 | * | * | * | * |
| 9 | 20 | A | * | * | * | * | * | * | * |
| 9 | 20 | C | * | * | * | * | * | * | * |
| 9 | 20 | E | * | * | * | * | * | * | * |
| 10 | 15 | A | * | * | * | * | * | * | * |
| 10 | 15 | C | * | * | * | * | * | * | * |
| 10 | 15 | E | * | * | * | * | * | * | * |
| Euglenophyta and Chrysophyta [Density in cells per milliliter] | | | | | | | | | |
| Month | Day | Transect | <i>Euglena</i> | <i>Euglena</i> | <i>Euglena</i> | <i>Chromulina</i> | <i>Ochromonas</i> | | |
| | | sp. | sp. | sp. | sp. | sp. | sp. | | |
| 8 | 16 | A | * | * | * | * | * | * | * |
| 8 | 16 | C | * | * | * | * | * | * | * |
| 8 | 16 | E | * | * | * | * | * | * | * |
| 9 | 20 | A | * | * | * | * | * | * | * |
| 9 | 20 | C | 114 | * | * | * | * | * | * |
| 9 | 20 | E | 28 | * | * | * | * | * | * |
| 10 | 15 | A | * | * | * | * | * | * | * |
| 10 | 15 | C | * | * | * | * | * | * | * |
| 10 | 15 | E | * | * | * | * | * | * | * |

Table 3. Algal species and species density in the water column of Wetland P11--Continued.

| Bacillariophyta [Density in cells per milliliter] | | | | | | | | | |
|--|-----|----------|--------------------------------|-------------------------------|---|--------------------------------|----------------------------|----------------------------|----|
| Month | Day | Transect | <i>Cyclotella meneghiniana</i> | <i>Cylindrotheca gracilis</i> | <i>Cymbella minuta</i> var. <i>silvescica</i> | <i>Ectomoneis paludosa</i> sp. | <i>Gomphonema parvulum</i> | <i>Gyrosigma spencerii</i> | * |
| 8 | 16 | A | * | * | * | * | * | * | * |
| 8 | 16 | C | 2783 | * | * | * | * | * | * |
| 8 | 16 | E | * | * | * | * | * | * | * |
| 9 | 20 | A | * | * | * | * | * | * | 14 |
| 9 | 20 | C | * | * | * | 28 | * | * | * |
| 9 | 20 | E | * | * | * | * | * | * | * |
| 10 | 15 | A | * | 28 | * | * | * | * | * |
| 10 | 15 | C | * | * | * | * | * | * | * |
| 10 | 15 | E | * | * | * | * | * | * | * |

| Bacillariophyta [Density in cells per milliliter] | | | | | | | | | |
|--|-----|----------|---------------------|---------------------------------|---------------------------------|-------------------------------|--------------------------------------|---|----------------------------------|
| Month | Day | Transect | <i>Navicula</i> sp. | <i>Navicula</i> <i>accomoda</i> | <i>Navicula</i> <i>capitata</i> | <i>Navicula</i> <i>cincta</i> | <i>Navicula</i> <i>cryptocaphala</i> | <i>Navicula</i> <i>cryptocephala</i> var. <i>veneta</i> | <i>Navicula</i> <i>cuspidata</i> |
| 8 | 16 | A | * | * | * | * | * | * | * |
| 8 | 16 | C | * | * | * | * | * | * | * |
| 8 | 16 | E | 57 | * | * | * | * | 28 | * |
| 9 | 20 | A | * | * | * | * | 14 | * | * |
| 9 | 20 | C | * | * | * | * | * | 14 | * |
| 9 | 20 | E | * | * | * | * | * | * | * |
| 10 | 15 | A | * | * | * | * | * | 6 | * |
| 10 | 15 | C | * | * | * | * | * | 14 | * |
| 10 | 15 | E | * | * | 28 | 142 | 142 | 190 | * |

Table 3. Algal species and species density in the water column of Wetland P11.-Continued.

| Bacillariophyta [Density in cells per milliliter] | | | | | | | | | |
|--|-----|----------|---|-------------------------------------|--------------------------------------|--------------------------------------|---|---------------------------------------|--|
| Month | Day | Transect | <i>Navicula</i> <i>exigua</i> var <i>capitata</i> | <i>Navicula</i> <i>heuffleri</i> | <i>Navicula</i> <i>lanceolata</i> | <i>Navicula</i> <i>nolta</i> | <i>Navicula</i> <i>pygmaea</i> | <i>Navicula</i> <i>tripunctata</i> | <i>Nitzschia</i> sp. |
| 8 | 16 | A | * | * | 6 | * | * | * | * |
| 8 | 16 | C | * | * | * | * | * | * | * |
| 8 | 16 | E | * | * | * | * | * | * | * |
| 9 | 20 | A | * | * | * | * | * | * | * |
| 9 | 20 | C | * | * | * | * | * | * | * |
| 9 | 20 | E | * | * | 28 | * | * | * | * |
| 10 | 15 | A | * | 57 | 190 | * | * | 190 | * |
| 10 | 15 | C | * | * | * | * | * | * | * |
| 10 | 15 | E | * | 142 | * | * | * | 426 | * |
| Bacillariophyta [Density in cells per milliliter] | | | | | | | | | |
| Month | Day | Transect | <i>Nitzschia</i> <i>amphibia</i> | <i>Nitzschia</i> <i>communis</i> | <i>Nitzschia</i> <i>fonticola</i> | <i>Nitzschia</i> <i>frustulum</i> | <i>Nitzschia</i> <i>hantzschiana</i> | <i>Nitzschia</i> <i>hungarica</i> | <i>Nitzschia</i> <i>inconspicua</i> |
| 8 | 16 | A | 14 | * | * | * | * | * | 6 |
| 8 | 16 | C | * | * | * | * | * | * | * |
| 8 | 16 | E | * | * | * | * | 28 | * | * |
| 9 | 20 | A | * | * | * | * | * | * | * |
| 9 | 20 | C | * | * | * | * | 7 | * | * |
| 9 | 20 | E | * | * | * | * | * | * | * |
| 10 | 15 | A | * | * | * | * | * | * | * |
| 10 | 15 | C | * | * | * | * | * | * | * |
| 10 | 15 | E | * | * | * | * | 379 | 75 | |

Table 3. Algal species and species density in the water column of Wetland P11--Continued.

| Bacillariophyta [Density in cells per milliliter] | | | | | | | | | |
|--|-----|----------|---------------------------|--|------------------------|--------------------------|-------------------------|-------------------------------|----|
| Month | Day | Transect | <i>Nitzschia linearis</i> | <i>Nitzschia longissima</i> var. <i>reversa</i> | <i>Nitzschia palea</i> | <i>Nitzschia pusilla</i> | <i>Nitzschia romana</i> | <i>Nitzschia tryblionella</i> | * |
| 8 | 16 | A | * | * | * | * | * | * | * |
| 8 | 16 | C | * | * | 57 | * | * | * | * |
| 8 | 16 | E | * | * | 85 | * | * | * | * |
| 9 | 20 | A | * | * | * | * | * | * | * |
| 9 | 20 | C | * | * | 28 | 14 | * | 7 | * |
| 9 | 20 | E | * | * | * | * | * | * | * |
| 10 | 15 | A | * | 14 | * | * | * | * | 28 |
| 10 | 15 | C | * | * | 114 | * | * | * | * |
| 10 | 15 | E | * | * | 454 | * | 152 | * | * |

| Bacillariophyta [Density in cells per milliliter] | | | | | | | | | |
|--|-----|----------|-----------------------------------|--|---------------------------|------------------------------|-------------------------|----------------------------|----------------------------|
| Month | Day | Transect | <i>Nitzschia valdestriata</i> sp. | <i>Pinnularia lepidoptera</i> var. <i>proboscidea</i> | <i>Plagiotropis gibba</i> | <i>Rhoicosphenia curvata</i> | <i>Rhopalodia gibba</i> | <i>Rhopalodia musculus</i> | <i>Synedra fasciculata</i> |
| 8 | 16 | A | * | * | * | * | * | * | 14 |
| 8 | 16 | C | * | * | 14 | * | * | * | * |
| 8 | 16 | E | * | * | * | 28 | * | * | * |
| 9 | 20 | A | * | * | * | * | * | * | * |
| 9 | 20 | C | * | * | 7 | 57 | * | * | * |
| 9 | 20 | E | * | * | * | * | * | * | * |
| 10 | 15 | A | * | * | * | 190 | * | * | * |
| 10 | 15 | C | * | * | * | * | * | * | * |
| 10 | 15 | E | * | 284 | 57 | 284 | * | * | 284 |

¹ Organisms not present in sample

Table 4. Algal species and species density in the water column of Wetland T3.

| Cyanophyta | | | | | | | | | |
|------------|-----|----------|--------------|-------|--------------|-------|-------------|---------------|-------------------------|
| Month | Day | Transect | Anabaena | | Anabaena | | Aphanocapsa | | Aphanothecae sp. |
| | | | sp. 1 | sp. 2 | sp. 1 | sp. 3 | planctonica | delicatissima | |
| 5 | 15 | A | * | * | * | * | 483 | * | * |
| | 15 | C | * | * | * | * | 20902 | 1136 | * |
| | 15 | E | * | * | * | * | 682 | * | * |
| | 6 | A | * | * | * | * | * | * | * |
| | 6 | C | 1676 | 284 | 85 | * | 2272 | 6532 | * |
| | 6 | E | * | * | * | * | | 1534 | * |
| | 7 | A | * | * | * | * | 57 | * | 44531 |
| | 7 | C | * | * | * | * | * | 1079 | |
| | 7 | E | * | * | * | * | 1250 | * | * |
| | 7 | | | | | | | 1306 | * |
| Cyanophyta | | | | | | | | | |
| 6 | Day | Transect | Aphanothecae | | Aphanothecae | | Chroococcus | | Dactylococcopsis sp. |
| | | | sp. 1 | sp. 2 | sp. 1 | sp. 2 | dispersus | dubium | |
| | 15 | A | * | * | * | * | 1732 | * | * |
| | 15 | C | 1000 | * | 7384 | 341 | * | * | * |
| | 15 | E | * | * | * | * | 966 | * | * |
| | 6 | A | * | * | * | 114 | 12269 | * | * |
| | 6 | C | 1108 | 2925 | 57 | 511 | 2584 | 3777 | * |
| | 6 | E | * | * | * | * | * | * | * |
| | 7 | A | * | * | * | * | 11076 | * | * |
| | 7 | C | * | * | * | * | 2499 | * | 1193 |
| | 7 | E | * | * | * | * | 170 | * | * |

Table 4. Algal species and species density in the water column of Wetland T3--Continued.

| Cyanophyta [Density in cells per milliliter] | | | | | | |
|---|-----|----------|-----------------------------|-------------------------------|--------------------------|------------------|
| Month | Day | Transect | Dactylococcus acicularis | Dactylococcus fascicularis | Dactylococcus smithii | Gloecapsa sp. |
| 5 | 15 | A | * | * | * | * |
| 5 | 15 | C | * | * | 114 | 454 |
| 5 | 15 | E | * | * | * | * |
| 6 | 15 | A | 114 | * | 8747 | * |
| 6 | 15 | C | 114 | * | 7668 | * |
| 6 | 15 | E | * | * | * | 682 |
| 6 | 15 | | * | * | * | 568 |
| 7 | 16 | A | * | * | * | * |
| 7 | 6 | C | * | * | * | * |
| 7 | 6 | E | * | * | * | * |
| 7 | 6 | | * | * | * | * |

| Cyanophyta [Density in cells per milliliter] | | | | | | |
|---|-----|----------|--------------------|---------------------------|------------------------------|---------------------------|
| Month | Day | Transect | Microcystis sp. | Oscillatoria angustata | Oscillatoria angustissima | Oscillatoria limnetica |
| 5 | 15 | A | * | 170 | * | * |
| 5 | 15 | C | * | * | 1363 | * |
| 5 | 15 | E | * | * | * | 1250 |
| 6 | 15 | A | * | * | * | * |
| 6 | 15 | C | 1250 | * | * | 227 |
| 6 | 15 | E | * | * | * | * |
| 7 | 16 | A | * | * | 9088 | * |
| 7 | 6 | C | * | * | 2215 | 1647 |
| 7 | 6 | E | * | * | * | 1136 |
| 7 | 6 | | * | * | * | * |

Table 4. Algal species and species density in the water column of Wetland T3 - Continued.

| Cyanophyta [Density in cells per milliliter] | | | | | | | | | |
|---|-----|----------|--------------------------|--|-----------------------------|--|--|---------------------------|---|
| Month | Day | Transect | <i>Phormidium</i> sp. | <i>Phormidium</i> <i>foveolarum</i> | <i>Pseudanabaena</i> sp. | <i>Rhabdoderma</i> <i>sigmoidea</i> | <i>Rhabdoderma</i> <i>var minor</i> | <i>Schizothrix</i> sp. | <i>Spirulina</i> <i>c.f. okensis</i> |
| 5 | 15 | A | * | * | * | * | * | 142 | * |
| 5 | 15 | C | * | * | 2499 | * | * | * | * |
| 5 | 15 | E | 227 | 1477 | 568 | 57 | 170 | * | * |
| 6 | 15 | A | * | * | * | 28286 | * | * | * |
| 6 | 15 | C | * | * | 341 | 511 | * | * | 227 |
| 6 | 15 | E | * | * | * | 568 | 2272 | * | * |
| 7 | 16 | A | * | * | * | * | 16926 | * | * |
| 7 | 6 | C | * | * | * | 1988 | 568 | 568 | * |
| 7 | 6 | E | * | * | * | 1420 | * | * | * |

| Cyanophyta [Density in cells per milliliter] | | | | | | | | | |
|---|-----|----------|-------------------------------|-------------------------------|---|--|---|-----|--|
| Month | Day | Transect | <i>Synechococcus</i> sp. 1 | <i>Synechococcus</i> sp. 2 | <i>Synechococcus</i> <i>aeruginosa</i> | <i>Synechococcus</i> <i>elongatus</i> | <i>Synechococcus</i> <i>linearis</i> | | |
| 5 | 15 | A | * | * | * | * | 85 | 341 | |
| 5 | 15 | C | 114 | * | * | 454 | * | * | |
| 5 | 15 | E | 2272 | * | * | * | | | |
| 6 | 15 | A | * | * | 4090 | | | | |
| 6 | 15 | C | 142 | 7952 | 1022 | 82474 | | | |
| 6 | 15 | E | * | * | * | 98946 | | | |
| 7 | 16 | A | * | * | 2499 | | | | |
| 7 | 6 | C | 114 | * | * | | 1704 | | |
| 7 | 6 | E | * | * | * | | 1023 | | |
| | | | | | | | 284 | | |

Table 4. Algal species and species density in the water column of Wetland T3.-Continued.

| Month | Day | Transsect | Cryptophyta [Density in cells per milliliter] | | | | | | |
|-------|-----|-----------|--|---|------------------------------------|------------------------------------|------------------------------------|---------------------------------------|------------------------------------|
| | | | <i>Chroomonas</i> | <i>Chroomonas</i> <i>nordstedtii</i> | <i>Cryptomonas</i> <i>sp. 1</i> | <i>Cryptomonas</i> <i>sp. 2</i> | <i>Cryptomonas</i> <i>erosa</i> | <i>Cryptomonas</i> <i>marsenii</i> | <i>Cryptomonas</i> <i>ovata</i> |
| 5 | 15 | A | 57 | * | * | * | * | 28 | * |
| 5 | 15 | C | * | * | * | * | * | * | * |
| 5 | 15 | E | * | 170 | 114 | 57 | * | * | * |
| 6 | 15 | A | * | * | * | * | 1477 | * | 227 |
| 6 | 15 | C | 288 | * | * | 199 | * | * | * |
| 6 | 15 | E | * | * | * | * | 738 | 114 | 1420 |
| 7 | 16 | A | * | * | * | * | 284 | * | * |
| 7 | 6 | C | * | * | 57 | 57 | * | * | * |
| 7 | 6 | E | * | * | * | * | 170 | * | * |

| Month | Day | Transsect | Chlorophyta [Density in cells per milliliter] | | | | | | |
|-------|-----|-----------|--|---|--------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|
| | | | <i>Ankistrodesmus</i> | <i>Ankistrodesmus</i> <i>braunii</i> | <i>Chlamydomonas</i> <i>sp. 1</i> | <i>Chlamydomonas</i> <i>sp. 2</i> | <i>Chlamydomonas</i> <i>sp. 3</i> | <i>Chlamydomonas</i> <i>sp. 4</i> | <i>Chlamydomonas</i> <i>sp. 5</i> |
| 5 | 15 | A | 28 | * | 199 | 28 | * | 398 | * |
| 5 | 15 | C | 114 | * | 114 | 682 | * | * | * |
| 5 | 15 | E | * | * | 511 | 454 | * | 284 | * |
| 6 | 15 | A | * | 114 | 909 | 1363 | * | * | * |
| 6 | 15 | C | * | 28 | 85 | 142 | 28 | * | * |
| 6 | 15 | E | * | * | 57 | * | * | * | * |
| 7 | 16 | A | 114 | * | * | * | 1193 | * | * |
| 7 | 6 | C | * | 114 | * | 114 | * | * | * |
| 7 | 6 | E | * | * | * | * | 227 | 227 | 341 |

Table 4. Algal species and species density in the water column of Wetland T3--Continued.

| Chlorophyta | | | | | | | | |
|-----------------------------------|-----|----------|---------------------------|---------------------------------|----------------------------|-----------------------|------------------------|-------------------|
| [Density in cells per milliliter] | | | | | | | | |
| Month | Day | Transect | <i>Chlorella vulgaris</i> | <i>Chlorococcum humicola</i> | <i>Dictyosphaerium sp.</i> | <i>Dunaliella sp.</i> | <i>Mesotaenium sp.</i> | <i>Microspora</i> |
| 5 | 15 | A | * | 596 | * | 199 | * | * |
| 5 | 15 | C | * | 1136 | * | * | * | * |
| 5 | 15 | E | 57 | 1136 | 341 | * | 57 | 1647 |
| 6 | 15 | A | * | 1590 | * | * | * | * |
| 6 | 15 | C | * | * | * | * | 28 | * |
| 6 | 15 | E | * | 57 | * | * | * | * |
| 7 | 16 | A | * | 909 | * | * | * | * |
| 7 | 6 | C | * | * | * | * | * | * |
| 7 | 6 | E | * | * | 409 | * | 341 | * |
| Chlorophyta | | | | | | | | |
| [Density in cells per milliliter] | | | | | | | | |
| Month | Day | Transect | <i>Scenedesmus bijuga</i> | <i>Spermatozoopsis exultans</i> | <i>Tetraedron caudatum</i> | <i>Ulothrix sp.</i> | <i>Zygisma sp.</i> | |
| 5 | 15 | A | * | * | * | * | * | * |
| 5 | 15 | C | * | * | * | * | * | 682 |
| 5 | 15 | E | 568 | * | 57 | 170 | * | * |
| 6 | 15 | A | * | * | * | * | 2045 | * |
| 6 | 15 | C | * | * | * | * | * | * |
| 6 | 15 | E | * | * | * | * | * | * |
| 7 | 16 | A | * | * | * | * | * | * |
| 7 | 6 | C | * | * | * | * | * | * |
| 7 | 6 | E | * | 170 | 114 | * | * | * |

Table 4. Algal species and species density in the water column of Wetland T3-Continued.

| Euglenophyta and Dinophyta [Density in cells per milliliter] | | | | | | | | | |
|---|-----|----------|---------------------------------|----------------------------------|---------------------------------------|--------------------------------------|--|---------------------------------|---------------------------------|
| Month | Day | Transect | <i>Euglena</i> <i>sp.</i> | <i>Phacus</i> <i>sp.</i> | <i>Phacus</i> <i>longicauda</i> | <i>Trachelomonas</i> <i>sp.</i> | <i>Cryptodinium</i> <i>cornifex</i> | | |
| 5 | 15 | A | * | * | * | * | * | * | * |
| 5 | 15 | C | * | * | * | * | * | 227 | * |
| 5 | 15 | E | * | * | * | * | * | | |
| 6 | 15 | A | * | * | * | * | * | | |
| 6 | 15 | C | 57 | 28 | 57 | * | * | | |
| 6 | 15 | E | 114 | * | * | * | * | | |
| 7 | 16 | A | 114 | * | * | * | * | | |
| 7 | 6 | C | 454 | * | * | * | * | | |
| 7 | 6 | E | 57 | * | 57 | * | * | | |
| Chrysophyta [Density in cells per milliliter] | | | | | | | | | |
| Month | Day | Transect | <i>Chromalina</i> <i>sp.</i> | <i>Chrysamoeba</i> <i>sp.</i> | <i>Dinobryon</i> <i>acuminatum</i> | <i>Dinobryon</i> <i>setularia</i> | <i>Harpochytrium</i> <i>tenuissimum</i> | <i>Mallomonas</i> <i>sp.</i> | <i>Ochromonas</i> <i>sp.</i> |
| 5 | 15 | A | * | * | * | * | * | * | * |
| 5 | 15 | C | * | 114 | 682 | 114 | 114 | * | * |
| 5 | 15 | E | 568 | * | 170 | * | * | * | * |
| 6 | 15 | A | * | * | * | * | * | * | 1250 |
| 6 | 15 | C | * | 28 | * | * | * | * | 284 |
| 6 | 15 | E | * | * | * | * | * | * | * |
| 7 | 16 | A | 227 | * | * | * | * | * | * |
| 7 | 6 | C | * | * | * | * | * | * | 57 |
| 7 | 6 | E | 454 | * | * | * | * | * | * |

Table 4. Algal species and species density in the water column of Wetland T3--Continued.

| Chrysophyta [Density in cells per milliliter] | | | | | | | | | |
|--|-----|----------|-----------------------------|---------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|--------------------------|
| Month | Day | Transect | <i>Ochromonas stellaris</i> | <i>Ophiocystium cochleariae</i> | <i>Ophiocystium parvulum</i> | <i>Synura</i> sp. | <i>Tribonema</i> sp. 1 | <i>Tribonema</i> sp. 2 | * |
| 5 | 15 | A | * | * | * | * | * | * | * |
| 5 | 15 | C | 454 | * | 114 | * | * | 9997 | * |
| 5 | 15 | E | 1079 | * | * | * | 4305 | * | 1136 |
| 6 | 15 | A | * | * | * | * | * | * | * |
| 6 | 15 | C | 199 | * | * | 2215 | * | 284 | * |
| 6 | 15 | E | * | * | 57 | * | 568 | * | * |
| 7 | 16 | A | * | * | * | 2045 | * | * | * |
| 7 | 6 | C | * | 170 | * | * | * | * | * |
| 7 | 6 | E | * | * | * | * | 114 | * | * |
| Bacillariophyta [Density in cells per milliliter] | | | | | | | | | |
| Month | Day | Transect | <i>Melosira</i> sp. | <i>Amphora veneta</i> | <i>Eunotia curvata</i> | <i>Fragilaria virescens</i> | <i>Gomphonema gracile</i> | <i>Hantzschia amphioxys</i> | <i>Navicula accomoda</i> |
| 5 | 15 | A | * | * | * | * | * | * | * |
| 5 | 15 | C | 341 | * | * | * | * | * | * |
| 5 | 15 | E | * | 12 | * | 28 | * | 57 | * |
| 6 | 15 | A | * | * | * | * | * | * | * |
| 6 | 15 | C | * | * | 6 | * | * | * | 28 |
| 6 | 15 | E | 114 | * | * | * | * | * | * |
| 7 | 16 | A | * | * | 19 | * | * | * | * |
| 7 | 6 | C | 398 | * | * | 6 | 28 | * | * |
| 7 | 6 | E | 114 | * | * | * | * | * | * |

Table 4. Algal species and species density in the water column of Wetland T3--Continued.

| Bacillariophyta [Density in cells per milliliter] | | | | | | | | | |
|--|-----|----------|---------------------------|----------------------------|-------------------------------|----------------------------|-------------------------------|----------------------------|------------------------|
| Month | Day | Transect | <i>Navicula arvensis</i> | <i>Navicula atomus</i> | <i>Navicula cryptocephala</i> | <i>Navicula cuspidata</i> | <i>Navicula heufleri</i> | <i>Navicula lanceolata</i> | <i>Navicula sp.</i> |
| 5 | 15 | A | * | * | * | * | * | 28 | * |
| 5 | 15 | C | * | * | * | 28 | 86 | * | * |
| 5 | 15 | E | * | * | * | 57 | * | * | * |
| 6 | 15 | A | * | * | * | * | * | * | * |
| 6 | 15 | C | 28 | 28 | * | * | * | 28 | 14 |
| 6 | 15 | E | * | * | * | * | * | * | * |
| 7 | 16 | A | 6 | * | * | * | 3 | * | * |
| 7 | 6 | C | * | * | * | * | * | * | * |
| 7 | 6 | E | * | * | * | * | * | * | * |
| Bacillariophyta [Density in cells per milliliter] | | | | | | | | | |
| Month | Day | Transect | <i>Nitzschia amphibia</i> | <i>Nitzschia denticula</i> | <i>Nitzschia fonticola</i> | <i>Nitzschia frustulum</i> | <i>Nitzschia hantzschiana</i> | <i>Nitzschia minutula</i> | <i>Nitzschia palea</i> |
| 5 | 15 | A | * | * | * | * | * | * | * |
| 5 | 15 | C | 227 | * | * | * | * | * | 114 |
| 5 | 15 | E | 6 | 6 | * | * | * | * | 284 |
| 6 | 15 | A | * | * | * | * | * | 57 | * |
| 6 | 15 | C | 39 | * | * | * | * | * | * |
| 6 | 15 | E | * | * | * | * | * | * | 95 |
| 7 | 16 | A | * | * | 6 | * | * | 6 | 109 |
| 7 | 6 | C | * | * | * | 28 | * | 57 | 114 |
| 7 | 6 | E | 114 | * | * | * | * | * | 114 |

Table 4. Algal species and species density in the water column of Wetland T3--Continued.

| Month | Day | Transect | Bacillariophyta [Density in cells per milliliter] | | | | | |
|-------|-----|----------|--|-----------------------------------|--------------------------------------|---------------------------------|-----------------------------------|------------------------------|
| | | | <i>Nitzschia</i> <i>paleacea</i> | <i>Nitzschia</i> <i>romana</i> | <i>Nitzschia</i> <i>thermalis</i> | <i>Pinnularia</i> <i>sp*</i> | <i>Riopalodia</i> <i>gibba</i> | <i>Synedra</i> <i>sp*</i> |
| 5 | 15 | A | 28 | * | * | * | * | * |
| 5 | 15 | C | * | * | 227 | * | * | * |
| 5 | 15 | E | * | * | 6 | 57 | * | * |
| 6 | 15 | A | 57 | * | * | * | * | * |
| 6 | 15 | C | 373 | 20 | 28 | * | * | * |
| 6 | 15 | E | 57 | * | * | * | * | * |
| 7 | 16 | A | 130 | 6 | * | * | 19 | * |
| 7 | 6 | C | 170 | 57 | * | * | * | * |
| 7 | 6 | E | * | 170 | * | * | 6 | 57 |

ⁱ Organisms not present in sample

Table 5. Algal species and species density in the water column of Wetland T8.

| Month | Day | Transect | Cyanophyta | | | | | Aphanocapsa sp. | Aphanothece castagnaei | Aphanocapsa delicatissima |
|-------|-----|----------|-------------------|-------------------|------------------------|--------------------|------|--------------------|---------------------------|------------------------------|
| | | | Anabaena sp. 1 | Anabaena sp. 2 | Anabaena plantonica | Aphanocapsa sp. | 2102 | | | |
| 5 | 15 | A | * | * | * | 1079 | 2357 | * | * | * |
| 5 | 15 | C | * | * | 1590 | * | * | * | * | 738 |
| 5 | 15 | E | * | * | * | * | * | * | * | 1477 |
| 6 | 15 | A | * | * | * | * | * | * | * | * |
| 6 | 15 | C | * | * | * | * | * | * | * | 1818 |
| 6 | 15 | E | * | * | * | * | * | * | * | 1903 |
| 7 | 6 | A | * | * | * | 909 | * | * | * | * |
| 7 | 6 | C | * | * | * | * | * | * | * | 2158 |
| 7 | 6 | E | 1306 | * | * | * | * | * | * | * |

| Month | Day | Transect | Cyanophyta | | | | | Aphanocapsa sp. | Chroococcus sp. 1 | Chroococcus sp. 2 | Chroococcus dispersus |
|-------|-----|----------|--------------------------|--------------------|------------------------|--------------------|--------|--------------------|----------------------|----------------------|--------------------------|
| | | | Aphanocapsa elachista | Aphanocapsa sp. | Aphanothece pulchra | Chroococcus sp. | 28 | | | | |
| 5 | 15 | A | * | 5708 | * | 44418 | 29934 | * | * | * | * |
| 5 | 15 | C | 2897 | 3635 | * | 568 | * | * | * | 625 | 625 |
| 5 | 15 | E | 2528 | * | * | * | * | * | * | * | 2532 |
| 6 | 15 | A | * | 2045 | * | 181306 | 231517 | * | * | * | * |
| 6 | 15 | C | * | * | * | * | * | * | * | * | 4430 |
| 6 | 15 | E | * | * | * | 124903 | * | * | * | * | * |
| 7 | 6 | A | * | * | * | * | 15904 | * | * | * | 1164 |
| 7 | 6 | C | * | 909 | * | * | 5000 | * | * | * | * |
| 7 | 6 | E | 38908 | * | * | * | * | * | * | * | * |

Table 5. Algal species and species density in the water column of Wetland T8--Continued.

| Cyanophyta [Density in cells per milliliter] | | | | | | | |
|---|-----|----------|---------------------------------|--|--------------------------------|------------------------------|--------------------------|
| Month | Day | Transect | <i>Chroococcus pallidus</i> | <i>Coelosphaerium sp.</i> | <i>Dactylococcus aciculans</i> | <i>Dactylococcus smithii</i> | <i>Gloeo capsula</i> sp. |
| 5 | 15 | A | * | * | * | * | 28 |
| 5 | 15 | C | * | * | 28 | 114 | * |
| 5 | 15 | E | 19482 | * | * | * | * |
| 6 | 15 | A | * | * | * | * | * |
| 6 | 15 | C | * | * | * | * | * |
| 6 | 15 | E | 454 | * | * | 114 | 398 |
| 7 | 6 | A | * | * | * | * | * |
| 7 | 6 | C | * | * | 7043 | * | 18062 |
| 7 | 6 | E | * | * | 28 | * | * |
| Cyanophyta [Density in cells per milliliter] | | | | | | | |
| Month | Day | Transect | <i>Oscillatoria angusta</i> sp. | <i>Oscillatoria angustissima limnetica</i> | <i>Oscillatoria princeps</i> | <i>Oscillatoria princeps</i> | <i>Phormidium sp.</i> |
| 5 | 15 | A | * | * | * | 909 | * |
| 5 | 15 | C | * | * | 568 | 227 | * |
| 5 | 15 | E | * | * | * | * | * |
| 6 | 15 | A | 2726 | * | * | 1079 | * |
| 6 | 15 | C | * | * | 2925 | 2215 | 360 |
| 6 | 15 | E | * | * | * | * | * |
| 7 | 6 | A | * | * | * | * | * |
| 7 | 6 | C | * | * | 909 | 2899 | * |
| 7 | 6 | E | * | * | 568 | 2499 | 170 |
| | | | | | | | * |

| Rhabdoderma <i>Pseudoanabaena</i> sp. <i>Rhabdoderma irregularare</i> | | | | | | | |
|---|-----|----------|---------------------------------|--|------------------------------|-----------------------|--|
| Month | Day | Transect | <i>Oscillatoria angusta</i> sp. | <i>Oscillatoria angustissima limnetica</i> | <i>Oscillatoria princeps</i> | <i>Phormidium sp.</i> | <i>Pseudoanabaena</i> sp. <i>Rhabdoderma irregularare</i> |
| 5 | 15 | A | * | * | * | * | 1051 |
| 5 | 15 | C | * | * | * | * | 341 |
| 5 | 15 | E | * | * | * | * | 170 |
| 6 | 15 | A | 2726 | * | * | * | * |
| 6 | 15 | C | * | * | 4146 | * | 2158 |
| 6 | 15 | E | * | * | 2925 | 2215 | * |
| 7 | 6 | A | * | * | * | * | * |
| 7 | 6 | C | * | * | 909 | 2899 | * |
| 7 | 6 | E | * | * | 568 | 2499 | 170 |
| | | | | | | | * |

Table 5. Algal species and species density in the water column of Wetland T8.-Continued.

| Cyanophyta [Density in cells per milliliter] | | | | | | | | |
|---|-----|----------|---------------------------------------|----------------------|-----------------------------|----------------------------|---------------------------|------------------------------|
| Month | Day | Transect | Rhabdoderma sigmoidea var minor | Synechococcus sp. | Synechococcus aeruginosa | Synechococcus elongatus | Synechococcus linearis | Synechococcus var spirale |
| 5 | 15 | A | * | * | * | * | 57 | * |
| 5 | 15 | C | * | * | * | * | 1193 | * |
| 5 | 15 | E | 57 | * | * | * | 28 | * |
| 5 | 15 | | | | | | 568 | * |
| 6 | 15 | A | 57 | 341 | * | * | * | * |
| 6 | 15 | C | 114 | 114 | * | * | 114 | * |
| 6 | 15 | E | 170 | 57 | * | 170 | * | * |
| 6 | 15 | | | | | 227 | 114 | 625 |
| 7 | 6 | A | 1136 | * | 25 | 966 | * | * |
| 7 | 6 | C | * | * | 13632 | * | * | 625 |
| 7 | 6 | E | 114 | 341 | * | * | * | * |
| 7 | 6 | | | | | 13972 | 1192 | * |

| Cryptophyta [Density in cells per milliliter] | | | | | | | | |
|--|-----|----------|-------------------|-----------------------------------|----------------------|----------------------|-------------------------|----------------------|
| Month | Day | Transect | Chroomonas sp. | Cryptomonas rostriformis sp. 1 | Cryptomonas sp. 2 | Cryptomonas sp. 3 | Cryptomonas marronii | Cryptomonas ovata |
| 5 | 15 | A | * | * | 28 | * | * | * |
| 5 | 15 | C | 28 | * | 1704 | 341 | * | * |
| 5 | 15 | E | * | * | 994 | 28 | * | * |
| 5 | 15 | | | | | | 170 | 170 |
| 6 | 15 | A | * | * | 568 | 114 | * | * |
| 6 | 15 | C | 142 | * | 28 | 85 | * | 28 |
| 6 | 15 | E | * | 344 | 596 | * | 682 | * |
| 6 | 15 | | | | | | 85 | 795 |
| 7 | 6 | A | * | * | * | * | 170 | * |
| 7 | 6 | C | 7952 | * | * | * | 114 | 57 |
| 7 | 6 | E | * | * | * | 35443 | * | * |
| 7 | 6 | | | | | | 682 | 682 |

Table 5. Algal species and species density in the water column of Wetland T8--Continued.

| Chlorophyta [Density in cells per milliliter] | | | | | | | | | |
|--|-----|----------|------------------------|------------------------|---------------------------|----------------------------|-------------------|-------------------|------------------|
| Month | Day | Transect | Actinastrum sp. | Ankistrodesmus sp. | Ankistrodesmus braunii | Ankistrodesmus falcatus | Carteria | Chlamydomonas | Chlamydomonas |
| | | | | | | | sp. 1 | sp. 2 | |
| 5 | 15 | A | * | 28 | * | * | * | 142 | 170 |
| 5 | 15 | C | * | * | * | * | * | 312 | 398 |
| 5 | 15 | E | * | * | * | * | * | 142 | 483 |
| 6 | 15 | A | * | * | * | * | * | 57 | 57 |
| 6 | 15 | C | * | 85 | 57 | 114 | * | 57 | * |
| 6 | 15 | E | * | * | 28 | * | * | 85 | * |
| 7 | 6 | A | * | * | * | * | * | 19 | 57 |
| 7 | 6 | C | * | * | * | * | * | 142 | * |
| 7 | 6 | E | 227 | * | * | * | * | 114 | * |
| | | | | | | | | | * |
| Chlorophyta [Density in cells per milliliter] | | | | | | | | | |
| Month | Day | Transect | Chlamydomonas sp. 3 | Chlamydomonas sp. 4 | Chlamydomonas humicola | Chlorococcum sp. | Closterium sp. | Coelastrum sp. | Cosmarium sp. |
| | | | | | | | | | |
| 5 | 15 | A | 28 | * | 852 | 341 | * | * | * |
| 5 | 15 | C | 568 | * | * | * | * | * | * |
| 5 | 15 | E | 341 | * | 142 | * | * | * | * |
| 6 | 15 | A | * | * | * | 114 | * | * | * |
| 6 | 15 | C | * | * | * | 28 | * | * | * |
| 6 | 15 | E | * | * | 483 | * | * | * | 28 |
| 7 | 6 | A | 114 | 256 | * | * | 19 | * | * |
| 7 | 6 | C | * | * | * | * | * | 28 | * |
| 7 | 6 | E | * | * | 85 | * | 227 | | * |

Table 5. Algal species and species density in the water column of Wetland T8--Continued.

| Chlorophyta [Density in cells per milliliter] | | | | | | | | | |
|--|-----|----------|---------------------------------------|------------------------|-------------------------|--------------------------|-----------------------|----------------------------|---------------------------|
| Month | Day | Transect | <i>Dictyosphaerium ehrenbergianum</i> | <i>Eudorina</i> sp. | <i>Mougeotia</i> sp. | <i>Oedogonium</i> sp. | <i>Ocystis</i> sp. | <i>Pediastrum boryanum</i> | <i>Pyramimonas</i> sp. |
| 5 | 15 | A | 114 | * | * | * | * | * | * |
| 5 | 15 | C | * | * | * | * | * | * | * |
| 5 | 15 | E | 170 | * | * | * | * | * | * |
| 6 | 15 | A | * | * | * | 1420 | * | * | * |
| 6 | 15 | C | * | 909 | 28 | 2982 | * | 426 | * |
| 6 | 15 | E | * | * | * | 1505 | 170 | * | 28 |
| 7 | 6 | A | * | * | * | * | * | * | * |
| 7 | 6 | C | * | * | * | * | * | * | * |
| 7 | 6 | E | * | * | * | * | 57 | * | * |

| Chlorophyta [Density in cells per milliliter] | | | | | | | | | |
|--|-----|----------|---------------------------|---|--|-------------------------|---------------------------|---|------------------------|
| Month | Day | Transect | <i>Scenedesmus</i> sp. | <i>Scenedesmus</i> <i>dismorphus</i> | <i>Sphaerotilis</i> <i>schroeteri</i> | <i>Spirogyra</i> sp. | <i>Staurastrum</i> sp. | <i>Stephanoptera</i> <i>gracilis</i> | <i>Ulothrix</i> sp. |
| 5 | 15 | A | 114 | * | * | * | * | * | 114 |
| 5 | 15 | C | * | * | * | * | * | * | * |
| 5 | 15 | E | * | 114 | * | * | * | * | * |
| 6 | 15 | A | * | * | * | * | * | * | 1420 |
| 6 | 15 | C | * | * | * | 284 | * | * | 5197 |
| 6 | 15 | E | * | * | 625 | * | * | 28 | 426 |
| 7 | 6 | A | * | * | * | * | 28 | * | * |
| 7 | 6 | C | * | * | * | * | * | * | * |
| 7 | 6 | E | * | * | * | * | 199 | * | * |

Table 5. Algal species and species density in the water column of Wetland T8--Continued.

| Euglenophyta and Dinophyta [Density in cells per milliliter] | | | | | | | | | |
|---|-----|----------|--------------------------|--------------------------|--------------------------|--|---------------------------------------|---|-------------------------|
| Month | Day | Transect | <i>Euglena</i> sp. | <i>Euglena</i> sp. 1 | <i>Euglena</i> sp. 2 | <i>Phacus</i> caudata | <i>Gymnodinium</i> <i>palustre</i> | <i>Peridinium</i> <i>Inconspicua</i> | |
| 5 | 15 | A | * | * | * | * | * | * | * |
| 5 | 15 | C | * | * | * | * | * | * | * |
| 5 | 15 | E | 28 | * | * | * | * | * | * |
| 6 | 15 | A | * | * | * | * | * | * | * |
| 6 | 15 | C | * | * | * | 28 | 57 | * | * |
| 6 | 15 | E | * | * | * | * | * | * | * |
| 7 | 6 | A | * | 28 | 28 | * | 28 | 57 | * |
| 7 | 6 | C | * | * | * | * | * | * | * |
| 7 | 6 | E | 28 | * | * | * | * | * | * |
| Chrysophyta [Density in cells per milliliter] | | | | | | | | | |
| Month | Day | Transect | <i>Chromulina</i> sp. | <i>Desmarella</i> sp. | <i>Ochromonas</i> sp. | <i>Ophiocytium</i> <i>desertum</i> var minor | <i>Rhizochrysis</i> sp. | <i>Synura</i> sp. | <i>Tribonema</i> sp. |
| 5 | 15 | A | 2414 | 114 | * | * | 28 | 2329 | 625 |
| 5 | 15 | C | 57 | * | * | * | * | * | * |
| 5 | 15 | E | 57 | * | * | * | * | * | * |
| 6 | 15 | A | * | * | * | * | * | 30388 | 227 |
| 6 | 15 | C | 28 | * | * | * | * | 4317 | 2641 |
| 6 | 15 | E | * | * | 28 | 28 | * | * | 1,022 |
| 7 | 6 | A | * | * | 199 | * | * | 4601 | 227 |
| 7 | 6 | C | 227 | * | * | * | * | 9883 | * |
| 7 | 6 | E | * | * | * | * | * | * | * |

Table 5. Algal species and species density in the water column of Wetland T8--Continued.

| Month | Day | Transect | Bacillariophyta [Density in cells per milliliter] | | | | | | |
|-------|-----|----------|--|-------------------------|------------------------------|---------------------------|---------------------|------------------------|---------------------------|
| | | | <i>Eunotia curvata</i> | <i>Eunotia naegelii</i> | <i>Gomphonema angustatum</i> | <i>Gomphonema gracile</i> | <i>Navicula sp.</i> | <i>Nitzschia palea</i> | <i>Nitzschia paleacea</i> |
| 5 | 15 | A | 28 | * | * | * | 28 | 28 | * |
| 5 | 15 | C | * | * | * | * | 28 | * | * |
| 5 | 15 | E | * | * | * | * | 6 | 28 | * |
| 6 | 15 | A | 14 | 6 | * | 14 | * | * | * |
| 6 | 15 | C | 57 | * | * | 14 | * | * | 14 |
| 6 | 15 | E | 28 | * | * | 28 | * | * | 57 |
| 7 | 6 | A | * | * | * | * | 14 | * | * |
| 7 | 6 | C | 6 | * | * | * | 57 | * | 114 |
| 7 | 6 | E | 57 | * | 28 | 85 | * | * | 85 |

¹ Organisms not present in sample

Table 6. Invertebrate species and species density in the water column of Wetland P1.

| Copepoda and Cladocera [Density is organisms per liter] | | | | | | |
|--|-----|----------|--|--------------------------------|------------------------------------|---|
| Month | Day | Transect | <i>Diacyclops</i> <i>bispectrum</i> | Copepod nauplii | <i>Diatomus</i> <i>clavipes</i> | <i>Ceriodaphnia</i> <i>quadrangula</i> |
| 5 | 15 | A | 29 | 85 | 1 | 102 |
| 5 | 15 | C | 59 | 102 | 4 | * |
| 5 | 15 | E | 44 | 177 | 1 * | 268 |
| 6 | 20 | A | 46 | 391 | 6 | 13 |
| 6 | 20 | C | 12 | 286 | 9 | * |
| 6 | 20 | E | 34 | 352 | 21 | 15 |
| 7 | 9 | A | * | 46 | 22 | 7 |
| 7 | 9 | C | 6 | 114 | 47 | 2 <1 |
| 7 | 9 | E | 7 | 125 | 26 | 3 |
| Rotifera [Density is organisms per liter] | | | | | | |
| Month | Day | Transect | <i>Keratella</i> <i>quadrata</i> | <i>Euchlanis</i> <i>sp.</i> | <i>Platyias</i> <i>sp.</i> | <i>Trichocerca</i> <i>sp.</i> |
| 5 | 15 | A | * | * | 1 | * |
| 5 | 15 | C | * | 1 | 21 | 3 |
| 5 | 15 | E | 1 | * | * | * |
| 6 | 20 | A | * | <1 | <1 | * |
| 6 | 20 | C | * | * | 2 | * |
| 6 | 20 | E | * | * | 1 | * |
| 7 | 9 | A | * | * | * | * |
| 7 | 9 | C | * | * | * | * |
| 7 | 9 | E | * | * | <1 | * |

Table 6. Invertebrate species and species density in the water column of Wetland P1--Continued.

| Month | Day | Transect | Other invertebrates [Density is organisms per liter] | | | | | |
|--|-----|----------|--|--------------------|-------------------------------------|---------------------------------|---|------------------------|
| | | | Ostracoda sp. | Hydracarina sp. | Ephemeroptera <i>Baetis</i> sp. | Diptera <i>Chaoborus</i> sp. | | |
| 5 | 15 | A | * | * | * | * | * | * |
| 5 | 15 | C | * | * | * | * | * | * |
| 5 | 15 | E | * | * | * | * | * | * |
| 6 | 20 | A | <1 | * | * | * | * | * |
| 6 | 20 | C | * | <1 | * | * | * | * |
| 6 | 20 | E | * | * | * | * | * | * |
| 7 | 9 | A | * | * | * | * | * | * |
| 7 | 9 | C | * | * | 1 | * | * | * |
| 7 | 9 | E | * | * | * | * | * | * |
| Copepoda and Cladocera [Density is organisms per liter] | | | | | | | | |
| Month | Day | Transect | <i>Diacyclops</i> <i>biscutipalatus</i> <i>thomasi</i> | Copepod naupli | <i>Diaptomus</i> <i>clavipes</i> | <i>Daphnia</i> <i>pulex</i> | <i>Ceriodaphnia</i> <i>quadrangula</i> | <i>Chydorus</i> sp. |
| | | | | | | | | |
| 8 | 15 | A | 3 | 3 | 314 | 11 | 3 | * |
| 8 | 15 | C | 21 | 34 | 69 | * | 13 | * |
| 8 | 15 | E | 6 | 60 | 40 | 1 | 5 | * |
| 9 | 17 | A | 6 | 16 | 27 | 4 | 4 | * |
| 9 | 17 | C | 1 | 23 | 5 | 6 | 1 | * |
| 9 | 17 | E | 5 | 5 | 5 | <1 | * | * |
| 10 | 12 | A | <1 | 14 | 3 | 112 | * | * |
| 10 | 12 | C | * | 8 | 19 | 132 | * | * |
| 10 | 12 | E | 6 | 3 | 2 | 2 | * | * |

Table 6. Invertebrate species and species density in the water column of Wetland P1--Continued.

| Month | Day | Transect | Rotifera | | | |
|---------------------|-----|----------|----------------------------------|---------------------------|---|---|
| | | | <i>Keratella quadrata</i> sp. | <i>Euchlanis</i> sp. | <i>Platyias</i> sp. | <i>Trichocerca</i> sp. |
| 8 | 15 | A | * | * | * | * |
| 8 | 15 | C | * | * | 22 | * |
| 8 | 15 | E | * | * | 1 | * |
| 9 | 17 | A | 1 | * | * | * |
| 9 | 17 | C | 2 | * | <1 | * |
| 9 | 17 | E | <1 | * | * | * |
| 10 | 12 | A | * | * | * | * |
| 10 | 12 | C | 1 | * | * | * |
| 10 | 12 | E | <1 | * | * | * |
| Other invertebrates | | | | | | |
| Month | Day | Transect | [Density is organisms per liter] | | | |
| | | | <i>Ostracoda</i> sp. | <i>Hydracarina</i> sp. | <i>Ephemeroptera</i> <i>Baetis</i> sp. | <i>Diptera</i> <i>Chironomus</i> sp. |
| 8 | 15 | A | * | * | * | * |
| 8 | 15 | C | * | * | 1 | * |
| 8 | 15 | E | * | * | * | <1 |
| 9 | 17 | A | * | * | * | * |
| 9 | 17 | C | * | * | * | <1 |
| 9 | 17 | E | * | * | * | * |
| 10 | 12 | A | * | * | * | * |
| 10 | 12 | C | * | * | * | * |
| 10 | 12 | E | * | * | <1 | * |

¹ Organisms not present in sample

² Organisms present in sample but density less than one organism per liter

Table 7. Invertebrate species and species density in the water column of Wetland P8.

| Copepoda [Density is organisms per liter] | | | | | | |
|--|-----|----------|--|---|--------------------------------------|--------------------------------|
| Month | Day | Transect | <i>Diacyclops</i> <i>bisicuspidatus</i> | <i>Paracyclops</i> <i>fimbriatus</i> | <i>Macrocyclops</i> <i>fuscus</i> | <i>Cyclopoid</i> copepodids |
| 5 | 15 | A | 1 * | * | * | 88 |
| 5 | 15 | C | * | 140 | * | 55 |
| 5 | 15 | E | 33 | * | * | 15 |
| 6 | 20 | A | * | * | * | 44 |
| 6 | 20 | C | * | * | * | <1 |
| 6 | 20 | E | * | * | * | 24 |
| | | | | | | 119 |
| | | | | | | 3 |
| | | | | | | 5 |
| | | | | | | 116 |
| | | | | | | 3 |
| | | | | | | 32 |
| | | | | | | 109 |
| | | | | | | 2 |

| Cladocera [Density is organisms per liter] | | | | | | |
|---|-----|----------|--------------------------------|--------------------------------|--|---|
| Month | Day | Transect | <i>Daphnia</i> <i>pulex</i> | <i>Daphnia</i> <i>rosea</i> | <i>Immature</i> <i>Ceriodaphnia</i> | <i>Simocephalus</i> <i>quadrangula</i> |
| 5 | 15 | A | * | * | 1 | * |
| 5 | 15 | C | * | * | 11 | * |
| 5 | 15 | E | 13 | <1 | * | * |
| 6 | 20 | A | * | * | 13 | 3 |
| 6 | 20 | C | 8 | * | * | <1 |
| 6 | 20 | E | * | * | 5 | 1 |
| | | | | | | * |
| | | | | | | 1 |
| | | | | | | * |
| | | | | | | * |
| | | | | | | * |
| | | | | | | 12 |
| | | | | | | 2 |
| | | | | | | 2 |

Table 7. Invertebrate species and species density in the water column of Wetland P8--Continued.

| Rotifera | | | | | | | | | | |
|----------------------------------|-----|----------|---------------------------|----------------------------|----------------------|----------------------|-------------------|---------------------|-----------------------|-----------------------|
| [Density is organisms per liter] | | | | | | | | | | |
| Month | Day | Transect | <i>Keratella quadrata</i> | <i>Notholca accuminata</i> | <i>Synchaeta sp.</i> | <i>Euchlanis sp.</i> | <i>Lecane sp.</i> | <i>Platyias sp.</i> | <i>Polyarthra sp.</i> | <i>Brachionus sp.</i> |
| 5 | 15 | A | * | * | 4009 | 12 | * | * | * | * |
| 5 | 15 | C | * | * | 5 | 3 | * | 5 | * | * |
| 5 | 15 | E | * | * | 2153 | * | * | * | * | * |
| 6 | 20 | A | <1 | * | * | 3 | * | 6 | * | * |
| 6 | 20 | C | * | * | * | <1 | * | <1 | * | * |
| 6 | 20 | E | * | * | * | * | * | 2 | * | * |
| Other invertebrates | | | | | | | | | | |
| [Density is organisms per liter] | | | | | | | | | | |
| Month | Day | Transect | Ostracoda | Amphipoda | Hydracarina | Ephemeroptera | Hemiptera | Coleoptera | Diptera | Chironomidae |
| | | | sp. | sp. | Baetis sp. | Notonectid sp. | Dytiscid sp. | sp. | sp. | Chaoborus sp. |
| 5 | 15 | A | <1 | * | * | * | * | * | <1 | * |
| 5 | 15 | C | 5 | * | * | * | * | * | * | * |
| 5 | 15 | E | 1 | * | * | * | * | * | * | * |
| 6 | 20 | A | 1 | * | * | * | * | * | * | * |
| 6 | 20 | C | <1 | * | <1 | * | * | * | * | * |
| 6 | 20 | E | <1 | * | * | * | * | * | * | * |

Table 7. Invertebrate species and species density in the water column of Wetland P8--Continued.

| Copepoda | | | | | | |
|----------------------------------|-----|--------------|-------------------|--------------------|---------------------|----------------------------|
| [Density is organisms per liter] | | | | | | |
| Month | Day | Transect | <i>Diacyclops</i> | <i>Paracyclops</i> | <i>Macrocylops</i> | <i>Cyclopoid</i> |
| 7 | 9 | A | * | * | * | 23 |
| 7 | 9 | C | * | * | 15 | 8 |
| 7 | 9 | E | * | * | 5 | 1 |
| 8 | 16 | A | * | * | 7 | 6 |
| 8 | 16 | C | * | * | 14 | 5 |
| 8 | 16 | E | * | * | 8 | 4 |
| | | | <i>fimbriatus</i> | <i>fuscus</i> | <i>copepodids</i> | <i>Copepod nauplii</i> |
| | | | <i>poppei</i> | | | <i>clavipes</i> |
| Cladocera | | | | | | |
| [Density is organisms per liter] | | | | | | |
| Month | Day | Transect | <i>Daphnia</i> | <i>Immature</i> | <i>Ceriodaphnia</i> | <i>Scapholeberis</i> |
| 7 | 9 | <i>pulex</i> | <i>Daphnia</i> | <i>quadrangula</i> | <i>quritus</i> | <i>Pleuroxus</i> |
| 7 | 9 | <i>rosea</i> | <i>Daphnia</i> | <i>vetulus</i> | | <i>procurvatus</i> |
| 7 | 9 | C | * | 2 | 5 | * |
| 7 | 9 | E | <1 | 1 | <1 | 4 |
| 7 | 9 | | | 1 | * | 1 |
| 8 | 16 | A | * | * | <1 | <1 |
| 8 | 16 | C | * | <1 | * | 2 |
| 8 | 16 | E | * | 1 | * | * |
| | | | | | | <i>Chydorus sphaericus</i> |

Table 7. Invertebrate species and species density in the water column of Wetland P8--Continued.

| Rotifera [Density is organisms per liter] | | | | | | | | | |
|---|-----|----------|--------------------|---------------------------|-----------------|--------------------------|--------------------------|-------------------------|--------------------------|
| Month | Day | Transect | Keratella quadrata | Notholca accuminata | Synchaeta sp. | Euchlanis sp. | Leucane sp. | Platyias sp. | Brachionus sp. |
| 7 | 9 | A | * | * | * | * | 2 | <1 | 7 |
| 7 | 9 | C | * | * | * | * | <1 | 7 | <1 |
| 7 | 9 | E | * | <1 | * | * | * | * | 4 |
| 8 | 16 | A | * | * | * | * | * | * | * |
| 8 | 16 | C | * | * | * | * | <1 | * | * |
| 8 | 16 | E | * | * | * | * | 3 | 28 | * |
| | | | | | | | | 16 | * |
| Other invertebrates [Density is organisms per liter] | | | | | | | | | |
| Month | Day | Transect | Ostracoda sp. | Amphipoda Hyalella azteca | Hydracarina sp. | Ephemeroptera Baetis sp. | Hemiptera Notonectid sp. | Coleoptera Dytiscid sp. | Diptera Chironomidae sp. |
| 7 | 9 | A | <1 | * | <1 | * | * | * | <1 |
| 7 | 9 | C | <1 | * | <1 | * | * | * | * |
| 7 | 9 | E | * | * | <1 | * | * | * | * |
| 8 | 16 | A | 2 | <1 | * | 1 | * | <1 | 1 |
| 8 | 16 | C | * | * | * | * | <1 | * | 1 |
| 8 | 16 | E | * | * | * | * | <1 | * | <1 |

Table 7. Invertebrate species and species density in the water column of Wetland P8--Continued.

| Copepoda | | | | | | | | |
|----------------------------------|-----|----------|---------------------|------------------------------|---------------------|----------------------|------------------|----------------------------|
| [Density is organisms per liter] | | | | | | | | |
| Month | Day | Transect | <i>Diacyclops</i> | <i>Paracyclops</i> | <i>Macrocyclus</i> | Cyclopoid | Copepod nauplii | <i>Diaptomus clavipes</i> |
| | | | <i>bisulcidatus</i> | <i>fimbriatus</i> | <i>fuscus</i> | copepods | | |
| | | | <i>thomasi</i> | <i>poppei</i> | | | | |
| 9 | 19 | A | * | * | * | 9 | * | 3 |
| 9 | 19 | C | * | * | * | | 3 | 5 |
| 9 | 19 | E | * | * | * | | 2 | 2 |
| | | | | | | | 136 | <1 |
| 10 | 15 | A | * | * | * | 4 | 47 | 1 |
| 10 | 15 | C | * | * | * | 1 | 29 | 5 |
| 10 | 15 | E | * | * | * | 4 | 51 | 2 |
| | | | | | | | | |
| Cladocera | | | | | | | | |
| [Density is organisms per liter] | | | | | | | | |
| Month | Day | Transect | <i>Daphnia</i> | <i>Immature Ceriodaphnia</i> | <i>Simocephalus</i> | <i>Scapholeberis</i> | <i>Pleuroxus</i> | <i>Chydorus sphaericus</i> |
| | | | <i>pulex</i> | <i>rosea</i> | <i>quadrangula</i> | <i>vetulus</i> | <i>curitius</i> | |
| | | | | | | | | |
| 9 | 19 | A | * | 1 | * | * | <1 | 4 |
| 9 | 19 | C | * | 1 | * | * | * | * |
| 9 | 19 | E | <1 | <1 | * | * | <1 | * |
| | | | | | | | | |
| 10 | 15 | A | <1 | 1 | * | * | * | * |
| 10 | 15 | C | 6 | <1 | * | * | * | * |
| 10 | 15 | E | <1 | <1 | * | * | * | <1 |

Table 7. Invertebrate species and species density in the water column of Wetland P8--Continued.

| Rotifera [Density is organisms per liter] | | | | | | | | |
|---|-----|----------|--------------------|------------------------|------------------------|------------------------------|------------------------|-----------------------------|
| Month | Day | Transect | Keratella quadrata | Notholca accuminata | Synchaeta sp. | Euchlanis sp. | Lecane sp. | Platyias sp. |
| 9 | 19 | A | <1 | * | * | * | * | * |
| 9 | 19 | C | <1 | * | * | * | * | * |
| 9 | 19 | E | <1 | * | 3 | <1 | * | <1 |
| 10 | 15 | A | <1 | * | * | * | <1 | * |
| 10 | 15 | C | <1 | * | * | * | <1 | * |
| 10 | 15 | E | * | * | * | * | <1 | * |
| Other invertebrates [Density is organisms per liter] | | | | | | | | |
| Month | Day | Transect | Ostracoda sp. | Amphipoda Hyalella sp. | Hydracarina Baetis sp. | Ephemeroptera Notonectid sp. | Hemiptera Dytiscid sp. | Coleoptera Chironomidae sp. |
| 9 | 19 | A | <1 | * | * | <1 | * | <1 |
| 9 | 19 | C | <1 | * | * | * | * | * |
| 9 | 19 | E | 1 | * | * | * | * | * |
| 10 | 15 | A | <1 | * | * | * | * | * |
| 10 | 15 | C | <1 | * | * | 1 | * | * |
| 10 | 15 | E | <1 | * | * | * | * | * |

¹ Organisms not present in sample

² Organisms present in sample but density less than one organism per liter

Table 8. Invertebrate species and species density in the water column of Wetland P11.

| Month | Day | Transect | Copepoda and Cladocera [Density is organisms per liter] | | | | | Rotifera [Density is organisms per liter] | | |
|-------|-----|----------|--|-------------------------------------|-------------------|------------------------------------|----------------------------------|--|------------------------|-----------------------------------|
| | | | <i>Diacyclops</i> <i>bicuspidatus</i> | <i>Cyclopoid</i> <i>copepids</i> | Copepod naupli | <i>Diaptomus</i> <i>sicilis</i> | <i>Daphnia</i> <i>similis</i> | <i>Ceriodaphnia</i> <i>quadrangula</i> | <i>Chydorus</i> sp. | <i>Moina</i> <i>macrocauda</i> |
| 5 | 15 | A | 229 | 1 * | 322 | 235 | 11 | 7 | * | * |
| 5 | 15 | C | 260 | * | 135 | 182 | 9 | 27 | * | 2 <1 |
| 5 | 15 | E | 684 | * | 115 | 170 | 3 | 13 | * | * |
| 6 | 20 | A | * | <1 | 53 | 125 | 2 | 1 | * | * |
| 6 | 20 | C | * | 2 | 210 | 55 | 7 | 14 | 1 | * |
| 6 | 20 | E | * | 54 | 54 | 1337 | 54 | * | * | * |
| 7 | 10 | A | * | 2 | 21 | 63 | 46 | 2 | 4 | * |
| 7 | 10 | C | * | <1 | * | 24 | 5 | 2 | * | * |
| 7 | 10 | E | * | 5 | 5 | 65 | 304 | 20 | * | * |
| | | | | | | | | | | |
| Month | Day | Transect | Keratella <i>quadrata</i> [Density is organisms per liter] | | | | | Notholca [Density is organisms per liter] | | |
| | | | | | | | | <i>Syncheata</i> sp. | <i>Notholca</i> sp. | |
| 5 | 15 | A | * | * | * | * | * | 87 | | |
| 5 | 15 | C | * | * | * | * | * | 41 | | |
| 5 | 15 | E | * | * | * | * | * | 73 | | |
| 6 | 20 | A | * | * | * | * | 2 | | | |
| 6 | 20 | C | * | * | * | * | 6 | | | |
| 6 | 20 | E | * | * | * | * | 21 | | | |
| 7 | 10 | A | * | * | * | * | * | | | |
| 7 | 10 | C | * | * | * | * | * | | | |
| 7 | 10 | E | * | * | * | * | * | | | |

Table 8. Invertebrate species and species density in the water column of Wetland P11.-Continued.

| Month | Day | Transect | Other invertebrates [Density is organisms per liter] | | | | | | |
|--|-----|----------|---|---|---------------------------------|-------------------------------|----------------------------|------------------------------------|-----------------------------|
| | | | Ostracoda sp. | Amphipoda <i>Hyalella</i> <i>azteca</i> | Odonata <i>Zygoptera</i> sp. | Hemiptera Notonectidae sp. | Coleoptera Dytiscid sp. | Diptera Chironomidae sp. | |
| 5 | 15 | A | * | * | * | * | * | * | * |
| 5 | 15 | C | 1 | * | 1 | * | * | * | * |
| 5 | 15 | E | 3 | 1 | * | 1 | * | 1 | * |
| 6 | 20 | A | * | * | * | * | * | * | * |
| 6 | 20 | C | * | <1 | * | * | * | * | * |
| 6 | 20 | E | * | * | * | * | 32 | * | * |
| 7 | 10 | A | * | 2 | * | * | * | * | 4 |
| 7 | 10 | C | <1 | <1 | * | * | * | * | * |
| 7 | 10 | E | * | * | * | * | * | * | * |
| Copepoda and Cladocera [Density is organisms per liter] | | | | | | | | | |
| Month | Day | Transect | Diacyclops <i>bicuspidatus</i> <i>thomasi</i> | Cyclopoid copepids | Copepod naupli | Diaptomus <i>sicilis</i> | Daphnia <i>similis</i> | Ceriodaphnia <i>quadrangula</i> | Moina <i>macroclaps?</i> |
| | | | | | | | | | |
| 8 | 16 | A | * | 33 | 99 | 883 | 66 | 39 | * |
| 8 | 16 | C | * | 39 | 11 | 3 | 59 | 15 | * |
| 8 | 16 | E | * | 2 | 14 | 31 | 114 | * | * |
| 9 | 20 | A | * | 18 | * | 175 | 126 | * | * |
| 9 | 20 | C | * | 15 | 31 | 65 | 84 | 3 | * |
| 9 | 20 | E | * | 15 | 15 | 838 | 69 | * | * |
| 10 | 15 | A | * | 191 | 9 | 71 | * | * | * |
| 10 | 15 | C | * | * | 3 | 288 | 42 | * | * |
| 10 | 15 | E | * | 3 | * | 24 | 63 | 7 | * |

Table 8. Invertebrate species and species density in the water column of Wetland P11.-Continued.

| Rotifera [Density is organisms per liter] | | | | | | | | | |
|---|-----|----------|-------------------------------------|---|---------------------------------|--------------------------------------|-----------------------------------|---------|------------------|
| Month | Day | Transect | <i>Keratella</i> <i>quadrata</i> | <i>Syncheata</i> sp. | <i>Notholca</i> sp. | | | | |
| 8 | 16 | A | 425 | 13 | * | * | * | * | * |
| 8 | 16 | C | * | * | * | * | * | * | * |
| 8 | 16 | E | 40 | 17 | * | * | * | * | * |
| 9 | 20 | A | 33 | * | * | * | * | * | * |
| 9 | 20 | C | 25 | * | * | * | * | * | * |
| 9 | 20 | E | 116 | * | * | * | * | * | * |
| 10 | 15 | A | 14 | * | * | * | * | * | * |
| 10 | 15 | C | 3 | * | * | * | * | * | * |
| 10 | 15 | E | 10 | * | * | * | * | * | * |
| Other invertebrates [Density is organisms per liter] | | | | | | | | | |
| Month | Day | Transect | Ostracoda sp. | Amphipoda <i>Hyalella</i> <i>azteca</i> | Odonata <i>Zygoptera</i> sp. | Hemiptera <i>Notonectidae</i> sp. | Coleoptera <i>Dytiscid</i> sp. | Diptera | Chironomidae sp. |
| 8 | 16 | A | * | * | * | * | * | * | * |
| 8 | 16 | C | 3 | * | * | * | * | * | * |
| 8 | 16 | E | * | * | * | * | * | * | * |
| 9 | 20 | A | * | * | * | * | * | * | * |
| 9 | 20 | C | * | * | * | * | * | * | * |
| 9 | 20 | E | * | * | * | * | * | * | * |
| 10 | 15 | A | * | * | * | * | * | * | * |
| 10 | 15 | C | * | * | * | * | * | * | * |
| 10 | 15 | E | * | * | * | * | * | * | * |

¹ Organisms not present in sample

² Organisms present in sample but density less than one organism per liter

Table 9. Invertebrate species and species density in the water column of Wetland T3.

| Copepoda and Cladocera | | | | | | | | | |
|----------------------------------|-----|----------|--------------------|-----------------------|-----------------|------------------|----------------------|-------------------------|-----------------------------|
| [Density in organisms per liter] | | | | | | | | | |
| Month | Day | Transect | <i>Dia cyclops</i> | <i>Dia cuspidatus</i> | Copepod nauplii | Harpacticoid sp. | <i>Daphnia pulex</i> | <i>Immature Daphnia</i> | <i>Simocephalus vetulus</i> |
| 5 | 15 | A | 109 | 439 | 1 * | 78 | * | * | * |
| 5 | 15 | C | 216 | 257 | * | 61 | * | * | * |
| 5 | 15 | E | 240 | 585 | * | 54 | * | * | * |
| 6 | 20 | A | 104 | 708 | * | 92 | * | 2 | 16 |
| 6 | 20 | C | 55 | 627 | * | 213 | * | 6 | 9 |
| 6 | 20 | E | 29 | 773 | * | 271 | * | * | 103 |
| 7 | 9 | A | 47 | 237 | * | * | 11 | 11 | * |
| 7 | 9 | C | 217 | 147 | * | * | * | 4 | 51 |
| 7 | 9 | E | 234 | 1221 | * | 2 | * | 2 | 14 |
| Rotifera | | | | | | | | | |
| [Density in organisms per liter] | | | | | | | | | |
| Month | Day | Transect | <i>Keratella</i> | <i>Polyarthra</i> | <i>Lecane</i> | <i>Euchlanis</i> | <i>Platyias</i> | <i>Monostyla</i> | <i>Conochilus</i> |
| 5 | 15 | A | * | * | * | * | 7 | * | 7 |
| 5 | 15 | C | * | * | * | * | * | 4 | * |
| 5 | 15 | E | * | * | * | * | * | * | * |
| 6 | 20 | A | 5 | * | 8 | 7 | 4 | * | * |
| 6 | 20 | C | * | * | 20 | 6 | * | 13 | * |
| 6 | 20 | E | * | 2 | 11 | 2 | * | 2 | * |
| 7 | 9 | A | * | * | 2 | 6 | 4 | * | * |
| 7 | 9 | C | * | * | 24 | 3 | 22 | 9 | 74 |
| 7 | 9 | E | * | 2 | 14 | * | 22 | 7 | 4 |
| Accomorpha | | | | | | | | | |
| [Density in organisms per liter] | | | | | | | | | |
| Month | Day | Transect | <i>Keratella</i> | <i>Polyarthra</i> | <i>Lecane</i> | <i>Euchlanis</i> | <i>Platyias</i> | <i>Monostyla</i> | <i>Conochilus</i> |
| 5 | 15 | A | * | * | * | * | * | * | 7 |
| 5 | 15 | C | * | * | * | * | * | 4 | * |
| 5 | 15 | E | * | * | * | * | * | * | * |
| 6 | 20 | A | 5 | * | 8 | 7 | 4 | * | * |
| 6 | 20 | C | * | 2 | 20 | 6 | * | 13 | * |
| 6 | 20 | E | * | 2 | 11 | 2 | * | 2 | * |
| 7 | 9 | A | * | * | 2 | 6 | 4 | * | * |
| 7 | 9 | C | * | * | 24 | 3 | 22 | 9 | 74 |
| 7 | 9 | E | * | 2 | 14 | * | 22 | 7 | 4 |
| Asplanchna | | | | | | | | | |
| [Density in organisms per liter] | | | | | | | | | |
| Month | Day | Transect | <i>Keratella</i> | <i>Polyarthra</i> | <i>Lecane</i> | <i>Euchlanis</i> | <i>Platyias</i> | <i>Monostyla</i> | <i>Conochilus</i> |
| 5 | 15 | A | * | * | * | * | * | * | 7 |
| 5 | 15 | C | * | * | * | * | * | 4 | * |
| 5 | 15 | E | * | * | * | * | * | * | * |
| 6 | 20 | A | 5 | * | 8 | 7 | 4 | * | * |
| 6 | 20 | C | * | 2 | 20 | 6 | * | 13 | * |
| 6 | 20 | E | * | 2 | 11 | 2 | * | 2 | * |
| 7 | 9 | A | * | * | 2 | 6 | 4 | * | * |
| 7 | 9 | C | * | * | 24 | 3 | 22 | 9 | 74 |
| 7 | 9 | E | * | 2 | 14 | * | 22 | 7 | 4 |

Table 9. Invertebrate species and species density in the water column of Wetland T3--Continued.

| Month | Day | Transect | Other invertebrates [Density in organisms per liter] | | | | |
|-------|-----|----------|---|------------------|--------------------|-----------------------------|---------------|
| | | | Eubranchiopoda Anostraca sp. | Ostracoda sp. | Hydracarina sp. | Diptera Chironomidae sp. | Chaoborus sp. |
| 5 | 15 | A | * | 15 | * | * | * |
| 5 | 15 | C | * | 40 | * | * | * |
| 5 | 15 | E | 3 | 36 | * | * | * |
| 6 | 20 | A | * | 2 | * | * | * |
| 6 | 20 | C | * | * | * | * | * |
| 6 | 20 | E | * | 2 | * | * | * |
| 7 | 9 | A | * | 24 | 2 | * | 2 |
| 7 | 9 | C | * | 44 | * | * | * |
| 7 | 9 | E | * | 11 | * | 2 | * |

ⁱ Organisms not present in sample

Table 10. Invertebrate species and species density in the water column of Wetland T8.

| Copepoda and Cladocera [Density in organisms per liter] | | | | | | | | | |
|--|-----|----------|--|----------------------------------|-------------------------------------|---------------------------------|---------------------------------------|---|----------------------------------|
| Month | Day | Transect | <i>Diacyclops</i> <i>biscutipidatus</i> | Copepod nauplii | <i>Canthocamptus</i> <i>spp.</i> | <i>Daphnia</i> <i>pulex</i> | <i>Simocephalus</i> <i>vetulus</i> | <i>Ceridaphnia</i> <i>reticulata</i> | <i>Alona</i> <i>guttata</i> |
| 5 | 15 | A | 122 | 859 | 26 | 43 | 17 | * | * |
| 5 | 15 | C | 125 | 251 | 1 * | 6 | * | * | * |
| 5 | 15 | E | 89 | 219 | 97 | 32 | 8 | * | * |
| 6 | 20 | A | 329 | 1343 | * | 26 | 130 | * | * |
| 6 | 20 | C | 304 | 1079 | * | * | 14 | 246 | * |
| 6 | 20 | E | 357 | 1438 | * | * | 22 | 218 | * |
| 7 | 9 | A | 92 | 307 | * | * | 6 | 88 | * |
| 7 | 9 | C | 127 | 784 | * | * | 8 | 639 | 39 |
| 7 | 9 | E | 99 | 664 | * | * | * | 21 | 23 |
| Rotifera [Density in organisms per liter] | | | | | | | | | |
| Month | Day | Transect | <i>Keratella</i> <i>serrulata</i> | <i>Polyarthra</i> <i>spp.</i> | <i>Lecane</i> <i>spp.</i> | <i>Euchlanis</i> <i>spp.</i> | <i>Platyias</i> <i>spp.</i> | <i>Monostyla</i> <i>spp.</i> | <i>Conochilus</i> <i>spp.</i> |
| 5 | 15 | A | * | 8 | * | 8 | 17 | * | * |
| 5 | 15 | C | * | 6 | 13 | 13 | * | * | * |
| 5 | 15 | E | * | 8 | 8 | 16 | * | * | * |
| 6 | 20 | A | 121 | 147 | * | * | 17 | * | * |
| 6 | 20 | C | 43 | 94 | * | * | * | * | * |
| 6 | 20 | E | 80 | 91 | * | * | * | * | * |
| 7 | 9 | A | 58 | 10 | 3 | 3 | 3 | 10 | * |
| 7 | 9 | C | 83 | 26 | * | * | 61 | 17 | 8 |
| 7 | 9 | E | 45 | 83 | * | * | 3 | 2 | * |

Table 10. Invertebrate species density in the water column of Wetland T8--Continued.

| Month | Day | Transect | Other invertebrates [Density in organisms per liter] | | | | | | |
|-------|-----|----------|---|---------------|-----------------|-----------|------------|--------------|------------------|
| | | | Anostraca sp. | Ostracoda sp. | Hydracarina sp. | Hemiptera | Coleoptera | Dytiscid sp. | Chironomidae sp. |
| 5 | 15 | A | * | 26 | * | * | * | 8 | 8 |
| 5 | 15 | C | * | * | * | * | * | * | 13 |
| 5 | 15 | E | 8 | * | * | * | * | * | 16 |
| 6 | 20 | A | * | * | 9 | * | * | * | * |
| 6 | 20 | C | * | * | * | * | * | * | * |
| 6 | 20 | E | * | * | * | * | 11 | 11 | * |
| 7 | 9 | A | * | * | * | * | * | * | * |
| 7 | 9 | C | * | 22 | * | * | * | * | * |
| 7 | 9 | E | * | 2 | * | * | * | * | * |

¹ Organisms not present in sample